

ROCKART®

SIGNS AND MARKERS

"Products That Identify"

PRODUCT **2020** CATALOG

OVER 2000+ NEW PRODUCTS INSIDE!

- All 2009 Revised Recreation symbols are now available as Decals and Signs!
- Full library of **MUTCD Compliant** Street & Highway Signs!
- We now carry **EZ Kut™** tools!
- And much more inside!

PROUDLY SERVING



SINCE 1997!



Welcome to the **ROCKART 2020** PRODUCT CATALOG!

We know, it's been a while since our last catalog... but we can explain: we've been working very hard to add over **2000+ New Products** that should make your job a bit easier!

As of November 2019, **ROCKART** is under new management. As the new owners, we want to assure all customers of our intention to continue providing the exceptional customer service that you have come to expect from **ROCKART**.

We have dubbed this new chapter in **ROCKART**'s life the **2020 Expansion** which will include the addition of many new products and services and will be targeting some new markets. The first being our newly-formed **Traffic Sign Division** ...which already has hundreds of signs that are **MUTCD** compliant (with hundreds more to come)! You can see them in the **Signs Section** of this catalog, under the subcategory: **Street & Highway**

Feedback we receive from our customers is invaluable to us and helps us create the products you use today. For this reason, we want to send a sincere "Thank You!" to each of our customers... for your continued patronage and support!

As always, look for us, everywhere you go... in the Great Outdoors!






Hope you brought some snacks... We have a **lot** to cover! 😊

Important Tips for Using This Catalog

Before ordering, be sure to check for and read any special instructions (usually highlighted with a light yellow background) that explain how to correctly determine the Item# for the specific variation you want.

RETROREFLECTIVITY INDICATORS

The symbols & abbreviations below are used throughout this catalog to indicate levels of retroreflectivity:

-  **EG** or **Engineering Grade** (lowest rating)
-  **HIP** or **High-Intensity Prismatic** (medium rating)
-  **DG** or **Diamond Grade** (highest rating)
-  **SEMI** or **Semi-Reflective** (some reflective elements)
-  **NREF** or **Non-Reflective** (not reflective)

As a general rule, retroreflective products should be used:

- Wherever motorized vehicles come in contact with non-motorized restrictions, warnings, closures, boundaries, limited access and where directions are given.
- On non-motorized trails (i.e., reassurance markers) to guide users back to a trail head using a flashlight after dark.
- Where encroachment or night violations into wilderness areas or road closures may help local magistrates prosecute violators.
- Wherever maximum longevity is required.

Retroreflective decals and signs cost more, but typically have a reflectivity lifespan of 7-10+ years, depending on conditions. Many of these decals and signs may actually last even longer, but the retroreflectivity will diminish over time.

Non-Reflective material is less expensive, but will typically last 5-7 years, depending upon exposure.

Selecting higher grade materials for new installations will usually be more cost-effective in the long

run. Replacing deteriorating low-quality decals on existing fiberglass marker posts with new decals, can be time-consuming and tedious. We recommend reflective materials for these reasons.

SPECIFYING COLOR ATTRIBUTES

If an Item# contains **##** or **Color**, it is a "place holder" used to specify the color of the item. Replace **##** or **Color** in the Item # with the 2-digit code representing the color you wish to order. Check individual product details to know which colors are available.

PRODUCTS SOLD 'BY-THE-INCH'

Item #'s with **'LL'** in them should be replaced with the desired length (usually in inches) you wish to order. To calculate the cost of the item, multiply the **LL** value by the price/inch shown.

LETTER & NUMBER DECALS

A **"_"** or **Char** within an item#, represents the single letter or number "place holder" used to specify the letter/number you want. Simply replace **_** in the item # with a single **UPPERCASE** letter (**A - Z**) or numeral (**0 - 9**) you want to order.

SPECIFYING SIZE & DIMENSION

Item #'s containing **SIZE** or **DIMS** are used as placeholders to specify the **SIZE** (or **DIMENSIONS**) of the sign you wish to order. For **SQUARE** sizes, only one measurement is needed. For **Non-square** (rectangular) **Wide** or **Tall** sizes, both dimensions are combined together like: **1830** for **18"** wide x **30"** high.

Example: Replace **Size** (in the part number) with **6** to order the 6x6 size, or **18** for the 18x18 size, etc.

To order a 24" x 18" size of a Wide rectangular sign, replace **DIMS** in the part number with **2418**; or to order the larger 30" x 24" size, use **3024** instead.

PRODUCT IMAGES

Images of products are not scaled down to a specific percentage and therefore should **not** be used to compare actual sizes of other products in this catalog. Please **verify Width & Height** before ordering.

For example: In the Decals section, you will see 3x3 and 4x4 decals shown right next to each other and they appear (visually) to be the same size. But after checking below each decal, one will notice that they are very different sizes.

CONTENTS

MARKER PRODUCTS 4

Campground Markers	4	Snow Poles	16
Ground-Driven Marker Posts	6	Snow Pole Receivers.....	17
Installation Tools, Pre-Install Services.....	9	Snow Pole Brackets	18
Surface Mounted Markers.....	10	U-Channel Posts	19
Surface-Mounted Plates.....	14	Post Drivers & Tools.....	20
Reassurance Markers.....	15		

DECALS..... 21

Agency / Dept. Logos	21	Identification.....	30
Difficulty	22	Message.....	31
Directional & Color Coding.....	22	Object Marker	32
Distance / Location.....	24	Regulatory.....	41
Educational / Guidance	25	Restriction & Motorized	41
Flags	26	Services / Facilities / Amenities	42
Fee-Related.....	27	Trail & Organization Logos.....	45
General / Information.....	28	Travel Management Sign Inserts	46
Golf-Related.....	29	Warning / Caution.....	50

RECREATION SYMBOLS

Recreation General	33	Recreation Water Based.....	38
Recreation Land Based.....	35	Recreation Winter.....	40

LETTERING DECALS 51

3 x 4 Letters & Numbers.....	51	.75 x 1 Letters & Numbers	53
1.5 x 2 Letters & Numbers.....	52		

STRIP DECALS..... 54

Boundary / ID	54	Usage Rules.....	78
Miscellaneous	60	Utilities	87
Restrictions & Motorized	64	Warning / Caution.....	88
Status / Info	71		

REFLECTIVE SHEETING..... 91

Snow Pole Reflectors / Sign Patches	91	Pre-Cut Strips / Buy-The-Roll.....	92
--	----	------------------------------------	----

SIGNS 93

Sign Pricing Tables	94	Regulatory (Non MUTCD)	121
Agency / Dept. Logos	95	Restrictions & Motorized	123
Current Status.....	96	Services / Facilities / Amenities	128
Delineators	98	Traffic Control (Non MUTCD)	138
Directional / Difficulty	99	Trail & Organization Logos.....	139
Distance / Location.....	101	TrailBlazers.....	140
Educational / Guidance	102	Travel Management Signs	142
Fee-Related.....	104	Usage Rules.....	145
Identification.....	105	Warning / Caution.....	152
Informational.....	109	Site Identification Signs.....	156
Miscellaneous	111		
Object Markers / Barricades.....	112		

RECREATION SYMBOLS

Recreation General	114	Recreation Water Based.....	118
Recreation Land Based.....	116	Recreation Winter.....	120

STREET & HIGHWAY SIGNS (MUTCD)

Street & Highway Regulatory.....	131	Street & Highway Guide	134
------------------------------------	-----	--------------------------------	-----

Street & Highway Special Purpose	135	Street & Highway Warning	135
------------------------------------	-----	----------------------------------	-----

MESSAGE CENTERS..... 158

Feature Highlights	158	Kiosk Sign Panels	164
Gable Roof Kiosks.....	160	Coastal Kiosks	166
Shed Roof Kiosks	161	Add-Ons & Accessories	168
Non-Roof Kiosks	162	Fee Collection Stations.....	170
Single-Post Kiosks & Sign Panels	163	Pedestal Sign Displays	171

OTHER PRODUCTS..... 172

Trail Maintenance	172	Trail Landscaping.....	173
-------------------------	-----	------------------------	-----

MISCELLANEOUS HARDWARE & TOOLS 177

FULL PRODUCT BROCHURES

(03-560) Rock Ranger.....	180	(SRBM) Single Rib Boundary/ Survey Markers	202
(03-561) HARD Rock Ranger	181	(TF) Tri-Flex Marker Posts	203
(03-472,3) Kiosk Rock Ranger	182	(SP18) Snow Poles.....	204
(03-792) Kiosk Banner Kit.....	183	(SP25) Snow Poles.....	205
Single-Post Kiosks	184	(SP31) Snow Poles.....	206
(03-530-, 03 532-) Sign Pedestal Displays	185	(SP38) Snow Poles.....	207
Registration Box Add-On	186	(01-160-) Tree Huggers	208
Stand-Alone Registration Box	187	(01-170-) Wood Post Markers.....	209
All Brochure Box Add-Ons.....	188	(01-180-) U-Channel Post Markers	210
(03-579) Stand-Alone Brochure Boxes	189	Multi-Facet Decal Display.....	211
Envelope & Suggestion Boxes	190	Steel Marker Posts	212
(03-664-) Rockart Notifier	191	(01-302,01-322) U-Channel Posts	213
(03-740, 03-742) 4-sided Kiosk	192	(03-590,1) Ground-Driven Snow Pole Receiver.....	214
(03-702) Steel-Arch Sign Display	193	(03-592,3) Post-Mounted Snow Pole Receiver.....	215
Kiosk Sign Panel Inserts.....	194	(08-230~3) Folia Markers	216
(03-829) Signcade Deluxe A-Frame	195	(03-745 Series) Roc-Pot Portable Toilet	217
(08-101) JackJaw 300 Post Extractor	196	(03-370) Fence Wire Tighener	218
(AT) Arc-Tec Marker Posts	197	(03-818-) Western Gate Closer	219
(DF) Dual Flex Marker Posts	198	(03-323) T-Post Sign Mounts	220
(FT) Flex-Tough Marker Posts.....	199	Decals to Reduce Vandalism	221
(GFX) Glas-Flex Marker Posts	200	4x4 Decals.....	222
(SPM) Sign Post Markers.....	201		

BONUS SECTION 226




54" Campground Marker Posts (DF54-01)

Our exclusive 54" campground markers meet U. S. Forest Service standards. Decals and reflective sheeting (up to 3" wide) may be applied. With its **Medium** flexibility rating and bottom end precut into a "V" shape, it can be driven into the ground using a campground post driver such as #08-153. This post is also perfect for marking open spaces and construction sites.

- ☀ Conforms to U.S. Forest Service Standards for campground identification

Learn more about **ROCKART Pre-Installation Services** on [Page 9](#).

Recommended installation depth is 16". Weight: 0.47 lb/Ft



3.875" Wide • Accepts Decals up to 3" wide.


LENGTH	CAMPGROUND MARKER POSTS	Price Per Post				
		1-19	20-119	120-319	320-519	520+
4' 6" (54")	DF54-01 CAMPGROUND MARKERS (Brown Only)	16.04	14.58	13.79	12.57	CALL


ROCKART Pre-Installation Services
We can perform pre-installation tasks for you! See [Page 9](#).

Any quantity of posts may be ordered, however, greater pricing discounts are applied when ordered in multiples of 20.

Preparing a Government Bid?
Ordering more than 519 posts?
Please Call Us for special pricing!

Campground Marker Post Essentials





3.125 x 6.25 Clear Size 8 Vinyl Plastic Protector (Outer dimensions 3.5 x 7), includes mounting hardware
Holds inserts up to 3.125" x 6.25". Includes mounting hardware (2 washers; 1 Alum. Pop Rivet)
 03-386 1.40 ea.



3" wide Steel Spring "Bulldog" Clip w/ Mounting Rivets
Alternate mounting solution for attaching campsite reservation / availability to a Marker Post
 08-1055 1.95 ea.



3 x 6.25 x .015 Card Stock Pre-printed Insert Single Sided - 'RES' (reserved) w/ 4 Blank Lines for use with Campground Marker Posts
 90-737

1-499	500-999	1000+
.18	.16	.13



3 x 6.25 x .024 Polyflex Pre-printed, Double-Sided Insert - 'Occupied' with 4 Blank Lines, 'Vacant' with 4 Blank Lines on other side, for use with Campground Marker Posts
 92-2560

1-49	50-99	100-249	250-499	500-999	1000+
8.58	4.33	2.52	1.35	.85	.55



3 x 10 Dry-Erase "Reserved" Sign
*When used with Dry Erase pens, it can be erased quickly and re-used **Mounting hardware incl:** (2 washers; 2 Alum. Pop Rivets)*
 90-100-1

1-49	50-99	100+
4.00	3.52	2.42




3 x 6.25 x .024 Polyflex Pre-printed, Double Sided Insert - Side 1: 'RESERVED' w/ 4 Blank Lines Side 2: 'AVAILABLE' w/ 4 Blank Lines, for use with Campground Marker Posts
 92-2561

1-49	50-99	100-249	250-499	500-999	1000+
8.58	4.33	2.52	1.35	.85	.55



Marker Post Anchors
Single-Sided and Double-Sided kits are available for both Rock-Flex and Flex-Flange Anchors.
 Learn more on [Page 7](#)



3 x 6.25 x .024 PolyFlex Sign Insert- "RES" (Reserved) with 4 Blank Lines (for use with Campground Marker Posts)
 92-2565

1-49	50-99	100-249	250-499	500-999	1000+
4.92	2.60	1.60	1.00	.70	.52




Expo Dry Erase Set For PolyFlex Signs includes 1 Red, 1 Blue, 2 Black markers, an eraser and Cleaning solution
 08-608 \$14.00



3 x 3 x .050 Polyflex Sign - "RV ONLY", Wht/Brn, NREF
 92-2904

1-99	100-249	250-499	500-999	1000-2499	2500+
4.00	1.83	1.17	.83	.667	.50



Tip Protection Plate
3 x 7.5 x .080 Thick Alum Marker Post Tip Protection Plates w/ 4 holes
 08-234 3.90



3 x 13 x .050 Polyflex Sign - "RV OR TENT / RESERVABLE", Wht/Brn, NREF
 92-2903

1-99	100-249	250-499	500-999	1000-2499	2500+
5.50	2.91	2.36	2.09	1.55	1.18

Our 'ROCKINITE' composite marker posts, made from Fiberglass Reinforced Polyester (FRP) are often used to display strip decals.

ROCKINITEs offer many features: They offer easy ground-driven installation and years of maintenance-free service. Reinforced glass fibers aligned in BOTH longitudinal and traverse directions extend life of the product and minimize possible delamination in abusive environments. UV (Ultra-Violet) stabilizers are added to help resist color fade.

Some post profiles support the addition of small signs and snow poles. All profiles allow easy ground-driven installation and are formulated to resist Mother Nature's effects and survive vehicular impacts.

All Ground-Driven markers come with one end pre-cut into a V-shaped point, and install easily using standard Post-Driving Tools (#08-103, #08-146, #08-160, #08-153 and #08-136) on Page 20.



Dual-Flex (DF)

The **industry standard** marker post used to mark secondary roads, campsites and trails. Apply decals and/or reflective sheeting up to 3" wide onto front and/or back sides (use each side to communicate with visitors travelling in opposing directions). Rated as medium flexibility, it installs easily with standard drivers. It is also compatible with our **Snow Pole Brackets**, and

anchors may be installed on one or both sides.

Recommended installation depth is 16". Weight: 0.47 lb/Ft

See Full Product Brochure on Page 198



3.875" Wide • Accepts Decals up to 3" wide.


Glas-Flex (GFX)

This post is more impact resistant than the DUAL-FLEX or TRI-FLEX designs and is the most flexible. Standard 3" wide decals may be applied to one side. Additionally, the flat-sided center spline is designed to stiffen the post and allows for simple 2-rivet installation to attach small signage without needing spacers. Installs with standard post drivers. Compatible with

optional **Rock-Flex anchors** and snow pole brackets.

Recommended installation depth is 16". Weight: 0.45 lb/Ft

See Full Product Brochure on Page 200



3.85" Wide • Accepts Decals up to 3" wide.

LENGTH	DUAL-FLEX	TRI-FLEX	GLAS-FLEX	FLEX-TOUGH	Price per Post				
					1-19	20-119	120-319	320-519	520+
2'-0" (24")*	DF24-##	TF24-##	GFX24-##	FT24-01	7.28	6.62	6.26	5.71	CALL
3'-0" (36")*	DF36-##	TF36-##	GFX36-##	FT36-01	10.94	9.95	9.41	8.58	CALL
4'-0" (48")*	DF48-##	TF48-##	GFX48-##	FT48-01	14.58	13.26	12.54	11.43	CALL
5'-2" (62")	DF62-##	TF62-##	GFX62-##	FT62-01	18.89	17.17	16.24	14.81	CALL
5'-6" (66")	DF66-##	TF66-##	GFX66-##	FT66-01	20.19	18.35	17.36	15.82	CALL
6'-0" (72")	DF72-##	TF72-##	GFX72-##	FT72-01	21.39	19.45	18.39	16.77	CALL
6'-6" (78")	DF78-##	TF78-##	GFX78-##	FT78-01	23.76	21.60	20.43	18.62	CALL
6'-10" (82")	DF82-##	TF82-##	GFX82-##	FT82-01	25.05	22.78	21.54	19.64	CALL

REMINDER: Replace ## in the Part# with the 2-digit code of the desired color.

► Large quantities will be placed on pallets and shipped via freight truck.
► Decals sold separately.

See Page 9 for Pre-Installation Services

See Page 20 for Installation Tools.

See Page 51 for Number & Letter Decals.

Available Colors for DF, TF, GFX Markers

- 00 White
- 02 Yellow
- 04 Red
- 06 Green
- 01 Brown
- 03 Orange
- 05 Blue

Any quantity of posts may be ordered. However, greater pricing discounts are applied when ordering multiples of 20. If you are preparing a government bid or wish to order more than 519 posts, please contact us for special pricing.

NOTE: Lengths of 24", 36" and 48" are NOT kept in stock because they are not as popular, and are considered to be custom-order items. To fill an order that includes these lengths, we must cut them from a full-sized piece of material. For this reason, these sizes are Non-Returnable & Non-Refundable!



Tri-Flex (TF)

Slightly different from the original design, with radii on the center stiffening rib to decrease stress. It exhibits increased durability for high traffic areas. Decals and reflective sheeting up to 3" wide may be applied to the front side and are protected by the ribbed edge design.

driven into most soil types and will permit the addition of optional **Snow Pole Brackets** with any style snow pole. An anchor may be installed on the front side.

Recommended installation depth is 16". Weight: 0.43 lb/Ft

With the added rigidity, the **TRI-FLEX** post can be

See Full Product Brochure on [Page 203](#)



3.75" Wide • Accepts Decals up to 3" wide.



Flex-Tough (FT)

Our newest marker post is an industry standard used in marking underground utilities such as gas, petroleum, water, sewer, electric and communications. Its thicker midsection on both sides for easier installation into hard soil surfaces. Standard 3" wide decals may be applied to one or both sides.

brackets. Installs using standard post driving tools. Currently, we stock only Brown (■-01). Other colors are available for large quantity orders. Call for details!

Recommended installation depth is 16". Weight: 0.57 lb/Ft

Compatible with our optional **#08-112 Rock-Flex anchors** (on one or both sides) and our snow pole

See Full Product Brochure on [Page 199](#)



3.85" Wide • Accepts Decals up to 3" wide.



Need Help Selecting a Driver? The "Best Practices" section has helpful tips and product selection guides. See [Page 226](#).

Marker Post Anchors

When installed into topsoils such as sand, decomposed granite, clay, wet or boggy areas, Marker Posts may need added protection against vandalism / theft.

on some post profiles (**DF** and **SPM**) for additional holding power and security.

We have two different types of anchors and each are available in Single- or Double-sided kits. Double-sided anchor kits may be installed

If you are ordering Marker Posts and Anchors at the same time, consider having **ROCKART** pre-install them for you! See [Page 9](#).

Rock-Flex Anchor



ROCK-FLEX anchors are low-price and are molded from durable high impact plastic and feature spring-back memory and stiffening ribs. Hardware is included. A double-sided anchor kit is also available (**#08-112-2**).

ITEM#	1-249	250-499	500+
08-112-1	1.50	1.30	1.20
	1-124	125-249	250+
08-112-2	3.00	2.60	2.40

Flex-Flange Anchors



Stainless steel post anchor for strength, spring back, security, and longevity. Hardware is included. A double-sided anchor kit is also available (**#08-111-2**).

ITEM#	1-249	250-499	500+
08-111-1	1.95	1.70	1.60
08-111-2	3.95	3.55	3.35

Sign Post Marker (SPM)




The **Sign Post Marker** profile is the most rigid product of our fiberglass marker post products, designed to resist the additional wind loads associated with the attachment of popular oversized aluminum or composite signage. Its significant stiffness also supports attachments of tall snow poles for demarcation in heavy snowfall areas. At 3.75" wide, it will accept decals/reflective sheeting up to 3" wide on one or both sides.

Optional **Rock-Flex Anchors** or **Flex-Flange Anchors** can be installed on one or both sides. Use a compatible post driver for ground installations. Other colors are available for large quantity orders.

Recommended installation depth is 16".
Weight: 0.58 lb/Ft

i See Full Product Brochure on [Page 201](#)



3.75" Wide • Accepts Decals up to 3" wide

SIGN POST MARKER PRICES		PRICE PER POST				
LENGTH	ITEM NO.	1-14	15-104	105-314	315-509	510+
5'-2" (62")	SPM62-Color	23.90	21.73	20.28	19.25	CALL
5'-6" (66")	SPM66-Color	24.57	22.34	20.80	18.70	CALL
6'-0" (72")	SPM72-Color	25.61	23.28	21.60	20.40	CALL
6'-6" (78")	SPM78-Color	27.74	25.22	23.40	22.10	CALL
6'-10" (82")	SPM82-Color	29.17	26.52	24.61	23.24	CALL


REMINDER: Replace **Color** in the Item Number with the 2-digit code for the color you want. Example: SPM66-01 indicates a 66" Brown (01) Sign Post Marker

Available Colors

00 White

01 Brown

Arc-Tec Marker (AT)



This marker post can accommodate decals and reflective sheeting up to 4" wide. When packing into remote areas, this post is the lightweight champ.

Its thinner profile provides more flexibility when impacted on the convex side and should help minimize potential damage to the post and vehicle. This post installs using standard post drivers and soil preparation techniques.

If theft is a concern, consider securing with **Arc-Tec Stainless Steel Anchors**, below. Economically priced, the **Arc-Tec** profile is an excellent trail marking product. Other colors are available for large quantity orders.

Recommended installation depth is 16".
Weight: 0.21 lb/Ft

i See Full Product Brochure on [Page 197](#)

Available Colors

00 White

01 Brown



4.125" Wide • Accepts Decals up to 4" wide

ARC-TEC PRICES		PRICE PER POST				
LENGTH	ITEM NO.	1-24	25-124	125-324	325-524	525+
5'-2" (62")	AT62-Color	17.91	16.28	15.46	13.91	CALL
5'-6" (66")	AT66-Color	19.06	17.33	16.46	14.81	CALL
6'-0" (72")	AT72-Color	20.79	18.90	17.96	16.15	CALL
6'-6" (78")	AT78-Color	22.53	20.48	19.45	17.50	CALL
6'-10" (82")	AT82-Color	23.68	21.53	20.45	18.40	CALL

Anchors are available, but cannot be preinstalled prior to shipping.

REMINDER: Replace **Color** in the Item Number with the 2-digit code for the color you want. Example: AT78-00 indicates a 78" White (00) Arc-Tec Post

Arc-Tec Stainless Steel Anchor



This stainless steel post anchor was designed with a form-fitting shape that perfectly fits the concave side of the **Arc-Tec** Marker Post.

Unfortunately, this product is not eligible for **ROCKART** Anchor Pre-Installation service.

08-114
1-249 250-499 500+
1.75 1.55 1.45

Need Help Selecting a Driver? The "Best Practices" section has helpful tips and product selection guides. See [Page 226](#).

Single-Rib Boundary Marker (SRBM)



Our 2.62" wide **Single-Rib Boundary / Survey Marker** profile will accept decals up to 2.5" wide. This lightweight post can be carried into remote locations and is can be installed manually with lighter weight drivers.

The singular rib provides rigidity and permits installation of anchors on the front side.

We currently stock Orange and Brown. Other colors are available for large-quantity orders. Call for details!

Recommended installation depth is 16". Weight: 0.35 lb/Ft

i See Full Product Brochure on **Page 202**

Available Colors

01 Brown

03 Orange



2.62" Wide • Accepts Decals up to 2.5" wide

SRBM PRICES		PRICE PER POST				
LENGTH	ITEM NO.	1-19	20-99	100-319	320-519	520+
4'-0" (48")	SRBM48-Color	12.59	11.45	10.62	10.03	CALL
5'-2" (62")	SRBM62-Color	17.64	16.03	14.96	14.20	CALL
5'-6" (66")	SRBM66-Color	18.16	16.51	15.37	14.56	CALL
6'-0" (72")	SRBM72-Color	18.84	17.13	15.89	15.01	CALL
6'-6" (78")	SRBM78-Color	20.47	18.60	17.26	16.30	CALL

Anchors are available, but cannot be preinstalled prior to shipping.

Marker Post Installation Tools



6-in. Vinyl-Coated Utility Clamp
Used to hold drill guide while drilling
08-609 4.50 ea.



POP Set PS15 Hand-held Rivet Installation Tool
For installing rivets.
08-600 62.00 ea.



13/64 Solid Carbide, Straight Flute Drill Bit, for Power Tools .203" Diameter, #6
For drilling holes in Fiberglass Posts
08-633 \$34.25



Stainless Steel Anchor Hole Drill Guide - For Rock-Flex And Flex-Flange Anchors
Ensures holes are properly spaced
08-113 16.00 ea.

ROCKART Pre-Installation Services

ROCKART offers the pre-installation services listed below: Applying decals, Anchor installation, or Pre-drilling holes, etc. So when you receive your items, they are **ready to use** (or at least a bit closer to being ready)!

If considering a pre-installation service, remember that your order must also include any & all products required to perform the service.

When ordering pre-drilled holes, your order must include Marker

posts [to be drilled]. For pre-application of decals or reflective sheeting, the order should include Marker Posts and all decals/sheeting you wish to have applied.

Example: Let's say you order 10 Marker Posts and wanted them numbered sequentially from 15 to 24 using our 3x4 number decals, your order would need to include those 20 decals (two for each post) and also a quantity of 20 for the Pre-apply Decal service (#00-0021) (one for each decal to be pre-applied).



ROCKART SERVICE
Pre-Drill Holes



ROCKART SERVICE
Anchor Installation (Single-Side)



ROCKART SERVICE
Anchor Installation (Double-Sided)



ROCKART SERVICE
Pre-Applying a Decal

ITEM #	ROCKART SERVICES	PRICE
00-0034	Have 2 holes pre-drilled for later installation ROCKART Anchors	1.30 / POST
00-0020-AN-1	Install a Single-Sided anchor kit on a post (Anchor kit not included)	2.30 / POST
00-0020-AN-2	Install a Double-Sided anchor kit on a post (Anchor kit not included)	+ 2.50 / POST
00-0021	Pre-apply a single decal / reflective strip (Decals sold separately)	+ .40 / DECAL



Tree Huggers™

A **ROCKART Tree Hugger** may be used in areas where vandalism or theft are a problem and trees are available for signage. Available sizes from 6" to 48" tall should handle most groups of decals/reflective sheeting. Colors are white or brown

Tree Huggers are constructed from brown or white FRP material shaped to conform to the curvature of a tree.

Includes a pre-drilled hole at each end for the included deck screws or aluminum nails for easy mounting.

Accommodates decals up to 4" wide.

i See Product Brochure on [Page 208](#).



Wood Post Markers

Wood Post Markers are used to display decals on 4 x 4" wood posts. They are available in various pre-cut sizes starting at 6" up to 48" to accommodate most decal / reflective sheeting combinations up to 3" wide.

Holes are pre-drilled for the included Tamper-Resistant **square drive screws** through a stiffening rib on the back side of the post. When ordering, add 2" to the actual decal length you need to allow room for the pre-drilled holes.

Mounting Hardware included:

Round Washer Head , Square Drive Wood Screw (#08-750)


i See Full Product Brochure on [Page 209](#).



4.125" Wide • Accepts Decals up to 4" wide

SIZE	ITEM NO.	1-100	101-250	251+
6"	01-160-6-##	3.00	2.75	2.53
8	01-160-8-##	3.48	3.19	2.94
10	01-160-10-##	3.96	3.63	3.35
12	01-160-12-##	4.45	4.08	3.76
14	01-160-14-##	4.93	4.52	4.17
16	01-160-16-##	5.41	4.96	4.57
18	01-160-18-##	5.90	5.41	4.99
20	01-160-20-##	6.38	5.85	5.39
22	01-160-22-##	6.87	6.29	5.81
24	01-160-24-##	7.35	6.73	6.21
26	01-160-26-##	7.83	7.18	6.62
28	01-160-28-##	8.32	7.62	7.03
30	01-160-30-##	8.80	8.06	7.44
32	01-160-32-##	9.28	8.50	7.85
34	01-160-34-##	9.77	8.95	8.26
36	01-160-36-##	10.25	9.39	8.67
38	01-160-38-##	10.73	9.83	9.07
40	01-160-40-##	11.22	10.28	9.49
42	01-160-42-##	11.70	10.72	9.89
44	01-160-44-##	12.19	11.17	10.31
46	01-160-46-##	12.67	11.61	10.71
48	01-160-48-##	13.15	12.05	11.12

REMINDER: Replace ## at the end of the Item Number with the 2-digit code for the color you want.
Ex.: 01-160-20-01 indicates a 20" Brown (01) Tree Hugger



3.85" wide • Accepts Decals up to 3" wide

SIZE	ITEM NO.	1-100	101-250	251+
6"	01-170-6-##	3.09	2.81	2.59
8	01-170-8-##	3.59	3.27	3.01
10	01-170-10-##	4.10	3.74	3.43
12	01-170-12-##	4.61	4.20	3.86
14	01-170-14-##	5.12	4.67	4.29
16	01-170-16-##	5.63	5.13	4.72
18	01-170-18-##	6.14	5.60	5.15
20	01-170-20-##	6.65	6.06	5.57
22	01-170-22-##	7.16	6.53	6.00
24	01-170-24-##	7.66	6.98	6.42
26	01-170-26-##	8.17	7.45	6.85
28	01-170-28-##	8.68	7.91	7.28
30	01-170-30-##	9.20	8.39	7.71
32	01-170-32-##	9.70	8.84	8.13
34	01-170-34-##	10.21	9.31	8.56
36	01-170-36-##	10.72	9.77	8.99
38	01-170-38-##	11.23	10.24	9.41
40	01-170-40-##	11.73	10.70	9.83
42	01-170-42-##	12.25	11.17	10.27
44	01-170-44-##	12.76	11.64	10.70
46	01-170-46-##	13.27	12.10	11.13
48	01-170-48-##	13.77	12.56	11.55

REMINDER: Replace ## at the end of the Item Number with the 2-digit code for the color you want.
Ex.: 01-170-36-04 indicates a 36" Red (04) Wood Post Marker

If you are also purchasing decals, consider having ROCKART pre-apply them for you! See [Page 9](#).

If you are also purchasing decals, consider having ROCKART pre-apply them for you! See [Page 9](#).

Available Colors for Tree Huggers

- 00 White
- 01 Brown

Available Colors for Wood Post Markers

- 00 White
- 01 Brown
- 02 Yellow
- 03 Orange
- 04 Red
- 05 Blue
- 06 Green

U-Channel Post Markers



Fiberglass Reinforced Polyester (FRP) like our other marker posts, the **U-Channel Post Marker** allows you to display strip decals on 2 pound, steel U-channel posts. A wide range of lengths (6 to 48") will accommodate nearly any combination of decals / reflective sheeting up to 3" wide.

Two holes are pre-drilled (one at each end) on one inch centers. **Mounting hardware is not included.** We recommend using either #08-800 or #08-808. You may also want to order the specially drilled Hex Key, #08-619 for #08-800, or the POP SET PS15 Rivet Tool, #08-600 for #08-808.)

We recommend ordering a length that is 3" taller than your decal(s) to leave room for the pre-drilled holes. Discounts available when ordering 100 or more units.

U-Channel Post not included, but are sold separately, see [Page 19](#).

See Full Product Brochure on [Page 210](#).



3.875" Wide • Accepts Decals up to 3" wide

SIZE	ITEM NO.	1-99	100-249	250+
6"	01-180-6-##	2.77	2.52	2.32
8	01-180-8-##	3.28	2.99	2.75
10	01-180-10-##	3.79	3.46	3.17
12	01-180-12-##	4.30	3.92	3.60
14	01-180-14-##	4.80	4.38	4.02
16	01-180-16-##	5.31	4.84	4.45
18	01-180-18-##	5.83	5.32	4.89
20	01-180-20-##	6.34	5.78	5.31
22	01-180-22-##	6.84	6.24	5.73
24	01-180-24-##	7.35	6.71	6.16
26	01-180-26-##	7.86	7.17	6.59
28	01-180-28-##	8.37	7.64	7.02
30	01-180-30-##	8.88	8.10	7.44
32	01-180-32-##	9.39	8.57	7.87
34	01-180-34-##	9.90	9.03	8.30
36	01-180-36-##	10.41	9.50	8.73
38	01-180-38-##	10.91	9.96	9.15
40	01-180-40-##	11.42	10.42	9.57
42	01-180-42-##	11.93	10.89	10.00
44	01-180-44-##	12.45	11.36	10.44
46	01-180-46-##	12.95	11.82	10.86
48	01-180-48-##	13.46	12.28	11.29

REMINER: Replace ## at the end of the Item Number with the 2-digit code for the color you want.
Ex.: 01-180-12-05 indicates a 12" Blue (05) U-Channel Marker

If you are also purchasing decals, consider having ROCKART pre-apply them for you! See [Page 9](#).


Available Colors for U-Channel Post Markers

- 00 White
- 02 Yellow
- 04 Red
- 06 Green
- 01 Brown
- 03 Orange
- 05 Blue

Online: www.RockartSigns.com
Email: Sales@RockartSigns.com



Folia Markers



Folia Markers are an affordable, easy way to communicate additional information at specific points of interest along a trail or other attractions. Communicate information like...

- Extended information about plants or animals that can be found in the area (species / family name, etc.)
- Awareness to possible dangers that may be present (i.e., poisonous plants, predatory animals, etc.)
- Reminders about allowed / prohibited activities.

These clear polycarbonate enhancements are 3/16" thick and angled at 20° to make the experience more viewer-friendly. They feature smooth (rounded) corners; are available in 4 heights: 3-, 6-, 9- and 12-inch tall (depending on the total height of your decal content).

They install easily onto any flat side of a ground-driven Marker post using the included Pop Rivets. (Note: 2 holes are required near the top of the marker post for proper installation)

See Full Product Brochure on [Page 216](#).



08-230	08-231	08-232	08-233
3 x 3	3 x 6	3 x 9	3 x 12
4.00	4.50	5.00	5.50

Sign Mounting Hardware for U-Channel Posts



1/4-20 x 1.75" Long Threaded Fastener System w/ Short T-Nut and Special Collared Nylon Washer

08-80054 ea.



1/4" Double Headed Alum. Rivet, w/ 1.375" - 1.625" grip range (2-pieces)

08-80839 ea.



Multi-Facet Decal Display Markers

Designed for use with U-Channel or 4 x 4 Wood Posts, our Multi-Facet Decal Display Markers are formed from 3/16" thick clear polycarbonate and provide "decal-friendly" surfaces for displaying decals to users approaching from up to three different directions. Available in two different widths compatible with 3" or 4" wide decals. Heights range from 6-48"; in 1" increments, so they can handle most strip decals or grouping of individual decals.

Each unit has 2 pre-drilled holes (.375" dia.; one at top & bottom end, on 1" centers). Mounting hardware is not included and is sold separately (see below).

To leave enough room for the pre-drilled holes and mounting hardware at the top and bottom, we recommend adding 3" to the total height of the decal(s) to be displayed.

Decide how many display surfaces are needed (1-Way, 2-Way or 3-Way), the width of decals being displayed (3" wide or 4" wide), and the height of the Sign Blank (6" to 48"; 1" increments)

U-Channel Post, 4 x 4 Wood Post, Mounting hardware & Decals are not included and are sold separately.

Recommended Mounting Hardware & Installation Tools

U-Channel Installation

- 08-800 Threaded T-Nut Fastener
- 08-619 Hex Key for installing 08-800
- 08-808 Double-headed Aluminum Pop Rivet
- 08-600 PS15 POP Rivet Tool for installing 08-808

4 x 4 Wood Post Installation

- 08-1048 1/4 x 1 Hex Head Lag Screw, Steel, Zinc
- 08-759 5/16 ID x .75 OD Flat Washer (for 1/4" Bolt)

i See Full Product Brochure on [Page 211](#).

Multi-Facet One-Way Polycarbonate Decal Display (Up To 3" Wide), Hardware not included

ITEM #	SIZE	1-49	50-99	100+
01-372-6	6	\$3.83	\$3.53	\$3.28
01-372-8	8	4.83	4.45	4.14
01-372-10	10	5.83	5.38	5.00
01-372-12	12	6.83	6.30	5.85
01-372-14	14	7.83	7.22	6.71
01-372-16	16	8.83	8.15	7.57
01-372-18	18	9.83	9.07	8.43
01-372-20	20	10.83	9.99	9.29
01-372-22	22	11.83	10.92	10.14
01-372-24	24	12.83	11.84	11.00
01-372-26	26	13.83	12.76	11.86
01-372-28	28	14.83	13.68	12.72
01-372-30	30	15.83	14.61	13.57
01-372-32	32	16.83	15.53	14.43
01-372-34	34	17.83	16.45	15.29
01-372-36	36	18.83	17.38	16.15
01-372-38	38	19.83	18.30	17.01
01-372-40	40	20.83	19.22	17.86
01-372-42	42	21.83	20.15	18.72
01-372-44	44	22.83	21.07	19.58
01-372-46	46	23.83	21.99	20.44
01-372-48	48	24.83	22.92	21.29

Multi-Facet One-Way Polycarbonate Decal Display (Up To 4" Wide Decals), Hardware Not Included

ITEM #	SIZE	1-49	50-99	100+
01-375-6	6	\$4.13	\$3.81	\$3.54
01-375-8	8	5.23	4.83	4.48
01-375-10	10	6.33	5.84	5.42
01-375-12	12	7.43	6.86	6.37
01-375-14	14	8.53	7.87	7.31
01-375-16	16	9.63	8.89	8.25
01-375-18	18	10.73	9.91	9.20
01-375-20	20	11.83	10.92	10.14
01-375-22	22	12.93	11.94	11.08
01-375-24	24	14.03	12.95	12.03
01-375-26	26	15.13	13.97	12.97
01-375-28	28	16.23	14.99	13.91
01-375-30	30	17.33	16.00	14.86
01-375-32	32	18.43	17.02	15.80
01-375-34	34	19.53	18.03	16.74
01-375-36	36	20.63	19.05	17.69
01-375-38	38	21.73	20.07	18.63
01-375-40	40	22.83	21.08	19.57
01-375-42	42	23.93	22.10	20.52
01-375-44	44	25.03	23.11	21.46
01-375-46	46	26.13	24.13	22.40
01-375-48	48	27.23	25.14	23.34



Multi-Facet Two-Way Polycarbonate Decal Display (Up To 3" Wide Decals), Hardware Not Included				
ITEM #	SIZE	1-49	50-99	100+
01-373-6	6	\$8.37	\$7.72	\$7.17
01-373-8	8	9.77	9.01	8.37
01-373-10	10	11.17	10.30	9.57
01-373-12	12	12.57	11.60	10.77
01-373-14	14	13.97	12.89	11.97
01-373-16	16	15.37	14.18	13.17
01-373-18	18	16.77	15.47	14.37
01-373-20	20	18.17	16.77	15.57
01-373-22	22	19.57	18.06	16.77
01-373-24	24	20.97	19.35	17.97
01-373-26	26	22.37	20.64	19.17
01-373-28	28	23.77	21.93	20.37
01-373-30	30	25.17	23.23	21.57
01-373-32	32	26.57	24.52	22.77
01-373-34	34	27.97	25.81	23.97
01-373-36	36	29.37	27.10	25.17
01-373-38	38	30.77	28.40	26.37
01-373-40	40	32.17	29.69	27.57
01-373-42	42	33.57	30.98	28.77
01-373-44	44	34.97	32.27	29.97
01-373-46	46	36.37	33.56	31.17
01-373-48	48	37.77	34.86	32.37



Multi-Facet Three-Way Polycarbonate Decal Display (Up To 3" Wide Decals), Hardware Not Included				
ITEM #	SIZE	1-49	50-99	100+
01-374-6	6	\$10.50	\$9.69	\$9.00
01-374-8	8	12.43	11.47	10.65
01-374-10	10	14.37	13.26	12.31
01-374-12	12	16.30	15.04	13.97
01-374-14	14	18.23	16.82	15.62
01-374-16	16	20.17	18.61	17.29
01-374-18	18	22.10	20.40	18.94
01-374-20	20	24.03	22.18	20.60
01-374-22	22	25.97	23.97	22.26
01-374-24	24	27.90	25.75	23.91
01-374-26	26	30.67	28.31	26.29
01-374-28	28	32.60	30.09	27.94
01-374-30	30	34.53	31.87	29.60
01-374-32	32	36.47	33.66	31.26
01-374-34	34	38.40	35.44	32.92
01-374-36	36	40.33	37.23	34.57
01-374-38	38	42.27	39.02	36.23
01-374-40	40	44.20	40.80	37.89
01-374-42	42	46.90	43.29	40.20
01-374-44	44	48.83	45.07	41.86
01-374-46	46	50.77	46.86	43.52
01-374-48	48	52.70	48.65	45.17



Multi-Facet Two-Way Polycarbonate Decal Display (Up To 4" Wide Decals), Hardware Not Included				
ITEM #	SIZE	1-49	50-99	100+
01-376-6	6	\$9.80	\$9.05	\$8.40
01-376-8	8	11.40	10.52	9.77
01-376-10	10	13.00	12.00	11.14
01-376-12	12	14.60	13.48	12.52
01-376-14	14	16.20	14.96	13.89
01-376-16	16	17.80	16.43	15.26
01-376-18	18	19.40	17.91	16.63
01-376-20	20	21.00	19.39	18.00
01-376-22	22	22.60	20.87	19.38
01-376-24	24	24.20	22.34	20.75
01-376-26	26	25.80	23.82	22.12
01-376-28	28	27.40	25.30	23.49
01-376-30	30	29.00	26.78	24.86
01-376-32	32	30.60	28.25	26.24
01-376-34	34	32.20	29.73	27.61
01-376-36	36	33.80	31.21	28.98
01-376-38	38	35.40	32.69	30.35
01-376-40	40	37.00	34.16	31.72
01-376-42	42	38.60	35.64	33.10
01-376-44	44	40.20	37.12	34.47
01-376-46	46	41.80	38.60	35.84
01-376-48	48	43.40	40.07	37.21



Multi-Facet Three-Way Polycarbonate Decal Display (Up To 4" Wide Decals), Hardware Not Included				
ITEM #	SIZE	1-49	50-99	100+
01-377-6	6	\$15.37	\$14.19	\$13.17
01-377-8	8	17.43	16.09	14.94
01-377-10	10	19.50	18.00	16.71
01-377-12	12	21.57	19.91	18.49
01-377-14	14	23.63	21.81	20.25
01-377-16	16	25.70	23.72	22.03
01-377-18	18	27.77	25.63	23.80
01-377-20	20	29.83	27.54	25.57
01-377-22	22	31.90	29.45	27.34
01-377-24	24	33.97	31.36	29.12
01-377-26	26	36.03	33.26	30.88
01-377-28	28	38.10	35.17	32.66
01-377-30	30	40.17	37.08	34.43
01-377-32	32	42.23	38.98	36.20
01-377-34	34	44.30	40.90	37.97
01-377-36	36	46.37	42.81	39.75
01-377-38	38	48.43	44.71	41.51
01-377-40	40	50.50	46.62	43.29
01-377-42	42	52.57	48.53	45.06
01-377-44	44	54.63	50.43	46.83
01-377-46	46	56.70	52.34	48.60
01-377-48	48	58.77	54.25	50.37



Single Decal Display Plate (No Holes)

3 x 3 x .03 Thick Aluminum with Radius Corners. Apply Decal, and use double-sided adhesive tape to mount to most any surface.

90-571 1.00 ea.



Single Decal Display Plate

3.625 x 3.625 x .125 Thick Black ABS Replacement plate for #02-101 Single Marker Shroud (Page 15). May also be used to apply a 3x3 decal to this plate and then mount to a surface using ABS Cement (#08-701).


02-10775 ea.



Single Decal Display Plate w/ Holes

3.125 x 3.625 x .03 Thick Aluminum with Radius Corners and (2) 3/16" diameter holes for mounting directly to trees or wooden posts using screws, nails or rivets.

90-519 1.75 ea.





U.S. PAT No. 401,879



#02-101-1




#02-101-1

- ✔ Unique hooded design helps protect against elements
- ✔ Economical and easy bonding for fast installation
- ✔ Design makes installations tamper resistant
- ✔ Tough, rigid, lightweight and impact resistant
- ✔ Excellent choice when other signing methods are not available

Easy 5-Step Installation:

- 1) **Screw** shroud to a tree. Allow room for tree growth.
- 2) **Apply** decal to smooth side of provided ABS plate.
- 3) **Apply** ABS Cement to inside of shroud.
- 4) With decal visible and correctly oriented, **Press** ABS plate firmly against surface of cement-coated shroud.
- 5) **Hold** in place for 1 minute.



Marker Shrouds

Rockart Marker Shrouds provide an alternative to using fiberglass markers. Shrouds cost less and need less maintenance.

The included **back plate** serves two purposes; the **smooth** side provides a surface that is receptive to decal application. ABS Cement (#08-701) applied to the **textured** side allows it to permanently bond to the interior of the marker shroud preventing access to the mounting screws.

These Marker Shrouds are small, compact, lightweight and nest together and stow nicely in a backpack for installation in remote areas. The plastic includes a resists ultra violet rays, helps shield the decal from weather, is unassuming and matches the predominate color of a pine tree. These markers may be installed higher up on a tree above heavy snows and left year-round to aid in trail grooming and winter trail events.

Choices for mounting hardware listed below.

- | | | |
|-----------|---------------------|---|
| -X | Mounting to: | Description |
| -1 | Tree | #8 x 2.5" Deck Screw, Philips Head + Washers |
| -2 | Wooden Post | #8 x 1.25" Deck Screw, Philips Head + Washers |
| -3 | Fiberglass Post | 3/16 x .440 Rivet, Blind |

ITEM NO.	DESCRIPTION	1-100	101-250	251+
02-101-X	3" Single Shroud	3.50	3.00	2.75
02-107	3" Single Shroud replacement back plate		.75	
02-106	7" Double Shroud replacement back plate		1.00	
08-701	Half Pint ABS Cement		3.50	

REMINER: Replace X at the end of the item number with 1, 2 or 3, indicating your choice of included mounting hardware (See above).

ROCKART composite snow poles allow trail and roadway demarcation for motorists, cross-country skiers, snowshoers, snowmobiles and snow removal crews. Our snow poles are designed for ground-driven installations or for mounting to pre-existing signs / marker posts. They are available in 4 popular profiles and various lengths to achieve the highest compatibility. Manufactured with UV stabilizers to

help minimize color fading. All Snow Poles feature rounded edges for safety and ease of use with our **Snow Pole Brackets** (Page 18) and **Snow Pole Receivers** (Page 17). Strips of Reflective Sheeting can be applied for added visibility (Page 91).



SP18

Measuring 1.25" x 3/16", this snow pole design offers more flexibility and lighter weight for back country trail marking. Ideal for marking areas with snowmobile, cross country or downhill skiing activity. Two flat surfaces allow reflective sheeting to be applied to both sides for increased visibility. These snow poles may be mounted to composite marker posts using our **Snow Pole Brackets** on Page 18. Weighs .180 lb/ft. Available only in ■ Orange.



SP31

This Quasi-Elliptical profile measures 15/16" x 5/16" and is more rigid than our **SP18** snow pole at the same price. Additionally, the flat area is designated as a mounting surface, able to accept widely available fasteners for quick installations. Visibility can be enhanced further by wrapping a piece of reflective sheeting all the way around the pole. (Pricing shown below.) Weighs .174 lb/ft. Available only in ■ Orange.

Sold Individually

LENGTH	SP18	SP31	1-39	40-239	240-519	520+
4'-0" (48")	SP1848-03	SP3148-03	5.28	4.80	3.36	CALL
5'-0" (60")	SP1860-03	SP3160-03	6.60	6.00	4.20	CALL
6'-0" (72")	SP1872-03	SP3172-03	7.92	7.20	5.04	CALL
7'-0" (84")	SP1884-03	SP3184-03	9.24	8.40	5.88	CALL
8'-0" (96")	SP1896-03	SP3196-03	10.56	9.60	6.72	CALL



SP25

Measures 1.25" x .25" and is more flexible than our **SP38** product, but more rigid than our **SP18** family of snow poles. Weighs .231 lb/ft. Available only in ■ Orange.

LENGTH	SP25	1-29	30-209	210-389	390+
4'-0" (48")	SP2548	6.60	6.00	4.20	CALL
5'-0" (60")	SP2560	8.25	7.50	5.25	CALL
6'-0" (72")	SP2572	9.90	9.00	6.30	CALL
7'-0" (84")	SP2584	11.55	10.50	7.35	CALL
8'-0" (96")	SP2596	13.20	12.00	8.40	CALL



SP38

The **SP38** is designed for maximum stiffness (1.25" x .375") to accommodate added height and is ideal for marking along highways. They may be mounted to guardrails or compatible fiberglass Marker Posts with Rockart **Snow Pole Brackets** (Page 18), or driven directly into the ground. Reflective strips may be applied to one/both sides for better visibility (see Page 91). Weighs .346 lb/ft. Rockart **Snow Pole Receivers** are on Page 17.

LENGTH	SP38	1-19	20-199	200-339	340+
4'-0" (48")	SP3848-Color	10.67	9.70	6.78	CALL
5'-0" (60")	SP3860-Color	13.33	12.11	8.48	CALL
6'-0" (72")	SP3872-Color	16.00	14.54	10.18	CALL
7'-0" (84")	SP3884-Color	18.66	16.96	11.87	CALL
8'-0" (96")	SP3896-Color	21.33	19.39	13.57	CALL
10'-0" (120")	SP38120-Color	26.66	24.23	16.96	CALL
12'-0" (144")	SP38144-Color	32.00	29.09	20.36	CALL

REMINDER: Replace Color in the Item number with 2-digit code for the color you want.

Available Colors – for **SP38 ONLY**

- 00 White
- 02 Yellow
- 09 Black
- 01 Brown
- 03 Orange

Snow Pole & Boundary Marker Anchors



When installed in softer topsoils, vandals may attempt to remove installed boundary markers & snow poles. Using

ROCKART® Anchors may help discourage them. Made from durable, high-impact plastic. Installation hardware is included.

For **SP18** & Boundary Marker (**BM**) Series
 03-382-1.....95 ea.
 (#08-708 Rivets included)

For **SP25** & **SP38** Series
 03-382-2.....95 ea.
 (#08-741 Rivets included)



Phone: 480-854-3400
 Fax: 480-832-6390
 Toll-Free: 877-718-7446

Online: www.RockartSigns.com
 Email: Sales@RockartSigns.com

ROCKART's Snow Pole Receivers offer features that save time & money when it is Snow Pole season!

- ✔ Shorter deployment & retrieval time for Snow Poles means less exposure to possible traffic hazards
- ✔ Open-bottom design allows rain water to drain off
- ✔ Tapered base allows easier ground-driven installation
- ✔ Included black plastic cap can be used to keep debris out while not in use (during the off-season)



Ground-Driven Snow Pole Receiver



Made from heavy-gauge rectangular steel tubing and are pinched to a wedge at the bottom to help secure the pole when it is present. They also feature a tough anchor riveted above the wedged bottom. This helps ensure the receiver can be left in the ground all year long.

We recommend leaving at least 2 inches of the receiver sticking out of the ground so that it can be seen easily. A black vinyl cap is included to help keep dirt and water out while the snow pole is removed. This receiver comes in two versions: #03-591 includes a stainless steel locking set screw located on the back to help further secure the snow poles in areas where theft is a concern. #03-590 comes

without a locking set screw. The pinched end (bottom) is left open just enough to allow rainwater to escape.

Installation and retrieval of snow poles requires no special tools, no clamps, no cable ties or bolts and thus minimizes installation time. (Applies to #03-590 only)

Each receiver is powder coated orange for durability, longevity, visibility and is virtually maintenance free.

Pilot Hole and Receiver Drivers are sold separately and are on Page 20.

i See full Product Brochure on Page 214

With Locking Set Screw
03-591.....10.60

Without Locking Set Screw
03-590 8.85

Surface-Mounted Snow Pole Receiver



This receiver can be attached to nearly any vertical surface, including wooden guard rail posts, and 1# or 2# steel U-Channel posts, delineators, etc.

Made from heavy-gauge rectangular steel tubing with the bottom 2 inches forming a nearly-closed wedge that will help secure the pole when it is installed. This makes your fiberglass snow pole installation & retrieval much easier.

Each receiver is powder coated orange for durability, longevity, visibility and is virtually maintenance free. The tapered bottom end is left slightly open to allow rainwater to escape.

This receiver comes in two versions: #03-593

includes a stainless steel locking set screw located on the back to help secure the snow poles in areas where theft is a concern. If you don't require this, part #03-592 comes without a locking set screw.

Installation and retrieval of snow poles requires no special tools, no clamps, no cable ties or bolts and thus minimizes installation time (applies to #03-592 only).

See Page 91 for Reflective Sheeting strips. U-Channel Post not included and sold separately, see Page 19.

i See full Product Brochure on Page 215

With Locking Set Screw
03-59311.90

Without Locking Set Screw
03-592 10.15



Use chart below to find a bracket compatible with your Snow Pole/Marker Post combination!



Use **ROCKART Snow Poles & Snow Pole Brackets** when marking highways, back country roads, and snowmobile trails for safety and visitor reassurance.

- ✓ **Super Compatible** - Brackets for 3 families of snow poles: SP18, SP31 and SP38. Installs on either side of five marker posts.
- ✓ **Economical** - Reusable each year.
- ✓ **Durability** - Brackets are made of stainless steel, eliminating corrosion.
- ✓ **Aesthetics** - Clean, durable appearance without covering reflective sheeting and trail marking decals.
- 🔒 **Deters Theft** - Stainless steel hex drive screws achieve a higher level of resistance to tampering.
- ✓ **Easy to Use** - Slide the bracket assembly over the marker post (on a compat. side), then insert snow pole into the bracket. Adjust to desired height. Use the included hex tool to secure everything in place.
- ✓ No Loose Hardware
- ✓ No Drilling or Alignment Required
- ✓ Adjusts easily for deeper snow levels (for more stability, you can use 2 brackets spaced 6-10" apart)

Snow Pole Bracket / Marker Post Compatibility Chart

	SP18 & Dual-Flex ● Mount: Either side 08-200
	SP31 & Dual-Flex ● Mount: Either side 08-214
	SP38 & Dual-Flex ※ Mount: Either side 08-201
	SP18 & Glas-Flex ※ Mount: Either side 08-206
	SP31 & Glas-Flex ※ Mount: Either side 08-217
	SP38 & Glas-Flex ※ Mount: Either side 08-207
	SP18 & Tri-Flex ▼ Mount: Back side 08-202
	SP31 & Tri-Flex ▼ Mount: Back side 08-215
	SP38 & Tri-Flex ● Mount: Back side 08-203

Only \$9.00 ea. or \$8.50 ea. when you order 50 or more

	SP18 & Arc-Tec ● Mount: Concave side 08-208
	SP31 & Arc-Tec ● Mount: Concave side 08-218
	SP38 & Arc-Tec ● Mount: Concave side 08-209
	SP18 & SPM Mount: Either side 08-212
	SP31 & SPM Mount: Either side 08-220
	SP38 & SPM Mount: Either side 08-213



Sign Mounting Bracket - Used to attach small signs to SP38 Snow Poles w/ 2 threaded holes (Includes tamper-resistant mounting hardware)
08-126
1-49 50+
3.60 3.50

#10 1/8" Hex L-Key, Short Arm (for use with tamper-resistant snow pole mounting brackets)
(One FREE with your bracket order!)
08-604 42

#10 1/8" Hex Key with Comfortable, Plastic-coated T-shaped Grip
for #10 Hex
08-606 3.50

※ Not recommended for snow poles over 4' tall
● Not recommended for snow poles over 6' tall
▼ Not recommended for snow poles over 8' tall





ROCKART Rib-Bak® 2 lb/ft, Steel U-Channel Posts

- ✿ 2 pound-per-foot standard weight
- ✚ Available in popular sizes: 72" (6'), 84" (7'), and 96" (8').
- ✔ The patented Rib-Bak® design supports signs mounted on the back of the post - without wobble.
- ✔ Tapered bottom means easier installation.
- ✔ 3/8" diameter holes along back on 1" centers.
- ✔ Shipped by freight truck.
- ✔ Available in 1 color: Brown
- ✔ Made from recycled, high carbon U.S. new-billet steel, Grade SP-80 making the Rib-Bak® the strongest U-channel post available.
- ✿ NCHRP 350 approved (National Cooperative Highway Research Program)
- ✿ FHWA crash-tested and approved.
- ✿ Yield strength is 80,000 -100,000 PSI, exceeding ASTM requirements.

📄 See full Product Brochure on [Page 213](#).

U-Channel (50-Post Bundle)			PRICE / BUNDLE (BUNDLES of 50 Posts)	
LENGTH	ITEM NO.	AVAIL. COLORS	1-4	5+
72" (6')	01-302-72-01	Brown	750.00 <small>\$15.00 / Post</small>	690.00 <small>\$13.80 / Post</small>
84" (7')	01-302-84-01		862.50 <small>17.25 / Post</small>	793.50 <small>15.87 / Post</small>
96" (8')	01-302-96-01		975.00 <small>19.50 / Post</small>	897.00 <small>17.94 / Post</small>


U-Channel (Single-Post)			PRICE / POST
72" (6')	01-322-72-01	Brown	16.50
84" (7')	01-322-84-01		18.97
96" (8')	01-322-96-01		21.45

Need a U-Channel Post Driver? See item #08-180 on [Page 20](#).

Sign Spacers

Our **Sign Spacers** sit right in the U-channel and support the sign from the back, preventing bending & bowing once installed. For ROCKART 2-LB U-Channel posts, use #08-829. Additional sizes (heights) are available for use with posts from other manufacturers.

See more solutions for mounting signs to U-Channel in our 'Best Practices' section on [Page 230](#).



- 

1/4" Double Headed Alum. Rivet, w/ 1.375" - 1.625" grip range (2-pieces)
U-Channel Marker Post Fasteners
08-80839
- 

POP Set PS15 Hand-held Rivet Installation Tool
Used to Install Rivet Fasteners
08-600 62.00
- 

1/4-20 x 1.75" Long Threaded Fastener System w/ Short T-Nut and Special Collared Nylon Washer
U-Channel Marker Post Fasteners
08-80054
- 

3/16 Short Arm Hex Key - Drilled, Yellow
08-619 3.50


- 

1.25" Tall, 0-Nub Nylon Sign Support/Spacer (Compatible with ROCKART U-Channel posts)
1.25" Tall U-Channel Sign Support
08-82946
- 

4-Nub Sign Spacer ★
1.4" Tall U-Channel Sign Support
08-83046
- 

8-Nub Sign Spacer
1.53" Tall U-Channel Sign Support
08-83246





Easily disassembles into 6 pieces, allowing multiple people to help transport this Post Driver into remote locations.

Need Help Selecting a Driver? The "Best Practices" section has helpful tips and product selection guides. See [Page 226](#).

	DESCRIPTION	WEIGHT (LBS)	ITEM #	PRICE
A	Fiberglass Marker Post Pilot Hole Driver	32	08-104	\$225.00
B	Standard Marker Post Driver With Foam Rubber Grips (for markers 62"+ tall)	24	08-103	190.00
C	44" Deluxe Marker Post Driver With Steel Coil Grips	26	08-146	180.00
	56" Deluxe Marker Post Driver With Steel Coil Grips	31	08-151	198.00
D	Campground Marker Post Driver - 22 Inch For Posts up to 54" Long	16	08-160	160.00
	Campground Marker Post Driver - 30 Inch For Posts 54" & 62" Long	19	08-153	165.00
E	LightWeight Fiberglass Marker Post Driver (for posts 62"+)	22	08-136	365.00
F	30" Boundary-Survey Marker Post Driver (for BM markers 48-59 inches tall)	13	08-107	130.00
	44" Boundary-Survey Marker Post Driver (for BM markers over 59" tall)	17	08-106	140.00
G	12 x 32 x 4 Steel U-Channel Post Driver w/ 2 Steel Coiled Grip Handles	40	08-180	195.00
H	Marker Post Driving Cap	3	08-175	40.00
I	Snow Pole Driver (for Snow Poles under 72")	3	08-186	60.00
	Snow Pole Driver (for Snow Poles over 72" tall)	8	08-108	80.00
J	JACKJAW 300 Post Extractor	23	08-101	480.00
K	Snow Pole Receiver Driver	27	08-196	225.00
L	Snow Pole Receiver Pilot Hole Driver	31	08-197	225.00



See **JACKJAW** Product Brochure on [Page 196](#)



16 to 1 mechanical advantage, 100 lbs push down on handle = 1600 lbs pull up force on post.
Removes Fiberglass & U-Channel Posts!



PowerFlex Work Gloves





































PowerFlex Work Gloves, Gray & Blue, Available in 4 sizes : 7, 8, 9 and 10

08-1026-Size.....8.00/pair


Our decals are printed on 3M™ Brand adhesive-backed, retro-reflective sheeting using a special translucent ink. We place them into a clear

plastic protective sleeve (50 decals/sleeve) so they are ready to apply when needed.

Decals bearing official US Government Agency or Departmental Logos (Note: Any product bearing an official U.S. Gov't Agency or Departmental logo is limited to purchase & usage by authorized individuals/entities only. ROCKART does require (and may request) proof of affiliation with an agency.)

									
10-100 3 x 3,  .97	10-100-4 4 x 4,  1.65	10-600 3 x 3,  .97	10-251 3 x 3,  .97	10-251-4 4 x 4,  1.65	10-100-6-D 6 x 6,  2.23	10-100-8-D 8 x 8,  5.00	10-100-12-D 12 x 12,  7.25	10-505 1.5 x 1.5,  .45	10-1017 1.5 x 1.5,  .64
									
10-1020 2 x 2,  .75	20-420 3 x 3,  .97	20-420-4 4 x 4,  1.65	20-421 3 x 3,  .97	20-423 3 x 3,  .97	20-422 3 x 3,  .97	20-422-4 4 x 4,  1.50	20-418 1.5 x 1.5,  .45	20-419 1.5 x 1.5,  .45	20-417 1.5 x 1.5,  .55
									
30-101 3 x 3,  .97	30-132 3 x 3,  .97	30-133 1.5 x 1.5,  .45	30-105 3 x 3,  .97	30-196 3 x 3,  1.30	30-106 3 x 4,  2.90	40-263 3 x 6,  3.25			
									
20-321 3 x 3,  .97	20-322 3 x 3,  .97	30-155 3 x 3,  .97	30-197 3 x 3,  1.30						
									
60-142 3 x 3,  .97	60-178 3 x 3,  .97	60-212 3 x 3,  .97	60-683 3 x 3,  .97						
									
60-739 3 x 3,  .97	60-859 3 x 1.5,  .65	60-628 3 x 3,  .97	30-102 3 x 3,  1.14						
									
30-205 3 x 3,  1.03	30-206 3 x 3,  1.03	30-130 3 x 3,  1.75	30-178 3 x 3,  .97						

Full-Color Agency Logos



10-941-Size




10-940-Size



20-425-Size



20-424-Size

































- Quantity Discounts
- Full Color
-  Engineering Grade
- Contour or "Kiss cut" available
- BLM logo includes tagline:
"National System of Public Lands"

REMINDER: Replace -Size at the end of the Item Number with the size you want (from avail. sizes shown to right).

Ex: 20-424-6 indicates a 6x6" BLM Contour Cut Logo

-Size	Dimensions W x H	1-99	100-249	250+
-2	2 x 2	.77	.64	.59
-3	3 x 3	1.03	.92	.87
-4	4 x 4	1.68	1.49	1.41
-5	5 x 5	2.62	2.33	2.20
-6	6 x 6	3.58	3.18	3.02
-8	8 x 8	6.19	5.50	5.22
-10	10 x 10	8.67	7.70	7.30
-12	12 x 12	13.15	11.69	11.08
-16	16 x 16	22.69	20.17	19.11
-24	24 x 24	49.49	43.99	41.67
-36	36 x 36	116.25	103.33	97.89


Decals for rating the relative difficulty level of a trail or other using established symbols stating the required skill level required to reach the end of a specific path or trail.

 10-312 3 x 4,  1.25	 10-101 3 x 3,  1.14	 10-211 3 x 3,  1.14	 60-385 3 x 3,  1.14	 10-102 3 x 3,  1.14	 10-212 3 x 3,  1.14	 10-313 3 x 4,  1.25	 60-386 3 x 3,  1.14	 10-890 3 x 6,  1.93
 10-103 3 x 3,  1.14	 10-213 3 x 3,  1.14	 10-314 3 x 4,  1.25	 60-387 3 x 3,  1.14	 10-180 3 x 6,  1.93	 10-526 3 x 4,  1.30	 60-1208 3 x 4,  1.25		

DIRECTIONAL & COLOR CODING

Decals with arrows showing directions to continue following along a pathway. If an area has multiple intersecting trails, colored backgrounds are commonly used to help users in following along their chosen trail.

Color Code Your Trails!

 Reflective 3 x 3 decals are now available in your choice of 10 colors to make trail marking easier than ever.

Reminder: Don't substitute 'Color' in the Item # with the 2-digit number that represents the

color you want (shown right).

Example: Item 10-124-06 would be an arrow on a GREEN (06) background and cost \$1.14.

AVAIL. COLORS	PRICE
-01 (Brown)	\$0.97
-03 (Orange)	\$1.14
-04 (Red)	\$1.14
-05 (Blue)	\$1.14
-06 (Green)	\$1.14
-07 (Violet)	\$1.14
-08 (Grey)	\$1.14
-09 (Black)	\$1.14
-10 (Gold)	\$1.14
-11 (Purple)	\$1.14



10-123-Color



10-124-Color



10-125-Color



10-160-Color



10-161-Color



10-162-Color



10-163-Color



10-125-01-4
4 x 4, ^{EG}
1.65



10-124-01-4
4 x 4, ^{EG}
1.65




10-123-01-4
4 x 4, ^{EG}
1.65



10-255
1.5 x 1.5, ^{EG}
.45



10-254
1.5 x 1.5, ^{EG}
.45



10-318-Color
3 x 5, ^{EG}
1.87



10-743-00
3 x 5, ^{EG}
1.87

- 09 Blk
- 02 Yel
- 03 Org
- 05 Blue
- 06 Grn
- 375 Lime



60-747
2 x 2, ^{EG}
1.14



60-748
2 x 2, ^{EG}
1.14



60-749
2 x 2, ^{EG}
1.14



10-296
3 x 1.5, ^{EG}
.57



30-220
3 x 2, ^{EG}
.65



30-221
3 x 2, ^{EG}
.65



30-222
3 x 2, ^{EG}
.65



10-768
3 x 3, ^{EG}
.97



10-595-01
3 x 3, ^{EG}
.97



10-595-06
3 x 3, ^{EG}
1.14



10-596-01
3 x 3, ^{EG}
.97



10-596-06
3 x 3, ^{EG}
1.14



10-597-01
3 x 3, ^{EG}
.97



10-597-06
3 x 3, ^{EG}
1.14



10-274-01
3 x 3, ^{EG}
.97



10-274-06
3 x 3, ^{EG}
1.14



10-598-01
3 x 3, ^{EG}
.97



10-598-06
3 x 3, ^{EG}
1.14



10-863
3 x 3, ^{EG}
.97



10-295
3 x 4, ^{EG}
1.25



10-164
3 x 3, ^{EG}
.97



10-165
3 x 3, ^{EG}
.97



10-166
3 x 3, ^{EG}
.97



10-167
3 x 3, ^{EG}
.97



10-168
3 x 3, ^{EG}
.97



60-1146
3 x 3, ^{EG}
.97



60-1147
3 x 3, ^{EG}
.97



60-1148
3 x 3, ^{EG}
.97



20-547
3 x 3, ^{EG}
1.14



20-548
3 x 3, ^{EG}
1.14



10-219
3 x 3, ^{EG}
.97



10-220
3 x 3, ^{EG}
.97



10-221
3 x 3, ^{EG}
.97



10-222
3 x 3, ^{EG}
.97

ROCKART

REFLECTIVITY RATINGS



Engineering Grade



Semi-Reflective



Hi-Intensity Prismatic



Non-Reflective



Diamond Grade

Decals for specifying distances to a particular destination when traveling. May include mile markings or GPS coordinates.



10-236
3 x 3,
.97



10-237-01
3 x 1.5,
.57



10-237-06
3 x 1.5,
.70



10-154
3 x 3,
.97



60-612
3 x 1.5,
.57



60-705-10
3 x 2,
.80



10-285
3 x 3,
.97




60-1220
3 x 3,
.97



10-671
3 x 3,
.97



10-670
3 x 4,
1.25




60-157-01
3 x 2,
.80




60-821
3 x 1.5,
1.73




60-1364
3 x 3,
.97




10-669
3 x 4,
1.25




60-156
3 x 6,
1.93




60-626
3 x 8,
2.15



60-157-09
3 x 2,
.80




60-1145
3 x 3,
.97



60-1395
3 x 4,
1.25

Marker Man saves the TRAIL !
With his trusty Post Driver, he is ready to mark the way!



Decals that communicate Rights-of-Way rules, trail courtesy, etiquette, environmental protection and guidance on how to use public lands responsibly.



30-159
3 x 3, .97



10-238
3 x 3, .97




10-287
3 x 3, .97




60-674
3 x 3, .97



60-675
3 x 3, .97



60-196
3 x 4, 1.25



60-222
3 x 4, 1.25



60-344
3 x 3, .97



60-840
3 x 4, 1.25



60-182
3 x 3, .97



10-269
3 x 3, .97



60-585
3 x 4, 1.25




60-1106
3 x 3, .97



60-767
3 x 3, .97



60-274
3 x 4, 1.77



60-275
3 x 4, 1.77




60-278
3 x 4, 1.77



60-1253
3 x 5, 1.56



10-1045
5 x 4, Call



10-824
3 x 2, .80



60-197
3 x 4, 1.25



60-720
3 x 4, 1.25



10-126
3 x 3, .97



10-197
3 x 3, .97



10-198
3 x 3, .97




10-199
3 x 3, .97




10-210
3 x 3, .97



10-667
3 x 3, .97



60-273
3 x 4, 1.77




60-834
3 x 4, 1.25



10-733
3 x 3, .97




10-657
3 x 3, .97



40-147
3 x 3, 1.14



40-171
3 x 3, .97



40-234
3 x 3, 1.14



40-285
3 x 4, 1.25

ROCKART

REFLECTIVITY RATINGS

Engineering Grade

Semi-Reflective

Hi-Intensity Prismatic


Non-Reflective

Diamond Grade

Decal Series | **Tread Lightly!**




40-187
3 x 6, **EG**
9.00




40-181
3 x 6, **EG**
1.93




40-182
3 x 6, **EG**
1.93




40-183
3 x 6, **EG**
1.93




40-184
3 x 6, **EG**
1.93



40-185
3 x 6, **EG**
1.93



40-186
3 x 6, **EG**
1.93



40-292
3 x 3, **EG**
.00



40-122
3 x 3, **EG**
.97



40-132
3 x 3, **EG**
1.14



40-133
3 x 1.5, **EG**
.57



40-293
3 x 1.5, **EG**
2.83

FLAGS

Decals bearing a USA flag or patriotic-themed message that may help to reduce the number of incidents of vandalism to public lands.

Reduce Vandalism on Public Lands

Many federal agencies have seen a drop in vandalism to some areas by simply applying these American flag decals to existing fiberglass marker posts, signs & kiosks.

These decals are great for construction or maintenance projects that use volunteer labor.

See Product Brochure on **Page 221**



30-144
3 x 3, **EG**
1.10



60-235
3 x 3, **EG**
1.10



30-139
3 x 3, **EG**
1.10



30-145
3 x 3, **EG**
1.10



60-236
3 x 3, **EG**
1.10

QNTY	1-99	100-249	250+
PRICE	1.10	.95	.85



60-1069
2 x 1.5, **EG**
1.83



60-920
6 x 4, **EG**
3.50



60-921
12 x 8, **EG**
8.40



60-922
15 x 10, **EG**
16.80








60-923
18 x 12, **EG**
19.20

Decals related to the collection / payment of fees paid by visitors. This includes prices, instructions or other payment information, etc.


















































 10-447 3 x 10, EG 2.37	 10-918 3 x 4, EG 1.25	 10-581 3 x 3, EG .97	 20-148 3 x 10, EG 2.37	 60-672 3 x 3, EG .97	 60-181 3 x 3, EG .97
 10-919 3 x 4, EG 1.25	 10-691 3 x 3, EG 1.30	 60-673 3 x 3, EG .97	 60-271 3 x 4, EG 1.25	 60-272 3 x 4, EG 1.25	 60-134 3 x 1.5, EG .57
 30-320 3 x 3, EG 1.18	 60-135 3 x 1.5, EG .57	 60-179 3 x 3, EG .97	 60-364 3 x 3, EG .97	 60-1092 3 x 3, EG .97	 60-180 3 x 3, EG .97
 60-365 3 x 3, EG .97	 60-1042 3 x 3, EG .97	 60-237 3 x 1.5, EG .57	 60-238 3 x 1.5, EG .57	 60-239 3 x 1.5, EG .57	 60-771 3 x 3, EG .97
 60-980 3 x 3, EG .97	 60-867 3 x 3, EG .97	 60-868 3 x 3, EG .97	 60-1241 3 x 3, EG .97	 60-1237 3 x 3, EG .97	 60-1236 3 x 3, EG .97
 60-1242 3 x 3, EG .97	 60-1243 3 x 3, EG .97	 60-1235 3 x 3, EG .97	 60-1244 3 x 3, EG .97		



OK, be honest...which looks better? ...wear them up? ...or down?
Cattle can be 50000 indecisive

ROCKART	REFLECTIVITY RATINGS
 Engineering Grade	 Semi-Reflective
 Hi-Intensity Prismatic	 Non-Reflective
 Diamond Grade	

Decals that provide general / miscellaneous information

 60-353 3 x 3,  .97	 60-336 3 x 3,  .97	 60-337 3 x 3,  .97	 60-356 3 x 3,  .97	 60-588 3 x 4,  1.25	 60-701 3 x 3,  .97	 60-702 3 x 3,  .97	 60-742 3 x 4,  1.25	 60-833 3 x 4,  1.25	 10-918 3 x 4,  1.25
 60-291 3 x 3,  .97	 60-770 3 x 3,  .97	 40-179 3 x 3,  .97	 20-515 4 x 4,  1.65	 60-375 3 x 3,  .97	 60-398 3 x 3,  .97	 60-1066 6 x 6,  3.11			
 60-1142 3 x 3,  .97	 60-1107 3 x 3,  .97	 60-1229 3 x 3,  .97	 10-820 3 x 3,  .97	 10-821 3 x 3,  1.08	 60-1364 3 x 3,  .97	 60-221 3 x 4,  1.25	 60-745 3 x 3,  .97		

**BEAR RESISTANT
FOOD STORAGE CONTAINER**

This container is for storing food and beverages, including canned food, pop and beer; garbage, greases; livestock and pet food; and scented or flavored toiletries (such as toothpaste or chapstick) so they are unavailable to bears.

PLEASE LEAVE THIS CONTAINER CLEAN AND EMPTY

Odors from abandoned food and garbage can attract bears into the campsites, putting the next user of the site in danger!

 **THANK YOU** 

USDA FOREST SERVICE

10-893
11.5 x 8.5, 
10.94

**BEAR RESISTANT
FOOD STORAGE CONTAINER**

This container is for storing food and beverages, including canned food, pop and beer; garbage, greases; livestock and pet food; and scented or flavored toiletries (such as toothpaste or chapstick) so they are unavailable to bears.

PLEASE LEAVE THIS CONTAINER CLEAN AND EMPTY

Odors from abandoned food and garbage can attract bears into the campsites, putting the next user of the site in danger!

 **THANK YOU** 

BUREAU OF LAND MANAGEMENT

20-553
11.5 x 8.5, 
10.94

Decals for use in, on or around golf courses.



60-1027
3 x 3, 1.14



80-112
3 x 3, 1.14



10-274-06
3 x 3, 1.14



60-249-01
3 x 3, .97




60-249-06
3 x 3, 1.14



60-250-01
3 x 3, 1.08



60-250-06
3 x 3, 1.08



60-798
3 x 3, .97



60-996
3 x 6, 1.93



60-995
3 x 6, 1.93



60-992
3 x 14, 2.59



60-993
3 x 14, 2.59



60-994
3 x 14, 2.59



60-982
3 x 10, 2.55



60-983
3 x 14, 2.59



60-984
3 x 14, 2.59



60-985
3 x 14, 2.59



60-986
3 x 14, 2.59



60-987
3 x 14, 2.59



60-988
3 x 14, 2.59




60-989
3 x 14, 2.59



60-991
3 x 14, 3.08



60-990
3 x 14, 2.59



60-1512
1 x 9, 2.80



60-1513
1 x 9, 2.80



60-1511
1 x 10, 2.83



60-1514
1 x 11, 2.80



60-1515
1 x 13, 2.83



60-1516
1 x 15, 3.42



Decals for labeling, roads, areas, boundaries, trails, roads, or public & private land.

 20-281 3 x 3, .97	 20-398 3 x 3, .97	 10-239 3 x 3, .97	 10-567 3 x 3, .97	 10-151 3 x 3, .97	 10-152 3 x 3, 1.08	 10-153 3 x 3, 1.08	 10-204 3 x 3, .97	 60-582 3 x 4, 1.25	 60-788 3 x 3, .97
 60-640 3 x 3, .97	 10-273 3 x 3, .97	 10-580 3 x 3, .97	 60-202 3 x 1.5, .57	 60-312 3 x 3, .97	 60-313 3 x 3, .97	 60-314 3 x 3, .97	 60-315 3 x 3, .97	 60-317 3 x 3, .97	 60-346 3 x 3, .97
 60-599 3 x 4, 1.25	 60-600 3 x 4, 1.25	 60-589 3 x 3, .97	 60-605 3 x 2, .80	 60-682 3 x 1.5, .57	 60-685 3 x 3, .97	 60-732 3 x 3, .97	 60-734 3 x 3, .97	 60-737 3 x 3, .97	 60-756 3 x 3, .97
 30-115 3 x 3, .97	 60-191 3 x 4, 1.25	 60-192 3 x 4, 1.25	 60-377 3 x 3, .97	 60-646 3 x 3, .97	 60-245 3 x 4, 1.25	 60-342 3 x 3, .97	 60-705-9 3 x 2, .80	 20-479 3 x 4, 1.25	 60-1023 3 x 3, .97
 60-1159 3 x 3, .97	 60-1175 3 x 3, .97	 10-1005 3 x 3, .97	 10-823-A 3 x 2, .80	 20-408-A 3 x 2, .80					

ROCKART REFLECTIVITY RATINGS

- Engineering Grade
- Hi-Intensity Prismatic
- Diamond Grade
- Semi-Reflective
- Non-Reflective

30 Phone: 480-854-3400
Fax: 480-832-6390
Toll-Free: 877-718-7446



Online: www.RockartSigns.com
Email: Sales@RockartSigns.com

Decals with commonly-used words or short phrases (i.e., "To Protect Vegetation", "Violations Punishable", "Open To", etc.) that can be applied to blank areas on Travel Management Signs.

To review available Travel Management Signs, check the category by that name in the Sign Section.

Decals used to make visible obstructions or other obstacles located in the path of travel. May also be applied to large vehicles & trailers to help increase visibility, especially at night.



ROCKART REFLECTIVITY RATINGS

Engineering Grade	Semi-Reflective
Hi-Intensity Prismatic	Non-Reflective
Diamond Grade	

FEDERAL RECREATION SYMBOL DECALS

This popular decal category has now become a superset of Federal Recreation symbols with (of course) both permissive & restrictive variants and now ALSO includes ALL of the newer recreation symbols (rev. 2009) as well!

Service & Accommodation recreation symbols can be found in sub-category: Services / Facilities / Amenities

Item numbers for these updated Recreation Symbols (rev. 2009) start with 11-.






In most cases, if you know the item number of an older-version symbol and want to order the updated version of it, simply replace 10- with 11-. Example: The 2009 revised symbol for older item #10-230 would become #11-230.

Decals from the 'General' group of Federal Recreation Symbols. Includes all permissive & prohibitive versions; original & revised (2009) symbols; available in two popular sizes.

									
10-127 3 x 3,  .97	10-571 3 x 4,  1.25	11-127 3 x 3,  .97	11-127-4 4 x 4,  1.65	10-128 3 x 3,  .97	11-128 3 x 3,  .97	11-128-4 4 x 4,  1.65	10-263 3 x 3,  1.48	10-145 3 x 3,  1.08	11-145 3 x 3,  1.08
									
11-145-4 4 x 4,  1.98	10-135 3 x 3,  .97	10-259 3 x 3,  1.08	11-135 3 x 3,  .97	11-135-4 4 x 4,  1.65	10-136 3 x 3,  1.08	11-136 3 x 3,  1.08	11-136-4 4 x 4,  1.98	11-1024 3 x 3,  .97	11-1024-4 4 x 4,  1.65
									
10-142 3 x 3,  .97	10-264 3 x 3,  1.48	10-144 3 x 3,  1.08	10-226 3 x 3,  .97	11-226 3 x 3,  .97	11-226-4 4 x 4,  1.65	10-227 3 x 3,  1.08	11-227 3 x 3,  1.08	11-227-4 4 x 4,  1.98	
									
10-228 3 x 3,  .97	11-228 3 x 3,  .97	11-228-4 4 x 4,  1.65	10-229 3 x 3,  1.08	10-984 3 x 3,  1.08	10-763 3 x 3,  1.08	11-229 3 x 3,  1.08	11-229-4 4 x 4,  1.98		
									
10-223 3 x 3,  .97	10-230 3 x 3,  .97	10-570 3 x 4,  1.25	11-230 3 x 3,  .97	11-230-4 4 x 4,  1.65	10-231 3 x 3,  1.08	10-231-4 4 x 4,  1.98	11-231 3 x 3,  1.08	11-231-4 4 x 4,  1.98	
									
10-233 3 x 3,  .97	10-572 3 x 4,  1.25	11-233 3 x 3,  .97	11-233-4 4 x 4,  1.65	10-235 3 x 3,  .97	11-235 3 x 3,  .97	11-235-4 4 x 4,  1.65	10-234 3 x 3,  1.08	11-234 3 x 3,  1.08	11-234-4 4 x 4,  1.98

 10-249 3 x 3,  .97	 10-573 3 x 4,  1.25	 11-1009 3 x 3,  .97	 11-1009-4 4 x 4,  1.65	 10-265 3 x 3,  1.08	 11-265 3 x 3,  1.08	 11-265-4 4 x 4,  1.98	 10-673 3 x 3,  .97	 11-673 3 x 3,  .97	 11-673-4 4 x 4,  1.65
 10-674 3 x 3,  1.08	 11-674 3 x 3,  1.08	 11-674-4 4 x 4,  1.98	 10-519 3 x 3,  .97	 11-519 3 x 3,  .97	 11-519-4 4 x 4,  1.65	 10-566 3 x 3,  1.08	 11-566 3 x 3,  1.08	 11-566-4 4 x 4,  1.98	
 10-697 3 x 3,  .97	 11-697 3 x 3,  .97	 11-697-4 4 x 4,  1.65	 11-1013 3 x 3,  1.08	 11-1013-4 4 x 4,  1.98	 10-731 3 x 3,  .97	 10-732 3 x 3,  .97			
 10-771 3 x 3,  .97	 60-1210 3 x 3,  .97	 10-909 3 x 3,  .97	 10-910 3 x 3,  .97	 11-1007 3 x 3,  .97	 11-1007-4 4 x 4,  1.65	 11-1010 3 x 3,  .97	 11-1010-4 4 x 4,  1.65	 10-579 3 x 3,  1.08	
 11-1017 3 x 3,  1.08	 11-1017-4 4 x 4,  1.98	 11-1019 3 x 3,  1.08	 11-1019-4 4 x 4,  1.98	 11-1020 3 x 3,  1.08	 11-1020-4 4 x 4,  1.98	 11-1021 3 x 3,  1.08	 11-1021-4 4 x 4,  1.98	 11-1014 3 x 3,  .97	 11-1014-4 4 x 4,  1.65
 11-1051 3 x 3,  .97	 11-1051-4 4 x 4,  1.65	 11-1048 3 x 3,  .97	 11-1048-4 4 x 4,  1.65	 11-1082 3 x 3,  .97	 11-1082-4 4 x 4,  1.65	 11-1057 3 x 3,  .97	 11-1057-4 4 x 4,  1.65	 11-1058 3 x 3,  1.08	 11-1058-4 4 x 4,  1.98
 60-200 3 x 3,  .97	 11-1059 3 x 3,  .97	 11-1059-4 4 x 4,  1.65	 11-1064 3 x 3,  .97	 11-1064-4 4 x 4,  1.65	 11-1068 3 x 3,  .97	 11-1068-4 4 x 4,  1.65	 11-1069 3 x 3,  1.08	 11-1069-4 4 x 4,  1.98	

























 11-1080 3 x 3, EG .97	 11-1080-4 4 x 4, EG 1.65	 11-1081 3 x 3, EG 1.08	 11-1081-4 4 x 4, EG 1.98	 10-574 3 x 4, EG 1.25	 11-1084 3 x 3, EG .97	 11-1084-4 4 x 4, EG 1.65	 11-1016 3 x 3, EG 1.08	 11-1016-4 4 x 4, EG 1.98	
 11-1085 3 x 3, EG .97	 11-1085-4 4 x 4, EG 1.65	 11-1086 3 x 3, EG .97	 11-1086-4 4 x 4, EG 1.65	 11-1018 3 x 3, EG 1.08	 11-1018-4 4 x 4, EG 1.98	 11-1090 3 x 3, EG .97	 11-1090-4 4 x 4, EG 1.65	 11-1095 3 x 3, EG .97	 11-1095-4 4 x 4, EG 1.65
 11-1096 3 x 3, EG 1.08	 11-1096-4 4 x 4, EG 1.98	 10-294 3 x 3, EG 1.08	 60-1447 3 x 3, EG 1.08	 10-1052 3 x 3, EG 1.08	 10-1052-4 4 x 4, EG 1.98	 10-1053 3 x 3, EG 1.08	 10-1053-4 4 x 4, EG 1.98		
 60-248 3 x 3, EG 1.08	 60-247 3 x 3, EG .97	 10-232 3 x 3, EG .97	 11-232 3 x 3, EG .97	 11-232-4 4 x 4, EG 1.65					



















































































































ROCKART	REFLECTIVITY RATINGS
 Engineering Grade	 Semi-Reflective
 Hi-Intensity Prismatic	 Non-Reflective
 Diamond Grade	


RECREATION | LAND BASED

Decals from the 'Land Recreation' group of Federal Recreation Symbols. Includes all permissive & prohibitive versions; original & revised (2009) symbols; available in two popular sizes.

 10-107 3 x 3, EG .97	 10-107-4 4 x 4, EG 1.65	 11-107 3 x 3, EG .97	 11-107-4 4 x 4, EG 1.65	 10-108 3 x 3, EG 1.08	 10-108-4 4 x 4, EG 1.98	 11-108 3 x 3, EG 1.08	 11-108-4 4 x 4, EG 1.98	 10-140 3 x 3, EG .97	 10-109 3 x 3, EG .97
 10-109-4 4 x 4, EG 1.65	 11-109 3 x 3, EG .97	 11-109-4 4 x 4, EG 1.65	 10-298 3 x 3, EG 1.48	 10-110 3 x 3, EG 1.08	 10-110-4 4 x 4, EG 1.98	 11-110 3 x 3, EG 1.08	 11-110-4 4 x 4, EG 1.98	 10-205 3 x 3, EG .97	

									
10-111 3 x 3,  .97	10-111-4 4 x 4,  1.65	10-665 3 x 3,  .97	11-111 3 x 3,  .97	11-111-4 4 x 4,  1.65	10-299 3 x 3,  1.48	10-206 3 x 3,  1.08	10-112 3 x 3,  1.08	10-112-4 4 x 4,  1.98	11-112 3 x 3,  1.08
									
11-112-4 4 x 4,  1.98	10-188 3 x 3,  .97	10-188-4 4 x 4,  1.65	10-187 3 x 3,  1.08	10-115 3 x 3,  .97	10-115-4 4 x 4,  1.65	10-116 3 x 3,  1.08	10-116-4 4 x 4,  1.98		
									
10-117 3 x 3,  .97	10-117-4 4 x 4,  1.65	11-117 3 x 3,  .97	11-117-4 4 x 4,  1.65	10-118 3 x 3,  1.08	10-118-4 4 x 4,  1.98	10-971 3 x 3,  1.48	11-118 3 x 3,  1.08	11-118-4 4 x 4,  1.98	
									
10-121 3 x 3,  .97	10-121-4 4 x 4,  1.65	11-121 3 x 3,  .97	11-121-4 4 x 4,  1.65	10-122 3 x 3,  1.08	10-122-4 4 x 4,  1.98	11-122 3 x 3,  1.08	11-122-4 4 x 4,  1.98		
									
10-137 3 x 3,  .97	10-137-4 4 x 4,  1.65	11-137 3 x 3,  .97	11-137-4 4 x 4,  1.65	10-138 3 x 3,  1.08	11-138 3 x 3,  1.08	11-138-4 4 x 4,  1.98			
									
10-174 3 x 3,  .97	11-174 3 x 3,  .97	11-174-4 4 x 4,  1.65	10-175 3 x 3,  1.08	11-175 3 x 3,  1.08	11-175-4 4 x 4,  1.98		10-176 3 x 3,  .97	11-1042 3 x 3,  .97	11-1042-4 4 x 4,  1.65
									
10-177 3 x 3,  1.08	11-1043 3 x 3,  1.08	11-1043-4 4 x 4,  1.98	10-201 3 x 3,  .97	11-201 3 x 3,  .97	11-201-4 4 x 4,  1.65	10-214 3 x 3,  1.08	11-214 3 x 3,  1.08	11-214-4 4 x 4,  1.98	11-214-4 4 x 4,  1.98
									
10-202 3 x 3,  .97	11-202 3 x 3,  .97	11-202-4 4 x 4,  1.65	10-216 3 x 3,  1.08	11-216 3 x 3,  1.08	11-216-4 4 x 4,  1.98	10-203 3 x 3,  .97	11-203 3 x 3,  .97	11-203-4 4 x 4,  1.65	10-217 3 x 3,  1.08

 11-217 3 x 3,  1.08	 11-217-4 4 x 4,  1.98	 10-208 3 x 3,  .97	 11-208 3 x 3,  .97	 11-208-4 4 x 4,  1.65	 INTERPRETIVE TRAIL 10-568 3 x 4,  1.25				
 HUNTING 10-271 3 x 3,  .97	 11-271 3 x 3,  .97	 11-271-4 4 x 4,  1.65	 NO HUNTING 10-277 3 x 3,  1.08	 11-277 3 x 3,  1.08	 11-277-4 4 x 4,  1.98	 2WD 10-902 3 x 3,  1.08			
 NOT RECOMMENDED 10-692 3 x 3,  1.48	 NOT RECOMMENDED 10-693 3 x 3,  1.48	 SIDE BY SIDES VEHICLES OVER 70" WIDE 10-703 3 x 3,  .97	 SIDE BY SIDES CLOSED TO VEHICLES OVER 70" WIDE 10-854 3 x 3,  .97	 SIDE BY SIDES VEHICLES LESS THAN 65" WIDE 10-908 3 x 3,  .97	 10-921 3 x 3,  .97	 10-921-4 4 x 4,  1.65	 SIDE BY SIDE 10-982 3 x 3,  .97	 NO SIDE BY SIDES CLOSED TO VEHICLES OVER 70" WIDE 10-704 3 x 3,  1.08	 NO SIDE BY SIDES 10-853 3 x 3,  1.08
 10-922 3 x 3,  1.08	 10-922-4 4 x 4,  1.98	 NO VEHICLES OVER 50" WIDE 10-1050 3 x 3,  1.08	 10-707 3 x 3,  .97	 10-707-4 4 x 4,  1.65	 10-748 3 x 3,  .97	 10-749 3 x 3,  1.08	 10-752 3 x 3,  .97	 60-846 3 x 4,  1.25	 TRIALS ONLY 10-865 3 x 3,  .97
 11-1012 3 x 3,  .97	 11-1012-4 4 x 4,  1.65	 11-1034 3 x 3,  .97	 11-1034-4 4 x 4,  1.65	 11-1035 3 x 3,  1.08	 11-1035-4 4 x 4,  1.98	 11-1054 3 x 3,  .97	 11-1054-4 4 x 4,  1.65		
 10-245 3 x 3,  .97	 11-245 3 x 3,  .97	 11-245-4 4 x 4,  1.65	 11-1076 3 x 3,  .97	 11-1076-4 4 x 4,  1.65	 60-241 3 x 3,  .97	 ROCK CRAWLING 60-1213 3 x 3,  .97			
 10-975 3 x 3,  .97	 JOGGING 10-272 3 x 3,  .97	 NO JOGGING 10-278 3 x 3,  1.08	 11-1023 3 x 3,  .97	 11-1023-4 4 x 4,  1.65	 11-1032 3 x 3,  .97	 11-1032-4 4 x 4,  1.65	 11-1033 3 x 3,  1.08	 11-1033-4 4 x 4,  1.98	



RECREATION | WATER BASED

Decals from the 'Water Recreation' group of Federal Recreation Symbols. Includes all permissive & prohibitive versions; original & revised (2009) symbols; available in two popular sizes.



									
11-268-4 4 x 4,  1.98	10-507 3 x 3,  .97	11-507 3 x 3,  .97	11-507-4 4 x 4,  1.65	10-508 3 x 3,  1.08	11-508 3 x 3,  1.08	11-508-4 4 x 4,  1.98	11-1015 3 x 3,  .97	11-1015-4 4 x 4,  1.65	10-518 3 x 3,  1.08
									
11-518 3 x 3,  1.08	11-518-4 4 x 4,  1.98	10-195 3 x 3,  .97	11-195 3 x 3,  .97	11-195-4 4 x 4,  1.65	11-540 3 x 3,  1.08	11-540-4 4 x 4,  1.98	10-685 3 x 3,  .97	11-685 3 x 3,  .97	11-685-4 4 x 4,  1.65
									
10-659 3 x 3,  .97	11-659 3 x 3,  .97	11-659-4 4 x 4,  1.65	10-660 3 x 3,  1.08	11-660 3 x 3,  1.08	11-660-4 4 x 4,  1.98	11-949 3 x 3,  .97	11-949-4 4 x 4,  1.65	11-1089 3 x 3,  1.08	11-1089-4 4 x 4,  1.98
									
11-1008 3 x 3,  .97	11-1008-4 4 x 4,  1.65	11-1047 3 x 3,  .97	11-1047-4 4 x 4,  1.65	11-1061 3 x 3,  .97	11-1061-4 4 x 4,  1.65	11-1062 3 x 3,  .97	11-1062-4 4 x 4,  1.65	11-1063 3 x 3,  1.08	11-1063-4 4 x 4,  1.98
									
11-1071 3 x 3,  .97	11-1071-4 4 x 4,  1.65	11-1072 3 x 3,  1.08	11-1072-4 4 x 4,  1.98	11-1091 3 x 3,  .97	11-1091-4 4 x 4,  1.65	11-1092 3 x 3,  1.08	11-1092-4 4 x 4,  1.98	11-1093 3 x 3,  .97	11-1093-4 4 x 4,  1.65
									
11-1087 3 x 3,  .97	11-1087-4 4 x 4,  1.65	11-1088 3 x 3,  .97	11-1088-4 4 x 4,  1.65						

ROCKART

REFLECTIVITY RATINGS



Engineering Grade



Semi-Reflective



Hi-Intensity Prismatic



Non-Reflective



Diamond Grade

Decals from the 'Winter Recreation' group of Federal Recreation Symbols. Includes all permissive & prohibitive versions; original & revised (2009) symbols; available in two popular sizes.

 11-1094 3 x 3,  .97	 11-1094-4 4 x 4,  1.65	 10-113 3 x 3,  .97	 10-113-4 4 x 4,  1.65	 11-113 3 x 3,  .97	 11-113-4 4 x 4,  1.65	 10-114 3 x 3,  1.08	 10-114-4 4 x 4,  1.98	 11-114 3 x 3,  1.08	 11-114-4 4 x 4,  1.98
 10-119 3 x 3,  .97	 10-119-4 4 x 4,  1.65	 11-119 3 x 3,  .97	 11-119-4 4 x 4,  1.65	 10-120 3 x 3,  1.08	 10-120-4 4 x 4,  1.98	 11-120 3 x 3,  1.08	 11-120-4 4 x 4,  1.98	 10-139 3 x 3,  .97	 10-158 3 x 3,  .97
 11-158 3 x 3,  .97	 11-158-4 4 x 4,  1.65	 10-218 3 x 3,  1.08	 11-218 3 x 3,  1.08	 11-218-4 4 x 4,  1.98	 10-246 3 x 3,  .97	 10-266 3 x 3,  1.08			
 11-1022 3 x 3,  .97	 11-1022-4 4 x 4,  1.65	 10-875 3 x 3,  1.08	 11-875 3 x 3,  1.08	 11-875-4 4 x 4,  1.98	 11-1070 3 x 3,  .97	 11-1070-4 4 x 4,  1.65	 10-876 3 x 3,  1.08	 11-876 3 x 3,  1.08	 11-876-4 4 x 4,  1.98
 11-1067 3 x 3,  .97	 11-1067-4 4 x 4,  1.65	 11-904 3 x 3,  1.08	 11-904-4 4 x 4,  1.98	 10-911 3 x 3,  .97	 11-911 3 x 3,  .97	 11-911-4 4 x 4,  1.65	 10-1003 3 x 3,  .97	 10-1004 3 x 3,  1.08	 11-1038 3 x 3,  .97
 11-1038-4 4 x 4,  1.65	 11-1039 3 x 3,  1.08	 11-1039-4 4 x 4,  1.98	 11-1040 3 x 3,  .97	 11-1040-4 4 x 4,  1.65	 11-1041 3 x 3,  1.08	 11-1041-4 4 x 4,  1.98	 11-1065 3 x 3,  .97	 11-1065-4 4 x 4,  1.65	 11-1066 3 x 3,  1.08



11-1066-4
4 x 4, 
1.98

Decals with traffic-regulating messaging Stop, Yield, MPH



60-722
3 x 3, ^{EG}
1.14



10-923
3 x 3, ^{EG}
.97



60-746
3 x 3, ^{EG}
1.14



60-773
3 x 3, ^{EG}
1.14



60-774
3 x 3, ^{EG}
1.14

RESTRICTION & MOTORIZED

Decals that are mostly used to communicate restrictions to motorized or mechanized methods of travel.



60-242
3 x 4, ^{EG}
1.77



60-219
3 x 3, ^{EG}
.97



60-223
3 x 3, ^{EG}
.97



60-224
3 x 3, ^{EG}
.97



60-744
3 x 3, ^{EG}
.97



10-185
3 x 3, ^{EG}
.97



10-186
3 x 3, ^{EG}
.97



10-258
3 x 3, ^{EG}
.97



10-280
3 x 3, ^{EG}
.97



10-293
3 x 3, ^{EG}
.97



60-193
3 x 4, ^{EG}
1.25



60-195
3 x 4, ^{EG}
1.25



60-198
3 x 4, ^{EG}
1.25




60-215
3 x 4, ^{EG}
1.25



60-217
3 x 4, ^{EG}
1.10



60-218
3 x 4, ^{EG}
1.25



60-230
3 x 3, ^{EG}
.97



60-307
3 x 3, ^{EG}
.97



60-316
3 x 3, ^{EG}
.97



60-322
3 x 3, ^{EG}
.97



60-332
3 x 3, ^{EG}
.97



60-334
3 x 3, ^{EG}
.97



60-335
3 x 3, ^{EG}
.97



60-341
3 x 3, ^{EG}
.97



60-343
3 x 3, ^{EG}
.97



60-347
3 x 3, ^{EG}
.97



60-348
3 x 3, ^{EG}
.97



60-349
3 x 3, ^{EG}
.97



60-352
3 x 3, ^{EG}
.97




60-354
3 x 3, ^{EG}
.97



60-366
3 x 3, ^{EG}
.97



60-368
3 x 3, ^{EG}
.97



60-370
3 x 3, ^{EG}
.97



60-371
3 x 3, ^{EG}
.97



60-373
3 x 3, ^{EG}
.97



60-526
3 x 3, ^{EG}
.97



60-576
3 x 3, ^{EG}
.97



60-577
3 x 3, ^{EG}
.97



60-583
3 x 4, ^{EG}
1.25



60-584
3 x 4, ^{EG}
1.25



60-629
3 x 4, ^{EG}
1.25



60-632
3 x 4, ^{EG}
1.25




60-635
3 x 3, ^{EG}
.97



60-647
3 x 3, ^{EG}
.97




60-651
3 x 3, ^{EG}
.97




60-670
3 x 4, ^{EG}
1.25




60-684
3 x 3, ^{EG}
.97



60-688
3 x 3, ^{EG}
.97



60-786
3 x 3, ^{EG}
.97






































































































































































































60-881
3 x 3, ^{EG}
.97

 60-883 3 x 3,  .97	 60-898 3 x 3,  1.14	 60-902 3 x 4,  1.25	 60-1053 3 x 3,  .97	 60-957 2.75 x 2.5,  1.18	 60-1158 3 x 4,  1.25	 60-1154 3 x 4,  1.25	 60-1171 3 x 3,  .97	 60-1140 3 x 3,  .97	 60-1209 3 x 3,  1.08
 60-1214 3 x 3,  .97	 60-1211 3 x 3,  1.08	 60-1221 3 x 3,  .97	 60-1248 3 x 3,  .97	 10-188-4 4 x 4,  1.65	 10-1008 3 x 3,  .97	 10-1044 3 x 3,  1.08	 10-1044-4 4 x 4,  1.98	 10-263 3 x 3,  1.48	
 10-264 3 x 3,  1.48	 60-754 3 x 3,  .97	 60-795 3 x 3,  .97	 60-796 3 x 3,  .97	 10-969 3 x 3,  1.08	 10-969-4 4 x 4,  1.98				

SERVICES / FACILITIES / AMENITIES

Decals from the 'Service & Accommodation' group the Federal Recreation symbols and are used to indicate nearby / available services, facilities or amenities that are essential to travelers / guests (i.e.: restrooms, lodging, fuel, food and water, etc.)

 10-104 3 x 3,  .97	 11-104 3 x 3,  .97	 11-104-4 4 x 4,  1.65	 10-105 3 x 3,  .97	 10-105-4 4 x 4,  1.65	 11-105 3 x 3,  .97	 11-105-4 4 x 4,  1.65	 10-106 3 x 3,  .97	 11-106 3 x 3,  .97	 11-106-4 4 x 4,  1.65
 10-129 3 x 3,  .97	 11-129 3 x 3,  .97	 11-129-4 4 x 4,  1.65	 10-130 3 x 3,  .97	 11-130 3 x 3,  .97	 11-130-4 4 x 4,  1.65	 10-131 3 x 3,  .97	 11-131 3 x 3,  .97	 11-131-4 4 x 4,  1.65	 10-283 3 x 3,  1.08
 11-283 3 x 3,  1.08	 11-283-4 4 x 4,  1.98	 10-134 3 x 3,  .97	 11-134 3 x 3,  .97	 11-134-4 4 x 4,  1.65	 10-141 3 x 3,  .97	 11-141 3 x 3,  .97	 11-141-4 4 x 4,  1.65	 60-143 3 x 4,  1.25	 60-144 3 x 4,  1.25

									
10-146 3 x 3,  1.08	10-148 3 x 3,  1.08	11-146 3 x 3,  1.08	11-146-4 4 x 4,  1.98	10-147 3 x 3,  .97	11-147 3 x 3,  .97	11-147-4 4 x 4,  1.65	10-149 3 x 3,  1.08	11-149 3 x 3,  1.08	11-149-4 4 x 4,  1.98
									
10-155 3 x 3,  .97	11-155 3 x 3,  .97	11-155-4 4 x 4,  1.65	10-156 3 x 3,  1.08	11-156 3 x 3,  1.08	11-156-4 4 x 4,  1.98	10-157 3 x 3,  .97	11-157 3 x 3,  .97	11-157-4 4 x 4,  1.65	10-170 3 x 3,  .97
									
11-170 3 x 3,  .97	11-170-4 4 x 4,  1.65		10-171 3 x 3,  .97	11-171 3 x 3,  .97	11-171-4 4 x 4,  1.65	10-172 3 x 3,  .97	11-172 3 x 3,  .97	11-172-4 4 x 4,  1.65	10-173 3 x 3,  .97
									
10-244 3 x 3,  .97	11-244 3 x 3,  .97	11-244-4 4 x 4,  1.65	10-250 3 x 3,  .97	11-250 3 x 3,  .97	11-250-4 4 x 4,  1.65	10-253 3 x 3,  .97	11-253 3 x 3,  .97	11-253-4 4 x 4,  1.65	
									
10-262 3 x 3,  1.08	11-262 3 x 3,  1.08	11-262-4 4 x 4,  1.98	10-510 3 x 3,  .97	11-510 3 x 3,  .97	11-510-4 4 x 4,  1.65	10-270 3 x 3,  .97	10-276 3 x 3,  1.08	11-276 3 x 3,  1.08	11-276-4 4 x 4,  1.98
									
10-275 3 x 3,  .97	11-275 3 x 3,  .97	11-275-4 4 x 4,  1.65	10-279 3 x 3,  1.08	11-279 3 x 3,  1.08	11-279-4 4 x 4,  1.98	10-281 3 x 3,  .97	11-281 3 x 3,  .97	11-281-4 4 x 4,  1.65	10-282 3 x 3,  1.08
									
10-284 3 x 3,  1.08	11-284 3 x 3,  1.08	11-284-4 4 x 4,  1.98	10-132 3 x 3,  .97	11-132 3 x 3,  .97	11-132-4 4 x 4,  1.65	10-511 3 x 3,  .97	11-511 3 x 3,  .97	11-511-4 4 x 4,  1.65	10-512 3 x 3,  .97

 11-512 3 x 3,  .97	 11-512-4 4 x 4,  1.65	 10-513 3 x 4,  1.40	 10-514 3 x 4,  1.40	 10-515 3 x 4,  1.40	 10-516 3 x 4,  1.40	 60-652 3 x 3,  .97	 60-909 3 x 3,  .97	 11-933 3 x 3,  .97	 11-933-4 4 x 4,  1.65
 10-965 3 x 3,  .97	 11-965 3 x 3,  .97	 11-965-4 4 x 4,  1.65	 11-1003 3 x 3,  .97	 11-1003-4 4 x 4,  1.65	 11-1004 3 x 3,  .97	 11-1004-4 4 x 4,  1.65	 11-1011 3 x 3,  .97		
 11-1011-4 4 x 4,  1.65	 11-1025 3 x 3,  .97	 11-1025-4 4 x 4,  1.65	 11-1031 3 x 3,  .97	 11-1031-4 4 x 4,  1.65	 11-1036 3 x 3,  .97	 11-1036-4 4 x 4,  1.65	 11-1037 3 x 3,  .97	 11-1037-4 4 x 4,  1.65	 11-1045 3 x 3,  .97
 11-1045-4 4 x 4,  1.65	 11-1046 3 x 3,  .97	 11-1046-4 4 x 4,  1.65	 11-1049 3 x 3,  1.08	 11-1049-4 4 x 4,  1.98	 11-1050 3 x 3,  .97	 11-1050-4 4 x 4,  1.65	 11-1052 3 x 3,  .97	 11-1052-4 4 x 4,  1.65	 11-1053 3 x 3,  1.08
 11-1053-4 4 x 4,  1.98	 11-1055 3 x 3,  .97	 11-1055-4 4 x 4,  1.65	 11-1056 3 x 3,  .97	 11-1056-4 4 x 4,  1.65	 11-1073 3 x 3,  .97	 11-1073-4 4 x 4,  1.65	 11-1075 3 x 3,  .97	 11-1075-4 4 x 4,  1.65	 11-1077 3 x 3,  .97
 11-1077-4 4 x 4,  1.65	 11-1078 3 x 3,  1.08	 11-1078-4 4 x 4,  1.98	 11-1000 3 x 3,  .97	 11-1000-4 4 x 4,  1.65	 11-1079 3 x 3,  .97	 11-1079-4 4 x 4,  1.65	 11-1083 3 x 3,  .97	 11-1083-4 4 x 4,  1.65	

Decals bearing logos of well-known trail names and organizations (i.e., Great Western Trail, Pacific Crest Trail, etc).

									
20-223 3 x 3,  .97	30-141 3 x 3,  .97	30-142 3 x 3,  1.30	40-129 3 x 3,  1.30	40-134 3 x 3,  2.11	40-190 3 x 3,  2.20	40-192 3 x 3.5,  1.55	10-182 3 x 4,  1.25	10-183 3 x 3,  .97	40-250 3 x 3,  .97
									
10-200 3 x 3,  .97	20-248 3 x 3,  .85	40-100 3 x 3,  1.75	40-101 3 x 3,  1.75	40-102 3 x 3,  1.75	40-102-01 3 x 3,  .97	40-103 3 x 3,  1.75	40-103-01 3 x 3,  .97	40-104 3 x 3,  1.75	40-105 3 x 3,  1.75
									
40-258 1.5 x 1.5,  .65	40-257 3 x 3,  2.11	60-525 3 x 3,  1.30	60-597 3 x 3,  1.75	60-604-20 3 x 2,  .80	60-604-21 3 x 2,  .80	40-116 3 x 3,  2.11	40-238 3 x 3,  2.80	40-239 3 x 3,  2.80	40-126 3 x 3,  .97
									
60-1417-1 3 x 3,  Call	60-1416-1 3 x 3,  Call	60-270 3 x 4,  1.25	40-265 3 x 3,  1.40	40-266 3 x 3,  .97	30-191 3 x 3,  2.50	30-192 3 x 3,  2.50	60-246 3 x 6,  1.93	40-256 9.5 x 9.5,  5.79	
									
								30-321 9 x 9,  18.00	

ROCKART

REFLECTIVITY RATINGS



Engineering Grade



Semi-Reflective



Hi-Intensity Prismatic



Non-Reflective














Diamond Grade

Decals in this category are designed to be overlaid in blank zones of Travel Management Signs. They are divided into subcategories, based on their purpose or message type.



















To view available Travel Management Signs, see the subcategory by that name in the Sign Section.

These 'fill-in-the-blank' signs come with a pre-printed basic layout with a thick border (inset slightly from the outside edge) and 2 to 4 major divisions (separated by thick lines) designated areas that can be customized, as needed, by the end-user.


These signs are used to specify activities / types of travel that are allowed and/or prohibited within an area. Some layouts have blank zones for including date ranges or to describe other applicable conditions.

 10-544 3 x 1.5,  .57	 60-606 3 x 2,  .80	 60-699 3 x 3,  .97	 60-700 3 x 3,  .97	 60-400 3 x 3,  2.00	 60-401 3 x 3,  2.00	 60-402 3 x 3,  2.00	 60-403 3 x 3,  2.00	 60-705-14 3 x 2,  .80	 60-1355 3 x 3,  .97
 60-366 3 x 3,  .97									

TRAVEL MGMT INSERTS | RIGHT OF WAY

 10-543 3 x 1.5,  .57	 60-345 3 x 3,  .97	 10-224 3 x 3,  .97	 10-198-4 4 x 4,  1.65	 10-667 3 x 3,  .97	 10-733 3 x 3,  .97	 10-657 3 x 3,  .97	 60-320 3 x 3,  .97	 60-321 3 x 3,  .97
---	---	---	--	---	---	--	---	---

TRAVEL MGMT INSERTS | DATES & RESTRICTIONS

 10-196 3 x 3,  .97	 60-698 3 x 3,  .97	 60-611 3 x 3,  .97	 30-158 3 x 3,  .97	 10-489 3 x 4,  1.25	 10-582 3 x 3,  .97	 10-585 3 x 4,  1.25	 10-662 3 x 4,  1.25	 60-527 3 x 3,  .97	 60-243 3 x 3,  .97
 60-928 3 x 3,  .97	 60-367 3 x 3,  .97	 60-648 3 x 3,  .97	 60-855 3 x 3,  .97	 60-594 3 x 3,  .97	 60-404 3 x 3,  2.00	 60-405 3 x 3,  2.00	 60-406 3 x 3,  2.00	 60-407 3 x 3,  2.00	 60-408 3 x 3,  2.00

JUN 2- JUL 2-
JUN 2- JUL 2-
JUN 2- JUL 2-
JUN 16- SEP 30-
JUN 16- SEP 30-
JUN 16- SEP 30-

60-409
3 x 3, **2.00**

OCT 14- NOV 30-
OCT 14- NOV 30-
OCT 14- NOV 30-
NOV 14- DEC 2-
NOV 14- DEC 2-
NOV 14- DEC 2-

60-410
3 x 3, **2.00**

MAR 31- JUL 2-
MAR 31- OCT 14-
MAY 14- OCT 14-
MAY 16- NOV 30-
MAY 16- DEC 2-
JUN 2- DEC 2-

60-411
3 x 3, **2.00**

MAY 1- AUG 29-
MAY 1- AUG 29-
MAY 1- AUG 29-
MAY 1- AUG 29-
MAY 1- AUG 29-
MAY 1- AUG 29-

60-397
3 x 3, **2.00**

DEC 2- MAY 15-
DEC 2- MAY 15-
DEC 2- MAY 15-
DEC 2- MAY 15-
DEC 2- MAY 15-
DEC 2- MAY 15-

60-958
3 x 3, **2.00**

YEARLONG
YEARLONG
YEARLONG
YEARLONG
YEARLONG
YEARLONG

60-414
3 x 3, **2.00**

MARCH 1ST
THROUGH
AUG. 30TH

60-1038
3 x 3, **.97**

JAN. 1ST
THROUGH
SEPT. 30TH

60-803
3 x 3, **.97**

MAY 1ST
THROUGH
DEC. 15TH

60-804
3 x 3, **.97**

WHEN
CONDITIONS
ALLOW
APRIL 15
THRU
DEC 15

60-1177
3 x 3, **.97**

OPEN TO
MOTORCYCLES
ONLY
APRIL 15 TO
DECEMBER 15

60-933
3 x 3, **.97**

OPEN TO
MOTORCYCLES
ONLY
YEAR LONG

60-934
3 x 3, **.97**

OPEN TO
ALL VEHICLES
APRIL 15 TO
DECEMBER 15

60-926
3 x 3, **.97**

OPEN TO
ALL VEHICLES
YEAR LONG

60-927
3 x 3, **.97**

OPEN TO
4WD VEHICLES
MORE THAN
50 INCHES WIDE
APRIL 15 TO
DECEMBER 15

60-935
3 x 3, **.97**

OPEN TO
4WD VEHICLES
MORE THAN
50 INCHES WIDE
YEAR LONG

60-936
3 x 3, **.97**

HIGHWAY LEGAL
VEHICLES ONLY
APRIL 15 TO
DECEMBER 15

60-929
3 x 3, **.97**

HIGHWAY LEGAL
VEHICLES ONLY
YEAR LONG

60-930
3 x 3, **.97**

OPEN TO
4WD VEHICLES
50 INCHES WIDE
OR LESS ONLY
APRIL 15 TO
DECEMBER 15

60-931
3 x 3, **.97**

OPEN TO
4WD VEHICLES
50 INCHES WIDE
OR LESS ONLY
YEAR LONG

60-932
3 x 3, **.97**

OPEN
MAY 15-NOV 15
CLOSED
NOV 16-MAY 14

60-1216
3 x 3, **.97**

OPEN
MAY 1-SEPT 30
CLOSED
OCT 1-APR 30

60-1217
3 x 3, **.97**

OPEN
MAY 15-JAN 4
CLOSED
JAN 5-MAY 14

60-1218
3 x 3, **.97**

OPEN
JUNE 1-SEPT 30
CLOSED
OCT 1-MAY 31

60-1215
3 x 3, **.97**

SEASONAL
CLOSURE
FROM
TO

60-215
3 x 4, **1.25**

UNTIL
SURFACE DRIES
UNTIL
SURFACE DRIES
UNTIL
SURFACE DRIES

60-415
3 x 3, **2.00**

UNTIL
SURFACE DRIES
WHEN SNOW IS
4" OR DEEPER
UNTIL
SURFACE DRIES
WHEN SNOW IS
4" OR DEEPER

60-416
3 x 3, **2.00**

UNTIL
SURFACE DRIES
WHEN SNOW IS
6" OR DEEPER
UNTIL
SURFACE DRIES
WHEN SNOW IS
6" OR DEEPER

60-417
3 x 3, **2.00**

UNTIL
SURFACE DRIES
WHEN SNOW IS
12" OR DEEPER
UNTIL
SURFACE DRIES
WHEN SNOW IS
12" OR DEEPER

60-418
3 x 3, **2.00**

NO
SHOOTING

60-1096
3 x 2, **.80**

VEHICLES
LESS THAN
60" WIDE

60-954
3 x 3, **.97**

CAMP
WITHIN
FENCED
AREA

60-787
3 x 3, **.97**

CAMP
WITHIN
SIGNED
AREA

60-755
3 x 3, **.97**

OPEN
TO

10-563
3 x 2, **.80**

CLOSED
TO

10-564
3 x 2, **.80**

OVER
SNOW
VEHICLES
PERMITTED

60-307
3 x 3, **.97**

VEHICLE
LESS THAN
40" WIDE

60-348
3 x 3, **.97**

FOOT
TRAVEL
PERMITTED

60-349
3 x 3, **.97**

VEHICLE
LESS THAN
52" WIDE

60-354
3 x 3, **.97**

ADMINISTRATIVE
TRAFFIC ONLY

60-428
10.25 x 2.75, **2.42**

NOT RECOMMENDED

90-499-758
13 x 1.5, **3.16**

JULY 1 - NOVEMBER 30

60-792
16 x 2, **2.30**

OPEN TO
VEHICLES
50" WIDE OR
LESS

60-1171
3 x 3, **.97**

4WD
RECOMMENDED

60-322
3 x 3, **.97**

WOOD
CUTTING
PROHIBITED

60-359
3 x 3, **.97**

NO
FIREARMS
HUNTING

60-898
3 x 3, **1.14**

FROM AUGUST 20
TO NOVEMBER 30 TO
KEEP GAME ON PUBLIC LAND

60-1231
10.25 x 2.75, **2.42**

DEC 1 TO JUNE 30

92-1316
13 x 2, **3.16**

JULY 1 - SEPTEMBER 9

60-793
16 x 2, **2.30**

OPEN TO
VEHICLES
50" WIDE OR
LESS

60-1171
3 x 3, **.97**

4WD
RECOMMENDED

60-322
3 x 3, **.97**

WOOD
CUTTING
PROHIBITED

60-359
3 x 3, **.97**

NO
FIREARMS
HUNTING

60-898
3 x 3, **1.14**

FROM OCTOBER 1
TO NOVEMBER 30 TO
KEEP GAME ON PUBLIC LAND

60-1232
10.25 x 2.75, **2.42**

SEPT 1 TO JULY 14

92-1315
13 x 2, **3.16**

JUNE 1 - NOVEMBER 30

60-791
16 x 2, **2.30**

ALL MOTORIZED VEHICLES

60-790
16 x 2, **2.30**

MOTORIZED VEHICLES
LESS THAN 50" IN WIDTH

60-789
16 x 3.75, **2.30**

ROCKART REFLECTIVITY RATINGS

- Engineering Grade
- Semi-Reflective
- Hi-Intensity Prismatic
- Non-Reflective
- Diamond Grade

OPEN 10-575 3 x 1.5, .57	OPEN TO 10-576 3 x 1.5, .57	THIS ROUTE IS OPEN TO 60-654 3 x 3, .97	OPEN TO ALL USES 60-695 3 x 3, .97	THIS ROUTE IS CLOSED TO ALL USERS TO PROTECT WILDLIFE HABITAT AND REDUCE SOIL EROSION VIOLATIONS PUNISHABLE 60-147 3 x 4, 1.25	THIS TRAIL IS CLOSED TO ALL USERS TO PROTECT WILDLIFE HABITAT AND REDUCE SOIL EROSION VIOLATIONS PUNISHABLE 60-148 3 x 4, 1.25	THIS AREA IS CLOSED TO ALL USERS TO PROTECT WILDLIFE HABITAT AND REDUCE SOIL EROSION VIOLATIONS PUNISHABLE 60-149 3 x 4, 1.25	THIS ROAD IS CLOSED TO ALL USERS TO PROTECT WILDLIFE HABITAT AND REDUCE SOIL EROSION VIOLATIONS PUNISHABLE 60-150 3 x 4, 1.25	Closed Closed Closed 60-399 3 x 3, 2.00	SEASONAL CLOSURE 60-336 3 x 3, .97		
TEMPORARY CLOSURE 60-337 3 x 3, .97	AREA CLOSED FOR MEADOW RESTORATION 60-361 3 x 3, .97	NO EXIT 60-316 3 x 3, .97	AUTHORIZED TRAFFIC ONLY 60-368 3 x 3, .97	CLOSED TO VEHICLES MORE THAN 52" WIDE 60-635 3 x 3, .97							
CLOSED UNTIL FURTHER NOTICE 60-472 10.25 x 2.75, 2.42	CLOSED TO ALL MOTORIZED / MECHANICAL VEHICLES 60-474 10.25 x 2.75, 2.42	CLOSED TO ALL MOTORIZED VEHICLES 60-425 10.25 x 2.75, 2.42	CLOSED TO ALL OTHER MOTORIZED VEHICLES 60-426 10.25 x 2.75, 2.42	CLOSED TO ALL OTHER USES 60-427 10.25 x 2.75, 2.42	CLOSED YEARLONG TO ALL PUBLIC USE 60-429 10.25 x 2.75, 2.42						
CLOSED TO ALL PUBLIC USE 60-430 10.25 x 2.75, 2.42	CLOSED TO ALL NON-MOTORIZED USE 60-432 10.25 x 2.75, 2.42	CLOSED TO MOTOR VEHICLES OVER 50" IN WIDTH 60-433 10.25 x 2.75, 2.42	ALL MECHANIZED AND MOTORIZED TRAVEL IS LIMITED TO DESIGNATED ROUTES 60-1233 10.25 x 2.75, 2.42	SEASONALLY CLOSED TO 60-1234 10.25 x 2.75, 2.42							

TRAVEL MGMT INSERTS | REASONS

RESTORATION IN PROGRESS 10-587 3 x 3, .97	PREVENT EROSION 30-157 3 x 3, .97	FOR WILDFIRE RECOVERY 60-226 3 x 3, .97	TO PROTECT SOIL 60-300 3 x 3, .97	TO PROTECT WILDLIFE HABITAT AND REDUCE SOIL EROSION 60-301 3 x 3, .97	FOR SOIL AND WILDLIFE PROTECTION 60-302 3 x 3, .97	TO PROTECT WILDLIFE 60-303 3 x 3, .97	FOR VEGETATION SOIL AND WATERSHED PROTECTION 60-305 3 x 3, .97	TO PREVENT WHEEL RUTS AND SOIL EROSION 10-539 3 x 4, 1.25	TO PREVENT ROAD DAMAGE 60-306 3 x 3, .97
NOT RECOMMENDED 10-583 3 x 3, .97	NO TURN AROUND 10-584 3 x 3, .97	UNLESS AUTHORIZED IN WRITING OR PERMITTED USE 60-940 3 x 3, .97	GIVE PLANTS A CHANCE 30-156 3 x 3, .97	UNLESS AUTHORIZED BY PERMIT 60-1321 3 x 3, .97	DUE TO UNSAFE CONDITIONS 60-308 3 x 3, .97	TO REDUCE RESOURCE DAMAGE AND RESTORE PRODUCTIVITY 60-309 3 x 3, .97	FOR RIPARIAN VEGETATION PROTECTION 60-310 3 x 3, .97	TO PROTECT EAGLE HABITAT AREA 60-311 3 x 3, .97	TO PROTECT FRAGILE DESERT ENVIRONMENT 60-323 3 x 3, .97
TO PROTECT VEGETATION 60-324 3 x 3, .97	TO PROTECT ENDANGERED PLANTS 60-325 3 x 3, .97	TO PROTECT WATERSHED 60-326 3 x 3, .97	TO PROTECT ENDANGERED CACTUS 60-327 3 x 3, .97	TO PROTECT ARCHAEOLOGICAL RESOURCES 60-328 3 x 3, .97	TO PROTECT CULTURAL RESOURCES 60-329 3 x 3, .97	TO PROTECT RIVERINE 60-330 3 x 3, .97	TO PROTECT THREATENED OR ENDANGERED SPECIES 60-331 3 x 3, .97	TO REDUCE RESOURCE DAMAGE 60-333 3 x 3, .97	TO PROTECT A NATURAL MEADOW 60-350 3 x 3, .97
TO PROTECT REVEGETATION 60-351 3 x 3, .97	FOR VEGETATION RESTORATION 60-355 3 x 3, .97	AREA CLOSED FOR RESTORATION 60-356 3 x 3, .97	TO PROTECT NATIVE PLANTS AND WILDLIFE HABITAT 60-357 3 x 3, .97	MEADOW RESTORATION IN PROGRESS 60-360 3 x 3, .97	TO PROTECT NATURAL VALUES 60-369 3 x 3, .97	RESTORATION AREA KEEP OUT 60-1248 3 x 3, .97	EXCEPT ON DESIGNATED ROADS 60-632 3 x 4, 1.25		

PRIVATE PROPERTY
NO TRESPASSING

60-1470-14
3 x 2,
.80

To Protect Soil, Water/Riparian, and Wildlife Resources

10-867
3 x 1.5,
.57

To Protect Water Quality

10-868
3 x 1.5,
.57

To Protect Fisheries

10-869
3 x 1.5,
.57

To Prevent Road Damage

10-870
3 x 1.5,
.57

To Protect Wildlife Habitat

10-871
3 x 1.5,
.57

AUTHORIZED USE ONLY

60-431
10.25 x 2.75,
2.42

TO PROTECT WILDLIFE HABITAT AREA

60-436
10.25 x 2.75,
2.42

TO PROTECT HABITAT OF THREATENED OR ENDANGERED WILDLIFE

60-437
10.25 x 2.75,
2.42

TO PREVENT DISTURBANCE TO ELK CALVING AREA

60-438
10.25 x 2.75,
2.42

TO PREVENT DISTURBANCE TO NESTING TURKEYS

60-439
10.25 x 2.75,
2.42

TO PROTECT EAGLE HABITAT AREA

60-440
10.25 x 2.75,
2.42

TO PREVENT DAMAGE TO ROAD OR TRAIL SURFACES

60-441
10.25 x 2.75,
2.42

TO PREVENT WHEEL RUTS AND SOIL EROSION

60-442
10.25 x 2.75,
2.42

TO PROTECT THE WILDERNESS ENVIRONMENT

60-443
10.25 x 2.75,
2.42

TO PREVENT DAMAGE TO VEGETATION

60-444
10.25 x 2.75,
2.42

TO PROTECT A NATURAL MEADOW

60-445
10.25 x 2.75,
2.42

TO RETURN ROAD OR TRAIL TO ITS ORIGINAL NATURAL CONDITION

60-446
10.25 x 2.75,
2.42

TO REDUCE ROAD DAMAGE

60-447
10.25 x 2.75,
2.42

TO PROTECT RESEARCH AREA

60-448
10.25 x 2.75,
2.42

TO REDUCE CONFLICTS BETWEEN USERS

60-449
10.25 x 2.75,
2.42

TO PROVIDE A NON-MOTORIZED RECREATION EXPERIENCE

60-450
10.25 x 2.75,
2.42

DUE TO UNSAFE CONDITIONS

60-451
10.25 x 2.75,
2.42

TO PROVIDE FOR FIREWOOD REMOVAL

60-452
10.25 x 2.75,
2.42

TO PROTECT RESOURCES, SANCTUARY OF WILDLIFE AND PREVENT EROSION

60-453
10.25 x 2.75,
2.42

TO REDUCE USER CONFLICTS AND PREVENT EROSION

60-454
10.25 x 2.75,
2.42

TO PROTECT WATER QUALITY AND EROSION CONTROL

60-455
10.25 x 2.75,
2.42

FOR PUBLIC SAFETY

60-456
10.25 x 2.75,
2.42

FOR LEGAL MANDATES

60-457
10.25 x 2.75,
2.42

FOR FIRE DANGER

60-458
10.25 x 2.75,
2.42

FOR SPECIAL SEASONAL CLOSURES

60-459
10.25 x 2.75,
2.42

MOTORIZED USE LIMITED TO DESIGNATED ROUTES ONLY

60-460
10.25 x 2.75,
2.42

TO PROMOTE RECOVERY FROM WILDFIRE

60-461
10.25 x 2.75,
2.42

FOR VEGETATION, SOIL & WATERSHED PROTECTION

60-462
10.25 x 2.75,
2.42

FOR RIPARIAN VEGETATION PROTECTION

60-463
10.25 x 2.75,
2.42

TO PROTECT RESOURCES AND PREVENT EROSION

60-464
10.25 x 2.75,
2.42

TO REPORT ROAD DAMAGE OR MISUSE CALL:

60-465
10.25 x 2.75,
2.42

TEMPORARY CLOSURE TO VEHICLES TO PROTECT THE DESERT TORTOISE

60-466
10.25 x 2.75,
2.42

FOR RESOURCE RESTORATION

60-467
10.25 x 2.75,
2.42

FIRE RESTRICTIONS

60-468
10.25 x 2.75,
2.42

NO CAMPING, CAMPFIRES, CHARCOAL, OR SMOKING

60-469
10.25 x 2.75,
2.42

SEEDING PROJECT AREA PLEASE! HELP THE LAND RECOVER

60-470
10.25 x 2.75,
2.42

PLEASE! OBEY ALL POSTED SIGNS

60-471
10.25 x 2.75,
2.42

TO PROTECT WILDERNESS VALUES

60-475
10.25 x 2.75,
2.42

CROSS COUNTRY TRAVEL PROHIBITED

60-476
10.25 x 2.75,
2.42

RESPONSIBLE USERS HELP KEEP PUBLIC LANDS OPEN

60-477
10.25 x 2.75,
2.42

PLEASE STAY ON EXISTING ROADS AND TRAILS

60-478
10.25 x 2.75,
2.42

NO MOTOR VEHICLES OFF ROADS

60-479
10.25 x 2.75,
2.42

USE ONLY WHEN DRY

60-480
10.25 x 2.75,
2.42

TO PROTECT SOIL AND WATER RESOURCES

60-481
10.25 x 2.75,
2.42

SEASONALLY CLOSED TO ALL OTHER MOTORIZED VEHICLES UNTIL SURFACE DRIES

60-482
10.25 x 2.75,
2.42

SEASONALLY CLOSED TO ALL MOTORIZED VEHICLES UNTIL SURFACE DRIES

60-483
10.25 x 2.75,
2.42

ADULT SUPERVISION OF CHILDREN ESSENTIAL

60-485
10.25 x 2.75,
2.42

WHEELED MOTORIZED VEHICLES NOT PERMITTED MORE THAN 20 FEET FROM TRAIL

60-486
10.25 x 2.75,
2.42

AUTOMOBILES NOT RECOMMENDED

60-501
10.25 x 2.75,
2.42

2-WHEEL DRIVE VEHICLES NOT RECOMMENDED











60-502
10.25 x 2.75,
2.42










FROM DECEMBER 1 TO APRIL 15 TO PROTECT WINTERING WILDLIFE











60-1230
10.25 x 2.75,
2.42






ALL UNSIGNED TRAILS & ROADS ARE CLOSED











60-473
10.25 x 2.75,
2.42






 10-233 3 x 3, EGO .97	 10-572 3 x 4, EGO 1.25	 60-221 3 x 4, EGO 1.25	 11-233 3 x 3, EGO .97	 60-679 3 x 4, EGO 1.25	 60-338 3 x 3, EGO .97	 60-339 3 x 3, EGO .97	 60-610 3 x 3, EGO .97	 60-133 3 x 4, EGO 1.25	 60-136 3 x 3, EGO .97
---	---	---	--	---	--	---	--	---	--

 60-282 3 x 3, EGO .97	 60-200 3 x 3, EGO .97	 60-229 3 x 3, EGO .97	 60-693 3 x 4, EGO 1.25	 60-308 3 x 3, EGO .97	 60-512 3 x 4, EGO 1.10	 60-581 3 x 4, EGO 1.25	 60-587 3 x 4, EGO 1.25	 60-754 3 x 3, EGO .97
---	--	--	---	--	---	--	---	--

 60-746 3 x 3, EGO 1.14	 60-722 3 x 3, EGO 1.14	 60-773 3 x 3, EGO 1.14	 60-774 3 x 3, EGO 1.14	 60-796 3 x 3, EGO .97	 60-795 3 x 3, EGO .97	 20-391 3 x 3, EGO .97	 60-771 3 x 3, EGO .97	 60-304 3 x 3, EGO .97	 60-622 3 x 2, EGO .80
--	---	---	---	--	--	---	--	--	--

 60-278 3 x 4, EGO 1.77	 60-274 3 x 4, EGO 1.77	 60-687 3 x 3, EGO .97	 10-1007 4 x 4, EGO 1.50	 10-1006 4 x 4, EGO 1.50	 10-1007-4 4 x 4, EGO 1.65	 10-824 3 x 2, EGO .80	 60-821 3 x 1.5, EGO 1.73
---	--	---	---	---	--	---	--

 60-745 3 x 3, EGO .97	 60-194 3 x 4, EGO 1.25	 60-1029 3 x 4, EGO 1.10	 60-1222 3 x 3, EGO .97	 10-1012 3 x 4, EGO 1.77	 10-1024 3 x 3, EGO 1.08	 10-1025 3 x 3, EGO 1.08	 10-1026 3 x 3, EGO 1.08	 60-690 3 x 3, EGO .97	 10-740 3 x 3, EGO 1.08
---	---	--	---	--	--	---	--	--	---

 10-989 3 x 3, EGO 1.48	 60-1403 3 x 4, EGO 1.25	 60-1402 3 x 4, EGO 1.25	 10-893 11.5 x 8.5, EGO 10.94	 20-553 11.5 x 8.5, EGO 10.94
--	--	--	--	---

Individual letters, numbers and punctuation symbols are essential for proper identification of campsites, trail & route numbers, mile post markers, equipment identification, and countless other uses.

We have four distinct sizes of individual letter & number decals available, and each has specific types of use. Most of our Letter/Numbers are typeset in white **HELVETICA BOLD** font (upper case only) on a brown background printed edge-to-edge (bleed).

They are screen-printed on Adhesive-backed 3M reflective sheeting using a special type of ink that allows the entire decal to be reflective.

Reminder: When item # has a 'L' shown, be sure to replace it with the UPPERCASE Letter (A - Z) or Number (0 - 9) you wish to order.

3 x 4h Individual Letter & Number Decals



10-349-

3 x 4 Individual Letter/Number Decals (A-Z, 0-9), Wht/Brn, EG

1-299	300-999	1000+
.80	.75	.70

Numerals 0-9 and Letters A-Z available with Engineering Grade (EG) reflectivity rating.

10-780-

3 x 4 Individual Letter/Number Decals (A-Z, 0-9), Wht-Brn, HIP

1+
.95

Numerals 0-9 and Letters A-Z available with High-Intensity Prismatic (HIP) reflectivity rating.

3 x 4 DECAL SETS

10-306

3 x 4h, FULL SET of Individual Numbering Decals, 50 each (0-9), Wht/Brn, EG

1-4	5-8	9+
371.00	345.00	324.00

10-350

3 x 4h, FULL SET of Individual Lettering Decals, 10 each (A-Z), Wht/Brn, EG

1-4	5-8	9+
193.00	180.00	169.00



3 x 4 DELUXE KITS

10-368

3 x 4h, Deluxe Numbering Decal Kit (0-9), w/ 3-Ring Storage Binder, Wht/Brn, EG

1-4	5-8	9+
250.00	235.00	220.00

This attractive 3-ring binder comes fully stocked with 5 pages of each numeral (0 - 9). Each page holds 8 individual 3 x 4"h decals.

What's Included: 50 pages @ 8 Decals/Page means this Deluxe Numbering Kit has a total of 400 individual decals!

10-372

3 x 4h, Deluxe Lettering Decal Kit (A-Z), w/ 3-Ring Storage Binder, Wht/Brn, EG

1-4	5-8	9+
250.00	235.00	220.00

This attractive 3-ring binder comes stocked with 2 pages of each letter (A - Z). Each page holds 8 individual 3 x 4"h decals.

What's Included: 52 pages @ 8 Decals/Page means this Deluxe Lettering Kit has a total of 416 individual decals!



3 x 4 REFILL PAGES

10-377-

3 x 4h, Numbering Decal (0-9) Refill Pages, (8 decals / page), Wht/Brn, EG

1-24	25+
6.88	6.54

Each page contains 8 individual 3 x 4"h decals (duplicates of a single digit).

10-376-

3 x 4 Lettering Decal (A-Z) Refill Pages, (8 decals / page), Wht/Brn, EG

1-24	25+
6.88	6.54

Each page contains 8 individual 3 x 4"h decals (duplicates of a single alphabetic letter).



1.5 x 2h Individual Letter & Number Decals



10-305--

1.5 x 2 Individual Number Decals (0-9), Wht/Brn, EG

1-299	300-999	1000+
.58	.52	.48

Numerals 0-9 available with Engineering Grade (EG) reflectivity rating.

10-309--

1.5 x 2h, Individual Lettering Decals (A-Z), Wht/Brn, EG

1-299	300-999	1000+
.58	.52	.48

Letters A-Z available with Engineering Grade (EG) reflectivity rating.



10-367

1.5 x 2h, Deluxe Numbering Decal Kit (0-9), w/ 3-Ring Storage Binder, Wht/Brn, EG

1-4	5-8	9+
250.00	235.00	220.00

This attractive 3-ring binder comes stocked with 5 pages of each numeral (0 - 9). Each page holds 32 individual 1.5 x 2" h decals with Engineering Grade (EG) reflectivity rating.

What's Included: 50 pages @ 32 Decals/Page means this Deluxe Numbering Kit has a total count of **1,600** individual decals!



10-371

1.5 x 2h, Deluxe Lettering Decal Kit (A-Z), w/ 3-Ring Storage Binder, Wht/Brn, EG

1-4	5-8	9+
250.00	235.00	220.00

This attractive 3-ring binder comes stocked with 2 pages of each letter (A - Z). Each page holds 32 individual 1.5 x 2" h decals with Engineering Grade (EG) reflectivity rating.

What's Included: 52 pages @ 32 Decals/Page means this Deluxe Lettering Kit has a total count of **1,664** individual decals!



1.5 x 2 REFILL PAGES

10-379--

1.5 x 2h, Numbering Decal (0-9) Refill Pages, (32 decals/page), Wht/Brn, EG

1-24	25+
6.88	6.54

Each page contains 32 individual 1.5 x 2" h decals (duplicates of a single numeral) with Engineering Grade (EG) reflectivity rating.

10-378--

1.5 x 2h, Lettering Decal (A-Z) Refill Pages, (32 decals / page), Wht/Brn, EG


1-24	25+
6.88	6.54

Each page contains 32 individual 1.5 x 2" h decals (duplicates of a single alphabetic letter) with Engineering Grade (EG) reflectivity rating.

1.5 x 2 PUNCTUATION SYMBOLS

Using proper punctuation will help keep your messaging clear.

White Helvetica Bold symbols on Engineering Grade, Adhesive-backed sheeting with a brown background (a special translucent ink lets the reflective sheeting shine through).




10-474
3 x 3, EG
.95



10-485
1.5 x 2, EG
.58



10-553
3 x 3, EG
.95



10-745
3 x 3, EG
.95

.75 x 1h Individual Letter & Number Decals



10-304-

.75 x 1 Individual Numbering Decals (0-9), Wht/Brn, EG

1-299	300-999	1000+
.46	.42	.40

Numerals 0-9 available with Engineering Grade (EG) reflectivity rating.

10-308-

.75 x 1h, Individual Lettering Decals (A-Z), Wht/Brn, EG

1-299	300-999	1000+
.46	.42	.40

Letters A-Z available. Engineering Grade (EG) reflectivity rating.

3 x 3 Individual Letter & Number Decals



10-841-


3 x 3 Individual Lettering Decals (A-Z), Wht/Brn, EG

.97 each

10-840-

3 x 3 Individual Numbering Decals (numerals 0-9), Wht/Brn, EG

.97 each



10-472
.75 x 1, EG
2.00



11 x 12 Empty 3-Ring Binder for storing Letter / Number Decal pages, w/ ROCKART Logo

Use this ROCKART-branded empty binder to organize/store your own custom set of decal numbering / lettering refill pages!

09-106 18.50

Cut Vinyl Letters, Numbers & Arrows



- Contour cut from reflective Engineering Grade (EG) vinyl with a strong adhesive backing. Not available in HIP.
- Sold as a strip containing 5 or 10 copies of a symbol A-Z, 0-9 or an arrow. (The 5" tall strips have 5 per strip, all other sizes have 10 letters/numbers/strip)
- All UPPERCASE alphabetic letters (A-Z), all numerals (0-9), and arrows are available in 5 different sizes ranging from 1-5" tall
- Choose from 7 standard colors
- Ready-to-install with our pre-applied "transfer tape" system. A 'low-tack' adhesive backing applied to the front side of the computer cut characters, allowing you to easily remove the backing; position it and apply it, without ever touching the adhesive. Once the letterform is positioned, you simply peel the premask material from the top.



Letters A-Z / Numerals 0-9

ITEM NO.	HEIGHT	AVAIL. COLORS	PRICE / STRIP
10-601--Color	1"	00 White	\$3.50
10-602--Color	2"	01 Brown	4.50
10-603--Color	3"	02 Yellow	6.00
10-604--Color	4"	04 Red	8.00
10-605--Color	5"	05 Blue	10.00
		06 Green	
		09 Black	

REMINDER: Replace _ with the Letter (A-Z) or Numeral (0-9) you want. Replace Color in the Item# with the 2-digit code of desired color. Ex: 10-603-A-04 = Strip of 3" Tall, Letter "A", in Red (04)

Arrows

ITEM NO.	HEIGHT	AVAIL. COLORS	PRICE / STRIP
10-611-1-Color	1"	00 White	\$4.50
10-612-2-Color	2"	01 Brown	5.50
10-613-3-Color	3"	02 Yellow	7.50
10-614-4-Color	4"	04 Red	9.00
10-615-5-Color	5"	05 Blue	10.50
		06 Green	
		09 Black	

REMINDER: Replace Color in the Item number with the 2-digit code of your chosen color. Ex: 10-611-1-01 Strip of 1" Tall, Arrows, in Brown (01)

These decals are frequently applied to fiberglass marker posts. For this reason, they tend to be quite tall and narrow. Popular widths for these decals are:

- + 3" (used with most fiberglass marker posts)
- + 2.375" (used with Boundary & Survey markers)

Note: Any product bearing an official U.S. Gov't Agency / Departmental logo is restricted from sale to or use by unauthorized persons/groups. For these products we may request that the buyer provide proof of Authorization.

Within each Strip Decal subcategory: Non-Agency or generic decals are usually shown first, followed by decals grouped by their agency affiliation (a small agency logo is used to show agency division)

BOUNDARY / ID

Strip Decals used to show precisely where a boundary line exists or for identification & labeling special areas / zones.



60-1362
3 x 16, 2.81



60-1123
3 x 16, 2.81



60-101
3 x 18, 2.92



60-102
3 x 18, 2.92



60-103
3 x 18, 2.92



60-104
3 x 18, 2.92



60-123
3 x 22, 3.25



60-139
2.375 x 12, 2.25



60-155
3 x 14, 2.59



60-232
3 x 14, 2.59



80-102
3 x 20, 3.14



80-103
3 x 20, 3.14



20-441
3 x 14, 2.59



20-442
3 x 14, 2.59



60-918
3 x 16, 2.81



60-917
3 x 16, 2.81



60-970
3 x 14, 2.59



60-976
3 x 8, 2.15



60-974
3 x 8, 2.15



30-127
3 x 10, 2.37



60-975
3 x 8, 2.15



20-366
3 x 24, **3.47**



20-455
2.375 x 20, **3.14**



10-723
3 x 16, **3.58**



10-337
2.375 x 16, **2.81**



10-387
2.375 x 16, **1.65**



10-388
2.375 x 16, **1.65**



10-389
2.375 x 16, **1.65**



10-395
3 x 16, **2.81**



10-396
3 x 16, **2.81**



10-410
3 x 16, **2.19**



10-411
2.375 x 16, **2.81**



10-412
2.375 x 16, **1.65**



10-415
3 x 16, **2.19**



10-416
3 x 16, **2.19**



10-442
3 x 18, **2.25**



10-445
3 x 18, **2.92**



10-446
3 x 20, **3.14**



10-456
2.375 x 16, **1.65**



10-459
3 x 16, **2.81**



10-460
3 x 16, **2.81**



10-467
3 x 16, 2.81



10-468
3 x 16, 2.81



10-469
3 x 18, 2.25



10-471
3 x 22, 3.25



10-500
2.375 x 16, 2.81



10-525
2.375 x 16, 1.65



10-535
3 x 22, 3.74



10-536
3 x 18, 2.25



10-546
3 x 18, 2.92



10-555
2.375 x 14, 1.38



10-656
3 x 14, 2.13



10-664
3 x 18, 2.92



10-672
3 x 18, 2.92



10-677
3 x 16, 2.81



10-728
3 x 18, 2.92



10-735
3 x 22, 3.25



10-806
3 x 18, 2.92



10-807
2.375 x 16, 2.81



10-808
2.375 x 16, 2.81



10-809
2.375 x 16, 2.81



10-837
3 x 22, 3.25

10-838
3 x 22, 3.25

10-862
2.375 x 16, 2.81

10-872
2.375 x 16, 1.65

10-892
3 x 12, 2.48

10-894
3 x 18, 2.92

10-897
3 x 20, 3.14

10-924
3 x 18, 2.92

10-925
3 x 18, 2.92

10-928
3 x 18, 2.92

10-961
3 x 9, 2.81

10-995
3 x 18, 2.92

10-1022
3 x 18, 2.92

10-1018
2.375 x 16, 2.81

60-1626
3 x 16, 2.81

ROCKART REFLECTIVITY RATINGS

- Engineering Grade
- Semi-Reflective
- Hi-Intensity Prismatic
- Non-Reflective
- Diamond Grade



20-102
3 x 22, 3.25



20-103
3 x 12, 2.48



20-104
3 x 12, 2.00



20-106
3 x 16, 2.81



20-107
3 x 16, 2.81



20-108
3 x 18, 2.25



20-109
3 x 22, 2.38



20-112
3 x 16, 2.19



20-131
3 x 18, 2.92



20-132
3 x 20, 3.14



20-137
3 x 18, 2.92



20-152
3 x 16, 2.81



20-189
2.375 x 14, 2.59



20-219
3 x 22, 3.25



20-226
3 x 22, 3.25



20-244
2.375 x 14, 1.38



20-245
3 x 18, 2.25



20-285
3 x 14, 2.59



20-289
3 x 18, 2.92



20-304
3 x 20, 3.14



20-308
3 x 16, EG
2.81



20-313
3 x 18, EG
2.92



20-325
3 x 18, EG
2.92



20-340
2.375 x 12, EG
2.48



20-355
2.375 x 18, EG
2.92



20-365
2.375 x 14, EG
2.59



20-374
3 x 18, EG
2.92



20-375
3 x 18, EG
2.92



20-379
3 x 16, EG
2.81



20-403
3 x 18, EG
2.92



20-306
3 x 14, EG
2.59



20-307
3 x 14, EG
2.59



20-514
3 x 18, EG
2.92



20-468
3 x 14, EG
2.59



20-478
3 x 18, EG
2.92



20-476
3 x 12, EG
2.48



20-477
3 x 12, EG
2.48



20-556
3 x 12, EG
2.48



20-491
3 x 14, EG
2.59



20-517
2.375 x 16, EG
2.81



30-217
3 x 16, EG
2.81



30-114
2.375 x 16,
2.81



30-122
3 x 22,
3.25



30-128
3 x 14,
2.59



30-143
3 x 16,
2.81



30-153
3 x 10,
2.37



30-170
3 x 18,
2.92



30-207
2.375 x 14,
2.59



30-213
2.375 x 18,
1.93



30-212
2.375 x 16,
2.81

MISCELLANEOUS

Strip Decals containing unique messaging that did not match any of the other Strip Decals subcategories.



60-520
3 x 4,
1.25



10-755
3 x 18,
2.92




60-115
3 x 14,
2.59



60-137
3 x 18,
2.92



60-141
3 x 18,
2.92



60-175
3 x 8,
2.15



60-176
3 x 8,
2.15



60-190
3 x 18,
2.92



60-216
3 x 8,
2.15



60-234
3 x 14,
2.59



60-296
3 x 9,
2.31



60-607
3 x 14, 2.59



60-608
3 x 14, 2.59



60-298
3 x 9, 2.31



60-813
3 x 9, 2.31



60-842
3 x 9, 2.55



60-857
3 x 16, 2.81




60-884
3 x 12, 4.55



60-912
3 x 16, 2.81



60-118
3 x 14, 2.59



60-897
3 x 6, 1.93



40-286
3 x 10, 2.86

DID YOU KNOW IT IS UNLAWFUL TO:



COLLECT OR RELOCATE ARCHAEOLOGICAL ARTIFACTS



SIT, WALK, PUSH OR CLIMB ON RUIN WALLS OR PETROGLYPHS



DEFACE OR DESTROY NATURAL FEATURES OR ARCHAEOLOGICAL SITES

60-914
3 x 16, 3.30

NOTICE

Archaeological resources
In this area are
Fragile and irreplaceable.

This site is being monitored
By Arizona Site Stewards

KNOW THE LAW

The remnants of prehistoric and historic cultures are part of our heritage. When artifacts are stolen and sites are damaged or destroyed, we lose important clues about the past forever. Strict laws protect artifacts and sites on state, federal, public and Indian lands. Removal of artifacts, disturbing or defacing a site is a crime. Conviction can carry criminal penalties of up to 5 years in prison and/or \$250,000 in fines as well as civil penalties.

40-199
3 x 11, 2.42

ROCKART

REFLECTIVITY RATINGS



Engineering Grade



Hi-Intensity Prismatic



Diamond Grade



Semi-Reflective



Non-Reflective

SITE ETIQUETTE



The term "rock art" refers to petroglyphs (incised, pecked or scratched images) and pictographs (painted images) which preserve the ideas and beliefs of earlier inhabitants.

Sadly, many rock art sites are now being damaged by the impact of modern visitation.

HOW CAN YOU HELP PROTECT ROCK ART SITES?

Treat these sites with respect – they are an irreplaceable part of our cultural heritage. Enjoy the images only by viewing, sketching or photographing.

PLEASE DO NOT TOUCH ROCK ART!

Never chalk, trace or apply anything (even water) to rock art. These activities make it difficult to date the rock art.

Never make rubbings or castings – such practices can permanently damage the images.

AVOID CLIMBING OR LEANING ON ROCK ART.

Rock surfaces are often very fragile.
Never build fires in or near sites – soot and charcoal can damage rock art.

Leave artifacts in place – they may reveal a critical clue to their origin and it is illegal to remove them!

Report vandalism or looting to a land management agency, ranger or other local authorities.

Volunteer your time and talents to preserve our past through a site steward program.

FOR FURTHER INFORMATION OR TO REPORT VIOLATIONS, CONTACT:

60-513
3 x 18, 2.25

PLEASE DON'T ERASE THE TRACES OF AMERICA'S PAST



Archaeological resources are fragile and irreplaceable. The Archaeological Resources Protection Act of 1979 and the Federal Land Policy and Management Act of 1976 protect them for the benefit of all Americans.

Any person who, without authorization, excavates, removes, damages, or otherwise alters or defaces any historic or prehistoric site, artifact or object of antiquity on the public lands of the United States is subject to arrest and penalty of law.

SITES IN THIS AREA ARE PERIODICALLY MONITORED BY FEDERAL LAW ENFORCEMENT PERSONNEL OR VOLUNTEER SITE STEWARDS.

FOR FURTHER INFORMATION OR TO REPORT VIOLATIONS, CONTACT:

60-514
3 x 18, 2.25



**RESPONSIBLE
USERS**
HELP
KEEP
YOUR
PUBLIC
LANDS
OPEN

10-470
3 x 18, 2.92

**STAY ON
TRAIL**

10-490
3 x 22, 3.25

**OHV
ACCESS**

10-531
3 x 22, 3.25

INFORMATION

10-538
3 x 18, 2.25

**SENSITIVE
SPECIES
AREA**
NO STOPPING
OR CAMPING
DEC 1 - JUNE 30
VIOLATIONS
PUNISHABLE
*Your Cooperation
Will Be Appreciated*
For More Information
Contact The U.S. Forest
Service Ranger District

10-698
3 x 20, 3.14

**END
SENSITIVE
SPECIES
AREA**
STOPPING
AND
CAMPING
ALLOWED
Thank You
*Your Cooperation
Will Be Appreciated*
For More Information
Contact The U.S. Forest
Service Ranger District

10-699
3 x 20, 3.14

LOOP

10-696
3 x 12, 2.48

RIVER

10-739
3 x 14, 2.59

**STAY ON
TRAILS**

**RESTORATION
AREA**

10-744
3 x 14, 2.59

**SEASONAL
DESIGNATION**

DATES
ALLOWED
06/15
THRU
04/15
*Your Cooperation
Will Be Appreciated*
For More Information
Contact Your Local
Forest Service Office

10-850
3 x 18, 2.92

**SEASONAL
DESIGNATION**

DATES
ALLOWED
05/22
THRU
04/15
*Your Cooperation
Will Be Appreciated*
For More Information
Contact Your Local
Forest Service Office

10-851
3 x 18, 2.92



**CAMP
ACCESS
SITE**



10-899
3 x 16, 2.81

DONATIONS

10-896
4 x 18, 2.65



Junior learned early on how to work a crowd with his "Donkey Down" routine. And no, he is not dead or injured, just adorable!

SWITCHBACK

60-916
3 x 14, 2.59

62 Phone:
Fax:
Toll-Free:

480-854-3400
480-832-6390
877-718-7446

ROCKART
SIGNS AND MARKERS

Online: www.RockartSigns.com
Email: Sales@RockartSigns.com



WILDERNESS STUDY AREA

BEHIND THIS SIGN
Certain Activities On These Public Lands May Be Restricted Or Prohibited
For Further Information Contact Your Local BLM Office

20-121
3 x 18, 2.92

LIMITED AREA

ALL VEHICLES LIMITED TO EXISTING ROADS

Your Cooperation Will Be Appreciated.
For Further Information Please Contact Your BLM Field Office

20-138
3 x 16, 2.81

AREA of CRITICAL ENVIRONMENTAL CONCERN

TO PROTECT RESOURCES:

- VEGETATION
- WILDLIFE
- WATERSHED
- FISHERIES
- ARCHAEOLOGICAL
- CULTURAL
- RIVER
- THREATENED OR ENDANGERED SPECIES
- RIPARIAN
- SOIL

For Additional Information Contact Your Local BLM Field Office

20-164
3 x 14, 2.59

RESPONSIBLE USERS

HELP KEEP PUBLIC LANDS OPEN

20-167
3 x 18, 2.92

SEASONAL CLOSURE

BIGHORN SHEEP LAMBING AREA
JAN. 1 THRU JUNE 30

For More Information Contact Your Local BLM Office

20-218
3 x 18, 2.92

NATIONAL CONSERVATION AREA

For Additional Information Contact Your Local BLM Field Office

20-280
3 x 22, 3.25

WINTER TRAIL

20-286
3 x 14, 2.59

TRASH CONTAINER

RECIPIENTE DE BASURA

km
AHEAD
ADELANTE

20-300
3 x 20, 3.14

FIRE AREA

20-320
3 x 8, 2.15

TRAVEL

CROSS COUNTRY TRAVEL IS PROHIBITED AND PUNISHABLE BY ARS 17-454

20-326
3 x 18, 2.92

VENDOR AREA ONLY

20-339
3 x 14, 3.08

RESTORATION AREA

MOTOR VEHICLES PROHIBITED

For More Information Contact Your Local BLM Field Office

20-399
3 x 18, 2.92

WITHIN ONE MILE

20-209
17 x 5.5, 7.65

ROCKART REFLECTIVITY RATINGS

- Engineering Grade
- Semi-Reflective
- Hi-Intensity Prismatic
- Non-Reflective
- Diamond Grade

Strip Decals that are mostly used to communicate restrictions to motorized or mechanized methods of travel.

NO MOTOR VEHICLES

RESTORATION SITE

THIS AREA IS BEING REHABILITATED TO PROTECT THE FRAGILE DESERT ENVIRONMENT

10-497
3 x 18, ^{EG}
2.92

PRIVATE PROPERTY

NO TRESPASSING

Violators Will Be Prosecuted

60-153
3 x 22, ^{EG}
3.25

NO VEHICLES

60-161-01
3 x 18, ^{EG}
2.92

NO MOTOR CRAFT

60-125
3 x 9, ^{EG}
2.31

NO ENTRY

60-183
3 x 8, ^{EG}
2.15

NO MOTOR VEHICLES

60-297
3 x 9, ^{EG}
2.31

ROAD CLOSED TO UNAUTHORIZED MOTOR VEHICLES

60-1240
18 x 3, ^{EG}
2.92



10-590
3 x 9, ^{EG}
2.81

NO VEHICLES

60-161-04
3 x 18, ^{EG}
2.92

DO NOT ENTER

60-184
3 x 16, ^{EG}
2.81

LIMITED ROUTE

ROUTE RESTRICTED TO STREET LEGAL MOTORIZED VEHICLES ONLY

60-517
3 x 12, ^{EG}
2.48

ROUTE CLOSED

TO ALL MOTORIZED AND MECHANICAL TRAVEL TO PREVENT FURTHER RESOURCE DAMAGE REHABILITATION IN PROGRESS

60-519
3 x 14, ^{EG}
2.59

OHV's PROHIBITED

60-601
3 x 16, ^{EG}
2.81

ADMINISTRATIVE ROAD

60-835
3 x 16, ^{EG}
2.81

MOTORIZED TRAVELERS

100 YARDS AHEAD

60-956
3 x 14, ^{EG}
2.59

2 HR PARKING

60-1079
3 x 16, ^{EG}
2.81

WIDTH LIMIT 50

60-1122
3 x 16, ^{EG}
2.81



His mother told him to "Wait Here".



NO MOTOR VEHICLES

Your Cooperation Will Be Appreciated
For More Information Contact The U.S. Forest Service Ranger Station

10-385
3 x 18, 2.92

NO MOTOR VEHICLES

To Prevent Damage To The Road
Your Cooperation Will Be Appreciated
For More Information Contact The U.S. Forest Service Ranger Station

10-386
3 x 18, 3.41

DESIGNATED ROADS OFF NO VEHICLES

RESPECT IT!
Violations Punishable

10-394
3 x 22, 3.25

NO MOTOR VEHICLES

FOOT TRAVEL PERMITTED

VIOLATIONS PUNISHABLE

YOUR COOPERATION WILL BE APPRECIATED
FOR MORE INFORMATION CONTACT YOUR LOCAL FOREST SERVICE OFFICE

10-430
3 x 18, 2.92

ROUTE ENDS MOTORIZED

NO MOTORIZED TRAVEL BEYOND THIS POINT

FOOT, HORSE, BIKE TRAVEL PERMITTED

VIOLATIONS PUNISHABLE

For Further Information Contact The U.S. Forest Service Ranger Station

10-436
3 x 20, 3.14

RESTRICTED AREA

NO HUNTING

Violations Punishable

10-449
3 x 22, 3.25

NO VEHICLES

10-458
3 x 22, 3.25

NO VEHICLES OFF ROADS

RESPECT IT!
Violations Punishable

10-461
3 x 18, 2.92

NO MOTOR VEHICLES

CLOSED TO MOTORIZED TRAVEL YEAR-ROUND TO PROTECT WILDLIFE HABITAT AREA

Your Cooperation Will Be Appreciated
For More Information Contact Your Local Forest Service Office

10-496
3 x 18, 2.92

NO MOTOR VEHICLES

BEHIND THIS SIGN

CLOSED TO SNOWMOBILES & MOTORIZED EQUIPMENT

VIOLATIONS PUNISHABLE

10-534
3 x 20, 3.63

DESIGNATED ROUTES OFF NO VEHICLES

RESPECT IT!
Violations Punishable

10-554
3 x 22, 3.25

FOR RESOURCE PROTECTION

NO MOTOR VEHICLES

FOOT & HORSE TRAVEL PERMITTED

VIOLATIONS PUNISHABLE

For Further Information Contact The U.S. Forest Service Ranger Station

10-577
3 x 18, 2.92

This Trail is open to

NON-MOTORIZED USE YEAR-LONG OPEN TO

JUNE 15 THRU AUGUST 29

10-661
3 x 16, 2.81

ROUTE ENDS MOTORIZED

NO MOTORIZED TRAVEL BEYOND THIS POINT

VIOLATIONS PUNISHABLE

For Further Information Contact The U.S. Forest Service Ranger Station

OVER SNOW VEHICLES PERMITTED

10-668
3 x 20, 2.31

NO MOTOR VEHICLES EXCEPTION

SNOWMOBILES ALLOWED

VIOLATIONS PUNISHABLE

FOR MORE INFORMATION CONTACT THE U.S. FOREST SERVICE

10-690
3 x 18, 2.92

CLOSED TRAIL

TO VEHICLES OVER 50" WIDE

FOOT, HORSE & MOTORCYCLE TRAVEL PERMITTED

VIOLATIONS PUNISHABLE

10-694
3 x 18, 2.92

ROUTE ENDS MOTORIZED

NO MOTORIZED TRAVEL BEYOND THIS POINT

EXCEPTION SNOWMOBILES PERMITTED

VIOLATIONS PUNISHABLE

For Further Information Contact The U.S. Forest Service

10-700
3 x 20, 3.14

ROUTE ENDS MOTORIZED

VIOLATIONS PUNISHABLE

For Further Information Contact The U.S. Forest Service Ranger Station

OVER SNOW VEHICLES PERMITTED

10-702
3 x 18, 2.25

NO PARKING

PLEASE PARK IN DESIGNATED AREAS ONLY

10-726
3 x 20, 3.63

CLASS II ONLY

RESPECT IT!
Violations Punishable

10-727
3 x 18, 2.92





WILDERNESS
BOUNDARY
AHEAD

MOTORIZED ROUTES

ENDS




US FOREST SERVICE

10-729
3 x 20, 
3.14

NO ATVs




US FOREST SERVICE

10-742
3 x 18, 
2.92



NO MOTOR VEHICLES

FOR VEGETATION, SOIL & WATERSHED PROTECTION


Your Cooperation Will Be Appreciated
For More Information Contact The U.S. Forest Service Ranger Station

10-751
3 x 16, 
2.81



NO MOTORIZED VEHICLES

BEYOND THIS POINT

10-753
3 x 16, 
2.81



NO SHOOTING

10-764
3 x 16, 
2.81



NO MOTOR VEHICLES

OFF DESIGNATED ROADS OR TRAILS

FOOT & HORSE TRAVEL PERMITTED

VIOLATIONS PUNISHABLE

10-767
3 x 22, 
3.25



NO MOTOR VEHICLES

ONLY USE ROADS SHOWN ON OFFICIAL MOTOR VEHICLE USE MAP

Your Cooperation Will Be Appreciated
For More Information Contact The U.S. Forest Service Ranger Station

10-817
3 x 18, 
2.92


TRAVEL ENDS

MOTORIZED

100 YARDS AHEAD

TO MOTORIZED & MECHANIZED VEHICLES




10-827
3 x 22, 
3.25


SEASONAL ROAD RESTRICTIONS

NO MOTOR VEHICLES

10/18 - 11/30

FOR FURTHER INFORMATION REFER TO DISTRICT MOTOR VEHICLE USE MAP



10-858
3 x 12, 
2.48



TRAIL OPEN TO VEHICLES 50 INCHES OR LESS IN WIDTH





10-906
3 x 12, 
2.48

ROAD BOUNDARY

NO PUBLIC MOTOR VEHICLE USE

FOR FURTHER INFORMATION REFER TO DISTRICT MOTOR VEHICLE USE MAP



10-859
3 x 12, 
2.48


SEASONAL TRAIL RESTRICTIONS

NO MOTOR VEHICLES

10/18 - 11/30

FOR FURTHER INFORMATION REFER TO DISTRICT MOTOR VEHICLE USE MAP




10-860
3 x 12, 
2.48



TRAVEL ENDS

MOTORIZED

100 YARDS AHEAD

10-866
3 x 18, 
2.92



VEHICLES AUTHORIZED ONLY

10-888
3 x 16, 
2.81




NO MOTOR VEHICLES

FOOT, BIKE & HORSE TRAVEL PERMITTED


Violations Punishable

Your Cooperation Will Be Appreciated
For More Information Contact Your Local Forest Service Office

10-916
3 x 18, 
2.92


CLOSED TRAIL

TO VEHICLES OVER 50" WIDE



FOOT, HORSE BICYCLE TRAVEL ALLOWED

VIOLATIONS PUNISHABLE

10-914
3 x 18, 
2.92

NO MOTORIZED VEHICLE ACCESS

ADMINISTRATIVE ROUTE



10-901
3 x 20, 
3.14




STAY ON DESIGNATED ROUTES

NO CROSS COUNTRY TRAVEL

VIOLATIONS PUNISHABLE

USE OF VEHICLE OFF FOREST DEVELOPMENT ROAD 36 CFR 201.50 YOUR COOPERATION IS APPRECIATED

FOR MORE INFORMATION CONTACT YOUR LOCAL FOREST SERVICE OFFICE

10-905
3 x 20, 
3.14




NO MOTOR VEHICLES

BEHIND THIS SIGN



CLOSED TO MOTORIZED EQUIPMENT/VEHICLES

VIOLATIONS PUNISHABLE UNDER CFR 2611.3

10-932
3 x 20, 
3.63



NO CROSS COUNTRY TRAVEL

VIOLATIONS PUNISHABLE

USE OF VEHICLE OFF FOREST DEVELOPMENT ROAD 36 CFR 201.50 YOUR COOPERATION IS APPRECIATED

FOR MORE INFORMATION CONTACT YOUR LOCAL FOREST SERVICE OFFICE

10-913
3 x 22, 
3.25



INTERIM CLOSURE

TO MOTORIZED USE

10-935
3 x 20, 3.14

ILLEGAL TRAIL

ANYONE DEVELOPING, MAINTAINING, OR USING AN ILLEGAL TRAIL FOR MOTORIZED TRAVEL... VIOLATIONS PUNISHABLE

10-948
3 x 20, 3.63

NATIONAL FOREST
RECOMMENDED

WILDERNESS

BOUNDARY

CLOSED TO MOTOR VEHICLES, EQUIPMENT, BICYCLES, WHEELED VEHICLES AND HANG GLIDERS. VIOLATIONS PUNISHABLE

10-960
3 x 18, 2.92

PROTECT THE PLANTS

This area has newly planted trees or sensitive plants.

Please Stay Off the vegetation.

10-980
3 x 18, 3.41

NO MOTORIZED VEHICLES

10-996
3 x 18, 2.92

For Soil Protection

ROAD CLOSED

TO MOTORIZED VEHICLES

FOOT & HORSE TRAVEL PERMITTED

10-994
3 x 18, 2.92

NOT A ROAD

MOTORIZED AND MECHANIZED USE PROHIBITED

10-1039
3 x 18, 2.92





DESIGNATED ROADS OFF MOTORIZED VEHICLES

RESPECT IT!
Violations Punishable

20-110
3 x 22, 3.25

CLOSED TRAIL

To Motorized Vehicles Over 40" In Width

Foot, Horse Motorcycle Travel Permitted

Violations Punishable

20-111
3 x 16, 2.81

ROAD NOT MAINTAINED FOR LOW CLEARANCE VEHICLES

20-113
3 x 14, 3.08

ROAD NOT MAINTAINED FOR LOW CLEARANCE VEHICLES

20-114
3 x 14, 3.08

NO MOTOR VEHICLES

To Prevent Damage To The Road
Your Cooperation Will Be Appreciated
For More Information Contact Your Local BLM Field Office

20-117
3 x 18, 3.41

NO MOTOR VEHICLES

Your Cooperation Will Be Appreciated
For More Information Contact Your Local BLM Office

20-119
3 x 18, 2.92

NO MOTOR VEHICLES

To Protect Soil, Wetland and Wildlife Resources
Your Cooperation Will Be Appreciated
For More Information Contact Your Local BLM Field Office

20-146
3 x 18, 3.41

NO VEHICLES

20-147
3 x 22, 3.25

AREA of CRITICAL ENVIRONMENTAL CONCERN

BOUNDARY BEHIND THIS SIGN

CROSS COUNTRY MOTORIZED TRAVEL PROHIBITED

VIOLATIONS PUNISHABLE

Your Cooperation Will Be Appreciated
For Additional Information Contact Your Local BLM Office

20-157
3 x 14, 2.59

NO MOTOR VEHICLES

RESPECT IT!
Violations Punishable

20-158
3 x 18, 2.92

MOTORIZED ROUTES

NO MOTORIZED TRAVEL BEYOND THIS POINT

FOOT, HORSE, BIKE TRAVEL PERMITTED
VIOLATIONS PUNISHABLE

For More Information Contact Your Local BLM Field Office

20-159
3 x 20, 3.14

SPECIAL RECREATION MANAGEMENT AREA

ALL VEHICLE USE LIMITED TO POSTED ROADS AND TRAILS MARKED WITH THIS SYMBOL

Your Cooperation is Appreciated

For Additional Information Contact Your Local BLM Field Office

20-162
3 x 14, 2.59

POSTED ROUTE

MOTORIZED USE LIMITED TO POSTED ROUTES ONLY

20-163
3 x 14, 2.59

NO MOTOR VEHICLES

TO PROTECT ENDANGERED PLANTS
Your Cooperation Will Be Appreciated
For More Information Contact Your Local BLM Field Office

20-172
3 x 16, 2.81

NO MOTOR VEHICLES

FOOT, HORSE, BIKE TRAVEL PERMITTED
FOR MORE INFORMATION CONTACT YOUR LOCAL BLM FIELD OFFICE

20-185
3 x 16, 2.81

VEHICLES AUTHORIZED ONLY

20-215
3 x 16, 2.81

LIMITED TO EXISTING ROUTES

ALL VEHICLE USE

YOUR COOPERATION IS APPRECIATED

20-241
3 x 22, 3.25

NO PARKING

BEHIND THIS SIGN

20-275
3 x 18, 2.92

NO MOTOR VEHICLES

TO AVOID DISTURBANCE TO WILDLIFE
For More Information Contact Your Local BLM Field Office

20-278
3 x 18, 3.41

ROUTE ENDS

NO MOTORIZED TRAVEL BEYOND THIS POINT

20-292
3 x 16, 2.81



20-298
3 x 18,
2.92



20-347
3 x 16,
2.81



20-362
3 x 16,
2.81




20-396
3 x 16,
2.81



20-397
3 x 16,
2.81



20-404
3 x 22,
3.25



20-466
3 x 14,
2.59



20-492
3 x 18,
2.92



20-490
3 x 20,
3.14



20-525
3 x 12,
2.48



20-526
3 x 6,
1.93



20-543
3 x 20,
3.14



10-695
3 x 20,
3.14



20-526
3 x 6,
1.93

ROCKART REFLECTIVITY RATINGS

- Engineering Grade
- Semi-Reflective
- Hi-Intensity Prismatic
- Non-Reflective
- Diamond Grade



30-107
3 x 16, 3.30

30-108
3 x 22, 3.25

30-110
3 x 14, 3.08

30-111
3 x 14, 3.08

30-118
3 x 22, 3.25

30-124
3 x 18, 2.92

30-137
3 x 18, 3.41

30-173
3 x 16, 3.30

30-204
3 x 18, 2.92



Sponsor List for Adopt-A-Trail (Routed HDPE sign).
Sponsors can be updated easily by simply swapping out nameplates.

Strip Decals for displaying the current status regarding accessibility to or through a particular area, zone, location, attraction or travelway.



10-593
3 x 12, 2.48



10-592
3 x 12, 2.48




20-288
3 x 18, 2.92



60-109
3 x 22, 3.74



60-114
3 x 9, 2.31




60-138
3 x 8, 2.15



60-240
3 x 7, 2.04




60-116
3 x 16, 2.81



60-669
3 x 4, 1.25



60-972
3 x 16, 2.81



60-1120
3 x 4, 1.25



60-1121
3 x 16, 2.81



60-185
3 x 18, 2.92



60-1125
3 x 9, 2.31



60-1168
2.375 x 16, 2.55



60-186
3 x 18, 2.92



60-211
3 x 12, 2.48



60-283
3 x 18, 2.92



60-516
3 x 12, 2.48




60-518
3 x 14, 2.59



60-595
3 x 16, 2.81



60-724
3 x 16, 2.81



60-944
3 x 14, 2.59



60-950
3 x 12, 2.48



60-1036
16 x 3, 2.65



60-1266
2.375 x 16, 2.81



60-1320
3 x 6,
8.92



10-335
3 x 22,
2.38



10-380
3 x 16,
2.81



10-381
3 x 16,
2.81




10-390
3 x 13,
2.06



10-393
3 x 16,
2.19



10-409
3 x 16,
2.81



10-413
3 x 16,
2.19



10-414
3 x 16,
2.19



10-417
3 x 16,
2.81



10-422
3 x 13,
2.53




10-423
3 x 13,
2.06




10-429
3 x 10,
2.37



10-428
3 x 10,
1.88



10-431
3 x 16,
2.19



10-432
3 x 16,
2.19



10-435
3 x 16,
2.19



10-457
3 x 16,
2.81



10-464
3 x 18,
2.92



10-465
3 x 18,
2.92



10-488
3 x 18,
2.92



FOR RESOURCE PROTECTION

CLOSED

AREA

TO MOTOR VEHICLES

FOOT & HORSE TRAVEL PERMITTED

PLEASE STAY ON EXISTING ROADS AND TRAILS

10-492
3 x 16,
2.81

For Soil & Watershed Protection

CLOSED

AREA

To Motorized Vehicles

10-495
3 x 13,
2.53

FOR RESOURCE PROTECTION

CLOSED

AREA

TO MOTOR VEHICLES

FOOT & HORSE TRAVEL PERMITTED

PLEASE STAY ON EXISTING ROADS AND TRAILS

10-501
3 x 16,
2.81

ROAD TO BE DECOMMISSIONED IN

FOR SOIL WILDLIFE AND WATERSHED PROTECTION

10-502
3 x 22,
2.38

ROAD TO BE CLOSED IN

FOR SOIL WILDLIFE AND WATERSHED PROTECTION

10-503
3 x 22,
2.38

RESTORATION AREA

FOOT TRAVEL PERMITTED

10-537
3 x 18,
2.25

FOR WILDLIFE & WATERSHED PROTECTION

CLOSED

ROAD

To Motorized Vehicles

OVER SNOW VEHICLES PERMITTED

10-556
3 x 16,
2.19

CLOSED

TRAIL

To Motorized Vehicles

Foot & Horse Travel Permitted

OVER SNOW VEHICLES PERMITTED

10-557
3 x 16,
2.19

DUE TO UNSAFE CONDITIONS

CLOSED

AREA

FOR PUBLIC PROTECTION FROM BURN AREA HAZARDS

10-565
3 x 16,
2.81

THIS ROAD IS BEING CONSIDERED FOR DECOMMISSIONING

FOR MORE INFORMATION SEND REQUESTS TO:

10-649
3 x 8,
2.15

THIS ROAD IS BEING CONSIDERED FOR CLOSURE TO MOTORIZED VEHICLES

FOR MORE INFORMATION SEND REQUESTS TO:

10-650
3 x 8,
2.15

ROAD CLOSED

10-676
3 x 22,
3.25

AREA CALLOSENTROY

VIOLATIONS PUNISHABLE

10-678
3 x 16,
2.81

FOR SOIL & WILDLIFE PROTECTION

CLOSED

ROAD

VIOLATIONS PUNISHABLE

10-736
3 x 14,
2.59

FOR SOIL & WILDLIFE PROTECTION

CLOSED

TRAIL

VIOLATIONS PUNISHABLE

10-737
3 x 14,
2.59

FOR SOIL & WILDLIFE PROTECTION

CLOSED

AREA

VIOLATIONS PUNISHABLE

10-738
3 x 14,
2.59

FOR VEGETATION, SOIL & WATERSHED PROTECTION

CLOSED

ROAD

TO MOTORIZED VEHICLES

10-750
3 x 16,
2.81

For Soil, Wildlife & Watershed Protection

CLOSED

ROAD

AHEAD TO MOTORIZED VEHICLES

FOOT & HORSE TRAVEL PERMITTED

VIOLATIONS PUNISHABLE

10-757
3 x 16,
2.81

For Soil, Wildlife & Watershed Protection

CLOSED

AREA

TO MOTORIZED VEHICLES

FOOT & HORSE TRAVEL PERMITTED

VIOLATIONS PUNISHABLE

10-758
3 x 16,
2.81

CLOSED

ROUTE

10-776-01
3 x 12,
2.48

CLOSED

ROUTE

10-776-04
3 x 12,
2.48



RESTRICTION AREA

UNAUTHORIZED TRAIL

NO MOTOR VEHICLE USE ALLOWED YEARLONG

MOTORIZED USE LIMITED TO DESIGNATED ROUTES ONLY AS SHOWN ON THE MOTOR VEHICLE USE MAP

10-818
3 x 18,
2.92

RESTRICTION AREA

WATERSHED RESTORATION IN PROGRESS

THIS ROUTE HAS BEEN DECOMMISSIONED TO PROTECT WATERSHED RESOURCES AND ENHANCE WILDLIFE HABITAT

MOTORIZED USE LIMITED TO DESIGNATED ROUTES ONLY AS SHOWN ON THE MOTOR VEHICLE USE MAP

10-819
3 x 18,
2.92

CLOSED AREA

MOTORIZED USE PROHIBITED BEHIND THIS SIGN

10-855
3 x 14,
2.59

For Soil & Wildlife Protection

CLOSED ROAD

To Motorized Vehicles

Foot, Horse & Bike Travel Permitted

Violations Punishable

10-861
3 x 16,
2.81

For Soil & Wildlife Protection

CLOSED AREA

To Motorized Vehicles

Foot, Horse & Bike Travel Permitted

Violations Punishable

10-864
3 x 16,
2.81

CLOSED ROAD

NO PUBLIC MOTORIZED VEHICLE USE YEARLONG

MOTORIZED VEHICLE USE BY WRITTEN AUTHORIZATION ONLY

PURSUANT TO 36 CFR 261.13

10-874
3 x 16,
2.81

CAMP SITE CLOSED

THIS SITE CLOSED FOR RECOVERY OF SENSITIVE HABITAT

10-927
3 x 18,
2.92

CLOSED AREA

TO PROTECT CRITICAL ALPINE HABITAT

PLEASE STAY ON DESIGNATED ROADS AND TRAILS

10-953
3 x 16,
2.81

PROTECT AMERICA'S RESOURCES

PLEASE STAY ON DESIGNATED ROUTES

RESTORATION AREA

10-976
3 x 18,
3.91

RESERVATION ONLY CAMP SITE

10-1041
3 x 16,
2.81



This cactus does a killer camel impression!

ROCKART REFLECTIVITY RATINGS

- Engineering Grade
- Semi-Reflective
- Hi-Intensity Prismatic
- Non-Reflective
- Diamond Grade



20-115
3 x 10, ~~EG~~
1.88



20-118
3 x 16, ~~EG~~
2.81



20-122
3 x 16, ~~EG~~
2.81



20-123
3 x 13, ~~EG~~
2.53




20-124
3 x 13, ~~EG~~
2.06




20-125
3 x 13, ~~EG~~
2.53




20-126
3 x 13, ~~EG~~
2.06



20-128
3 x 16, ~~EG~~
2.81



20-129
3 x 16, ~~EG~~
2.81



20-139
3 x 16, ~~EG~~
2.81



20-116
3 x 10, ~~EG~~
2.37



20-149
3 x 18, ~~EG~~
2.92



20-155
3 x 18, ~~EG~~
2.92



20-156
3 x 18, ~~EG~~
2.92



20-169
3 x 20, ~~EG~~
3.14




20-188
3 x 12, ~~EG~~
2.48



20-276-01
3 x 12, ~~EG~~
2.48



20-276-04
3 x 12, ~~EG~~
2.48



20-282
3 x 16, ~~EG~~
2.81



20-291
3 x 16, ~~EG~~
2.81



20-293
3 x 16, ~~EG~~
2.81



20-520
3 x 16, ^{EG}
2.55



20-539
3 x 18, ^{EG}
2.65



20-309
3 x 16, ^{EG}
2.81



20-310
3 x 22, ^{EG}
3.25



20-348
3 x 14, ^{EG}
2.59



20-390
3 x 16, ^{EG}
2.81



20-400
3 x 14, ^{EG}
2.59



20-401
3 x 18, ^{EG}
2.92



20-402
3 x 14, ^{EG}
2.59



60-650
3 x 20, ^{EG}
3.14



20-413
3 x 18, ^{EG}
2.92



20-464
3 x 18, ^{EG}
2.92



20-469
3 x 18, ^{EG}
2.92



20-470
3 x 18, ^{EG}
2.92



20-472
3 x 14, ^{EG}
2.59



20-475
3 x 14, ^{EG}
2.59



20-516
3 x 18, ^{EG}
2.92



20-518
3 x 20, ^{EG}
3.14



20-522
3 x 24, ^{EG}
3.47



20-519
3 x 22, 3.25



20-523
3 x 18, 2.92



30-112
3 x 16, 2.81




30-163
3 x 18, 2.92



30-198
3 x 18, 2.92



30-251
3 x 16, 2.81



There's nothing quite like a casual bike ride through a serene forest!


Strip Decals that communicate rules regarding allowed and prohibited activities / behaviors that visitors are expected to follow while using public lands.



60-145
3 x 4, EGO
1.25



60-146
3 x 4, EGO
1.25




60-280
3 x 4, EGO
1.25



60-1141
3 x 6, EGO
1.93



60-144
3 x 4, EGO
1.25



60-143
3 x 4, EGO
1.25



60-271
3 x 4, EGO
1.25



60-272
3 x 4, EGO
1.25



60-231
3 x 6, EGO
1.93



60-942
3 x 4, EGO
1.30



30-131
3 x 8, EGO
2.15



60-955
3 x 18, EGO
3.41



20-415
3 x 18, EGO
2.92



60-602
3 x 16, EGO
2.81



60-603
3 x 16, EGO
2.81



60-1347
3 x 18, EGO
2.92



60-609
3 x 14, EGO
2.59



60-707
3 x 14, EGO
2.59



60-120
3 x 13, EGO
2.53



60-117
3 x 13, EGO
2.53

DO NOT BLOCK GATE

60-621
22 x 3, EGO
3.25



10-772
3 x 9, EGO
2.81



10-773
3 x 9, EGO
2.81



10-814
3 x 9, EGO
2.81



10-316
3 x 9, EGO
2.31



10-317
3 x 9, EGO
2.81



10-453
3 x 9, EGO
2.81



10-454
3 x 9, EGO
2.81



10-898
3 x 9, EGO
2.81



10-983
3 x 12, EGO
2.48



10-706
3 x 12, EGO
2.97



60-285
3 x 26, 4.18



60-286
3 x 26, 4.18



60-287
3 x 26, 4.18



60-807
3 x 26, 4.18



60-288
3 x 26, 4.18



60-806
3 x 24, 3.47



10-588
9 x 3, 2.31



10-589
9 x 3, 2.31



10-590
3 x 9, 2.81



60-1095
3 x 8, 1.95



60-879
3 x 16, 3.30



20-277
3 x 8, 2.15



60-151
3 x 16, 2.81



60-152
3 x 14, 2.59



60-1433
3 x 16, 3.58



60-1264
3 x 18, 3.41



60-1119
3 x 14, 2.59



60-914
3 x 16, 3.30



NO CAMPING

NO CAMPFIRES

VIOLATIONS PUNISHABLE
FOR FURTHER INFORMATION CONTACT THE U.S. FOREST SERVICE RANGER STATION

10-963
3 x 18, 2.92

FIREWOOD CUTTING PROHIBITED

Your Cooperation Will Be Appreciated
For More Information Contact Your Local Forest Service Office

10-466
3 x 18, 2.92

NO CAMPFIRES

10-521
3 x 20, 3.63

NO CHARCOAL CAMPFIRES

10-522
3 x 20, 3.63

NO CAMPING

NO CAMPFIRES

WITHIN 25 FEET OF RIVER'S EDGE

10-545
3 x 18, 2.92

NO SHOOTING

WITHIN 150 YARDS

10-1042
3 x 18, 2.92

NO SHOOTING

10-937
3 x 22, 3.74

NO CAMPING

10-383
3 x 22, 3.25

NO CAMPING

10-384
3 x 22, 3.25

NO CAMPING

WITHIN 200 FEET OF ROAD

10-912
3 x 18, 3.41

DESIGNATED CAMPSITE

YOU MUST CAMP WITHIN POSTED CAMPSITE BOUNDARY

10-929
3 x 18, 2.92

CAMP ON DESIGNATED PAD WITHIN BARRIER ROCKS.

PLEASE TAKE **ALL** TRASH WITH YOU AND LEAVE ONLY ONE FIRE RING.

10-978
3 x 12, 2.48

USE ONLY WHEN DRY

RESPECT IT!
Violations Punishable

10-462
3 x 16, 2.81

DAY USE ONLY

10-972
3 x 22, 3.25

DAY USE ONLY

BEHIND THIS SIGN

10-973
3 x 22, 3.25

USE DAY AREA

Your Cooperation Will Be Appreciated
For Further Information Please Contact Your Forest Service Ranger Station

10-936
3 x 16, 3.30

CAMPING 14 DAY LIMIT

10-443
3 x 22, 3.25

CAMPING 16 DAY LIMIT

10-857
3 x 22, 3.25

DISPERSED CAMPSITE

PLEASE PACK OUT ALL TRASH

10-444
3 x 14, 3.08

National Forest

ALL VEHICLE USE (Except Snowmobiles) LIMITED TO DESIGNATED ROADS AND TRAILS MARKED WITH THIS SYMBOL

VIOLATIONS PUNISHABLE

For Further Information Contact The U.S. Forest Service Ranger Station

10-562
3 x 16, 2.81



60-1161
3 x 26, 4.18



10-900
3 x 26, 4.18



10-977
3 x 28, 4.40



10-1019
3 x 28, 4.40



10-558
3 x 18, 2.92



10-1043
3 x 14, 3.08



10-391
3 x 14, 3.08



10-392
3 x 14, 3.08



10-964
3 x 18, 2.92



10-455
3 x 14, 2.59



10-766
3 x 14, 2.59



10-560
3 x 18, 3.91



10-663
3 x 18, 2.92



10-877
3 x 18, 3.41



10-401
3 x 20, 2.31



10-402
3 x 20, 2.31



10-403
3 x 20, 2.31



10-679
3 x 22, **3.25**



10-680
3 x 24, **3.96**



10-681
3 x 24, **3.96**



10-682
3 x 24, **3.96**



10-683
3 x 24, **3.96**



10-684
3 x 24, **3.96**

ROCKART

REFLECTIVITY RATINGS

Engineering Grade

Hi-Intensity Prismatic

Diamond Grade

Semi-Reflective

Non-Reflective



10-463
3 x 22, **3.25**



10-548
3 x 22, **3.25**




10-979
3 x 16, **2.81**



10-451
3 x 12, **2.00**



10-452
3 x 12, **2.00**



10-655
3 x 18, **3.41**



20-414
3 x 14, 2.59



20-105
3 x 22, 3.25



20-140
3 x 22, 3.25



20-130
3 x 22, 3.25



20-452
3 x 22, 3.25



20-343
3 x 16, 3.30



20-133
3 x 14, 3.08



20-134
3 x 14, 2.59



20-287
3 x 18, 3.41



20-182
3 x 14, 3.08




20-444
3 x 14, 2.59



20-120
3 x 20, 2.31



20-346
3 x 20, 3.14



20-369
3 x 18, 2.92



20-143
3 x 20, 2.31



20-145
3 x 20, 2.31



20-446
3 x 16, 2.81



20-150
3 x 18, 2.92



20-178
3 x 16, 2.81



20-334
3 x 16, 2.81



20-342
3 x 8, 2.15



20-299
3 x 18, 2.92



20-314
3 x 16, 2.81



20-363
3 x 22, 3.25



20-231
3 x 18, 2.92



20-246
3 x 16, 2.81



20-241
3 x 22, 3.25



20-208
12 x 3, 2.48



20-114
3 x 14, 3.08



20-113
3 x 14, 3.08



20-526
3 x 6, 1.93



20-525
3 x 12, 2.48



20-377
3 x 16, 2.81



20-489
3 x 22, 3.25



20-487
3 x 22, 3.25



20-488
3 x 22, 3.25



20-457
3 x 24, 3.96



<p>20-361 3 x 22, EG 4.24</p>	<p>20-259 3 x 22, EG 3.25</p>	<p>20-260 3 x 24, EG 3.96</p>	<p>20-261 3 x 24, EG 3.96</p>	<p>20-262 3 x 24, EG 3.96</p>	<p>20-263 3 x 24, EG 3.96</p>	<p>20-502 3 x 24, EG 3.96</p>	<p>20-264 3 x 24, EG 3.96</p>	<p>20-503 3 x 24, EG 3.96</p>



How ROCKART got its name...
And the rest is history...



This Trail is open to

CLOSED TO MOTOR VEHICLES AND MOTORIZED EQUIPMENT

VIOLATIONS PUNISHABLE

30-109
3 x 20,
2.31

CAMPING

14 DAY LIMIT

30-113
3 x 22,
3.25

This Road is open to

CLOSED TO MOTOR VEHICLES AND MOTORIZED EQUIPMENT

VIOLATIONS PUNISHABLE

30-116
3 x 20,
2.31

This Route is open to

CLOSED TO MOTOR VEHICLES AND MOTORIZED EQUIPMENT

VIOLATIONS PUNISHABLE

30-117
3 x 20,
2.31

THIS ROUTE IS OPEN TO

CLOSED TO MOTOR VEHICLES AND MOTORIZED EQUIPMENT

VIOLATIONS PUNISHABLE

30-154
3 x 20,
3.14

NO BICYCLES

30-162
3 x 14,
2.13

EASEMENT MARKER

PUBLIC ACCESS THRU PRIVATE PROPERTY
PLEASE STAY ON TRAIL

30-168
2.375 x 16,
2.81

PROHIBITED FIRES

ALL OPEN FLAMES PROHIBITED

30-327
2.375 x 14,
2.59

ADMINISTRATIVE VEHICLES ONLY

30-250
3 x 12,
2.48



Strip Decals used for alerting to of the existence of underground public utilities like communication lines, power cables, water mains, etc.



60-170
3 x 8, ~~EG~~
2.15



60-172
3 x 10, ~~EG~~
1.88



60-169
3 x 8, ~~EG~~
2.15



60-170-09
3 x 8, ~~EG~~
2.15



60-171
3 x 10, ~~EG~~
1.88



60-173
3 x 10, ~~EG~~
1.88



60-174
3 x 12, ~~EG~~
2.00



60-522
3 x 10, ~~EG~~
1.88



60-578
3 x 10, ~~EG~~
1.88



60-1435
3 x 10, ~~EG~~
2.37



60-515
3 x 12, ~~EG~~
2.00

A **ROCKART** Single-Post Kiosk with a 24x36 Sign Panel
Basking in the morning sun, in its natural habitat.

ROCKART	REFLECTIVITY RATINGS
Engineering Grade	Semi-Reflective
Hi-Intensity Prismatic	Non-Reflective
Diamond Grade	

Phone: 480-854-3400
 Fax: 480-832-6390
 Toll-Free: 877-718-7446

Online: www.RockartSigns.com
 Email: Sales@RockartSigns.com

ROCKART
 SIGNS AND MARKERS

Strip Decals that warn or caution users about possible dangerous or life-threatening elements nearby. Also to inform users about activities that are unlawful and could result in legal consequences.



ENTER WITH PERMISSION ONLY

60-609
3 x 14,  2.59



CAUTION STEEP ROCKY ROUGH

60-753
3 x 7,  2.04



DEAD END

60-105
3 x 10,  1.88



NO EXIT

60-154
3 x 8,  2.15



DEAD END

60-106
3 x 10,  2.37



CAUTION

60-168
3 x 16,  2.81



STOP CROSSING ROAD AHEAD

60-233
3 x 14,  2.59



STOP HAZARD AHEAD

60-140
3 x 18,  2.92



FIRE BOUNDARY

60-123
3 x 22,  3.25



NO VEHICLES

60-161-04
3 x 18,  2.92



DANGER! PELIGRO!

ABANDONED MINE HAZARDS
PELIGROS DE MINAS ABANDONADAS

-  Mine Shafts / Pozos De Mineos
-  Deadly Gas / Gases Mortales
-  Unsafe Ladders / Escaleras Peligrosas
-  Unstable Explosives / Explosivos Inestable
-  Deep Pools of Water / Charcos De Agua Profundos

60-119
3 x 27,  4.29



STOP

60-971
3 x 10,  2.37



DO NOT ENTER

60-184
3 x 16,  2.81



PRIVATE PROPERTY NO TRESPASSING

TRESPASSERS WILL BE PROSECUTED TO THE FULLEST EXTENT OF THE LAW (NRS 207.200)

PRIVADA PROPIEDAD NO ENTRAR

ILEGALMENTE LOS TRESPASSERS SERAN PROCESADOS (NRS 207.200)

60-752
3 x 14,  2.59



CAUTION RATTLESNAKES

60-199
3 x 20,  3.14



NO ENTRY

60-183
3 x 8,  2.15



10-315
3 x 13, ECG
2.53



10-336
3 x 16, ECG
2.81



10-336-09
3 x 16, ECG
2.81



10-338
3 x 13, ECG
2.06



10-382
3 x 16, ECG
2.19



10-406
3 x 13, ECG
2.53



10-448
3 x 22, ECG
3.25



10-491
3 x 18, ECG
2.92



10-493
3 x 16, ECG
2.81



10-494
3 x 16, ECG
2.81



10-506
3 x 18, ECG
2.92



10-559
3 x 18, ECG
3.41



10-658
3 x 16, ECG
2.81



10-686
3 x 22, ECG
3.25



10-689
3 x 18, ECG
3.41



10-725
3 x 16, ECG
2.81



10-815
3 x 18, ECG
2.92



10-889
3 x 14, ECG
2.59



10-891
3 x 18, ECG
2.92



10-907
3 x 18, ECG
2.92



20-180
3 x 16, ECG
2.81



20-179
3 x 16, ECG
2.81



20-181
3 x 20, ECG
3.14



20-216
3 x 16, ECG
2.81




20-220
3 x 18, ECG
2.92



20-301
3 x 20, ECG
3.14



20-388
3 x 16, ECG
2.81



20-445
3 x 16, ECG
2.81



20-483
3 x 18, ECG
2.92



20-501
3 x 18, ECG
2.92



20-504
3 x 16, ECG
2.81



60-1200
3 x 15, ECG
Call



20-404
3 x 22, ECG
3.25



30-110
3 x 14, ECG
3.08



30-111
3 x 14, ECG
3.08

Pre-Cut Snow Pole Reflectors


Designed to be applied to one or both sides of our **SP18, SP25** or **SP38** Snow Poles (see [Page 16](#)) without any additional cutting on your part.

They measure 1" wide, and are available in 5 pre-cut lengths, as well as either in 3M Engineering Grade or 3M High Intensity Prismatic.



LENGTH	ENG. GRADE (EG)		HIGH INTENSITY (HIP)		AVAIL. COLORS
	ITEM NO.	PRICE	ITEM NO.	PRICE	
3"	10-710-3-Color	.24	10-715-3-Color	.48	00 <input type="checkbox"/> White 02 <input type="checkbox"/> Yellow 04 <input type="checkbox"/> Red
4"	10-710-4-Color	.32	10-715-4-Color	.64	
6"	10-710-6-Color	.48	10-715-6-Color	.96	
9"	10-710-9-Color	.72	10-715-9-Color	1.44	
12"	10-710-12-Color	.96	10-715-12-Color	1.92	

REMINDER: When ordering, replace *Color* in the item number with the 2-digit code of the color desired.



Instantly Repair Unsightly Bullet Holes!

Now you can quickly cover up unsightly bullet holes and make your signs look nearly-new again!

- Easy to apply in the field, without having to disassemble the sign.
- Once applied, they are nearly invisible to the naked eye.
- Small enough to store in your vehicle in case you find a sign with a new hole.

These computer-cut circular dots are a perfect patch if you need to cover up those unsightly bullet holes in a sign. Each sheet of adhesive-backed, **EG** Engineering Grade vinyl also has pre-punched holes along one side so they can be easily stored away in any standard 3-ring binder.

The quantity of patches per sheet varies, depending on the diameter of the patch itself.

ITEM NO.	DOT DIAMETER	# DOTS/SHEET	AVAIL COLORS	PRICE
10-634-Color	.25"	204	00 <input type="checkbox"/> White 01 <input type="checkbox"/> Brown 02 <input type="checkbox"/> Yellow 04 <input type="checkbox"/> Red 05 <input type="checkbox"/> Blue 06 <input type="checkbox"/> Green 09 <input type="checkbox"/> Black	5.25
10-635-Color	.375"	143		
10-636-Color	.5"	99		
10-637-Color	.75"	46		
10-638-Color	1"	28		
10-639-Color	1.25"	17		
10-640-Color	1.5"	11		
10-641-Color	1.75"	7		
10-642-Color	2"	6		
10-643-Color	2.5"	12		
10-644-Color	3"	8	6.40	
10-645-Color	3.5"	6		
10-646-Color	4"	4		

REMINDER: When ordering, replace *Color* in the item number with the 2-digit code of the color desired.

Clear Protective Edge Tape

Used to cover the weather-exposed edges of signs made of wood or plywood to keep them from deteriorating.

Also used to extend the life of any decal or graphic that is exposed to the elements. May significantly reduce the following issues resulting from exposure to environmental factors: edge peel, color-fading and reflectivity degradation.



07-18075.00/Roll
3" wide x 150 Ft Roll of Transparent Protective Edge Tape (by 3M)



07-178100.00/Roll
4" wide x 150 Ft Roll of Transparent Protective Edge Tape




Edge Sealer

Helps protect decal & sign edges against peeling in deep snow.

08-707 29.00
8 Ounces with Dauber

Perfect for enhancing visibility of marker posts, driveways, trails, delineators, gates, cattle guards and even vehicles!



Reflective Sheeting by the Strip...

When you order by the strip, we will be happy to pre-cut the sheeting into uniform strips of the desired length, up to 24" long.

Ordering Reminder:

Replace 'Size' in the item number with the desired length (in inches) and calculate pricing accordingly.

Also replace 'Color' with the 2-digit code for the desired color (avail colors are shown to the right of each product in the table below; the 2-digit codes are shown at bottom of this page).


WIDTH	LENGTHS AVAIL.	REFLECT. GRADE	ITEM NO.	PRICE/ INCH	AVAIL COLORS
1"	3-24"	EG	07-201-Size-Color	.04	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
2"	3-24"		07-202-Size-Color	.07	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
3"	3-24"		07-203-Size-Color	.11	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
1"	3-24"	HIP	07-205-Size-Color	.07	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
3"	3-24"		07-207-Size-Color	.21	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
1"	3-24"	Diamond	07-213-Size-0206	.14	Fluorescent Yellow/Green
3"	3-24"		07-214-Size-0206	.42	
6"	3-24"		07-215-Size-0206	.84	

PRICING NOTE: This product is sold by the inch. So take the strip length (Size) you want and MULTIPLY it by the number in the PRICE/INCH column. Example: 07-207-12-02 is the item# of a pre-cut strip that is 3" wide by 12" long of YELLOW High-Intensity Prismatic (HIP) reflective material and would cost \$2.52 each (12 x .21)

...or 'Buy' the Roll!

Purchasing a roll of sheeting can save a lot of \$\$, especially if you are unsure about the lengths you may need. Sometimes its easier to buy a roll, and simply measure & cut strips from it "as-you-go"!

Unless stated otherwise, each ROLL of Reflective sheeting below is 50 Yards long (150 Feet).



WIDTH	REFLECT. GRADE	ITEM NO.	PRICE/ ROLL	AVAIL COLORS
1"	EG	07-151-Color	25.00	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
3"		07-153-Color	75.00	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
1"	HIP	07-155-Color	48.46	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
3"		07-158-Color	145.38	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
1"	Diamond	07-159-00	106.25	<input type="checkbox"/>
3"		07-161-00	318.75	<input type="checkbox"/>
6"		07-164-0206	605.00	Fluorescent Yellow/Green

REMINDER: When ordering, replace Color in the item number with the 2-digit code of the color desired.

SIGN SECTION

ROCKART signs are manufactured using the highest quality materials available at an affordable price point. This allows us to offer our customers a wide range of cost-effective choices when considering factors such as life expectancy, durability, rigidity and retro-reflectivity rating.

ITEM NUMBER NOTATION FOR SIGNS

When you see an item # containing the notation **-SIZE**, this indicates that it is a Square-■ or Diamond-shaped◆ sign (where width & height are equal). To order a specific size, simply replace -Size with the size you want. (Example: #10-136-8 would indicate the 8"x8" size of a sign)

Likewise, an item # containing the notation **-DIMS** indicates the sign is a Rectangular-shape (i.e., Width & Height are NOT EQUAL) and will have either a Tall■ or Wide■ orientation. The **-DIMS** part of an item # represents the Width & Height of the sign. Example: To order a 30w x 24h size of the #91-167 "Emergency Parking Only", you would use the item #91-167-3024

USING PRICE TABLES

If a sign is only available in a few specific sizes, they will be listed in the text below the product image, along with dimensions and price.

If a table reference is given, such as "See Table: AL-1", you should refer to the the specified Pricing Table (following 2 pages) to review the available sizes and other details, including pricing.

A description preceding each pricing table should provide clarification as to which signs it applies.

Sign Substrate Materials

Below is a list of sign substrate materials (and available thicknesses) that we use to manufacture signs. To the left of each one, is a symbol used to indicate each material in this catalog.

AL	Aluminum	(.032, .063, .080 or .125)
CG	Corrugated	(3mm)
HDPE	High-Density PolyEthylene (Routed Plastic)	(.75")
MG	Magnetic	(.030)
PC	Polycarbonate	(.188)
PF	PolyFlex	(.050, .070, .110)
DB	Di-Bond	(3mm)
SN	Sintra	(3mm)

Focus on Retroreflectivity



The images above and descriptions below, provide a more in-depth look at the different grades/ratings of **3M**® brand retroreflective sheeting we use to manufacture our signs and decals.

EG or **Engineering Grade** is the lowest-rated (default) retroreflectivity and is primarily for use in areas that have lower-volume traffic / slower-speed areas (i.e., Biking / hiking trails).

HIP or **High-Intensity Prismatic** is the popular choice for areas that frequently experience medium-volume traffic moving at medium-speeds (i.e., surface streets within a city).

DG or **Diamond Grade** is the highest-rated retroreflectivity and is used primarily for travelways that regularly have high-volume and/or fast-moving traffic i.e., Freeways, Expressways, Highways, etc.

NREF or **Non-Reflective** should be used **ONLY** for signs or decals that are not required to be retroreflective.

Choice of retroreflective sheeting may affect the price of a sign or decal.

ROCKART PRODUCT COLOR CODES (##)		
00 White	04 Red	08 Gray
01 Brown	05 Blue	09 Black
02 Yellow	06 Green	10 Gold
03 Orange	07 Violet	11 Purple

ROCKART REFLECTIVITY RATINGS	
Engineering Grade	Semi-Reflective
Hi-Intensity Prismatic	Non-Reflective
Diamond Grade	

ROCKART SIGN MATERIALS LEGEND		
AL Aluminum	CG Corrugated	HDPE High-Density PolyEthylene
PF PolyFlex	DB Di-Bond	
SN Sintra	PC PolyCarbonate	
MG Magnetic		

SIGN PRICING TABLE AL-1
 For Square ■ or Diamond ◆ shaped AL Aluminum Signs with EG Engineering Grade or HIP High-Intensity Prismatic Reflectivity with part numbers ending in 'SIZE'.

ITEM # -SIZE SUFFIX	DIMENSIONS W x H	THICKNESS & MATERIAL	REFLECT. GRADE	PRICE 1-9	PRICE 10-24	PRICE 25+
EG ENGINEERING GRADE (EG)						
-6	6 x 6	.063 AL	EG	\$10.50		
-8	8 x 8		EG	13.50		
-12	12 x 12		EG	19.00		
-18	18 x 18		EG	40.75	37.50	34.00
-24	24 x 24		EG	69.00	62.50	57.25
-30	30 x 30		EG	108.25	98.50	90.25
-36	36 x 36		.125 AL	EG	158.25	144.00
HIP HIGH-INTENSITY PRISMATIC (HIP)						
-12-H	12 x 12	.080 AL	HIP	21.50		
-18-H	18 x 18		HIP	44.50	40.50	37.00
-24-H	24 x 24		HIP	72.00	67.00	60.00
-30-H	30 x 30		HIP	110.00	100.00	92.00
-36-H	36 x 36		.125 AL	HIP	165.00	150.00
DIAMOND GRADE (DG)						
Please Call Us at 877-718-7446 for competitive pricing and available sizes of Diamond Grade signs.						

MUTCD SIGN PRICING TABLE AL-3
 For Tall ■ or Wide ■ Rectangular (Non-Square) AL Aluminum Signs with HIP High-Intensity Prismatic or DG Diamond Grade Reflectivity with part numbers ending in 'DIMS'.

ITEM # -DIMS SUFFIX	DIMENSIONS W x H	THICKNESS & MATERIAL	REFLECT. GRADE	PRICE 1-9	PRICE 10-24	PRICE 25+
HIP HIGH-INTENSITY PRISMATIC (HIP)						
-0912	9 x 12	.080 AL	HIP	\$18.25	16.50	15.25
-1209	12 x 9	.080 AL	HIP	18.25	16.50	15.25
-1216	12 x 16	.080 AL	HIP	26.00	24.00	21.75
-1612	16 x 12	.080 AL	HIP	26.00	24.00	21.75
-1218	12 x 18	.080 AL	HIP	30.25	27.50	25.25
-1812	18 x 12	.080 AL	HIP	30.25	27.50	25.25
-1224	12 x 24	.080 AL	HIP	38.50	35.25	32.25
-2412	24 x 12	.080 AL	HIP	38.50	35.25	32.25
-1521	15 x 21	.080 AL	HIP	41.00	37.50	34.25
-2115	21 x 15	.080 AL	HIP	41.00	37.50	34.25
-1824	18 x 24	.080 AL	HIP	58.50	53.25	49.00
-2418	24 x 18	.080 AL	HIP	58.50	53.25	49.00
-1236	12 x 36	.125 AL	HIP	92.25	84.00	77.00
-3612	36 x 12	.125 AL	HIP	92.25	84.00	77.00
-1830	18 x 30	.080 AL	HIP	77.00	70.00	64.00
-3018	30 x 18	.080 AL	HIP	77.00	70.00	64.00
-1836	18 x 36	.125 AL	HIP	83.25	75.75	69.50
-3618	36 x 18	.125 AL	HIP	83.25	75.75	69.50
-2430	24 x 30	.080 AL	HIP	93.50	85.00	79.00
-3024	30 x 24	.080 AL	HIP	93.50	85.00	79.00
-2436	24 x 36	.125 AL	HIP	110.50	100.50	92.00
-3624	36 x 24	.125 AL	HIP	110.50	100.50	92.00
-1854	18 x 54	.125 AL	HIP	117.75	107.00	98.00
-5418	54 x 18	.125 AL	HIP	117.75	107.00	98.00
-3036	30 x 36	.125 AL	HIP	133.25	121.25	111.25
-3630	36 x 30	.125 AL	HIP	133.25	121.25	111.25
-2448	24 x 48	.125 AL	HIP	141.00	128.25	117.50
-4824	48 x 24	.125 AL	HIP	141.00	128.25	117.50
-3048	30 x 48	.125 AL	HIP	174.75	159.00	145.75
-4830	48 x 30	.125 AL	HIP	174.75	159.00	145.75
-3648	36 x 48	.125 AL	HIP	210.50	191.25	175.50
-4836	48 x 36	.125 AL	HIP	210.50	191.25	175.50
-3060	30 x 60	.125 AL	HIP	226.50	205.75	188.75
-6030	60 x 30	.125 AL	HIP	226.50	205.75	188.75
DIAMOND GRADE (DG)						
Please Call Us at 877-718-7446 for competitive pricing and available sizes of Diamond Grade signs.						

MUTCD SIGN PRICING TABLE AL-3
 For Square ■ or Diamond ◆ shaped AL Aluminum Signs with HIP High-Intensity Prismatic or DG Diamond Grade Reflectivity with part numbers ending in 'SIZE'.

ITEM # -SIZE SUFFIX	DIMENSIONS W x H	THICKNESS & MATERIAL	REFLECT. GRADE	PRICE 1-9	PRICE 10-24	PRICE 25+
HIP HIGH-INTENSITY PRISMATIC (HIP)						
-18	18 x 18	.080 AL	HIP	\$44.50	40.50	37.00
-24	24 x 24		HIP	72.00	67.00	60.00
-30	30 x 30		HIP	110.00	100.00	92.00
-36	36 x 36	.125 AL	HIP	165.00	150.00	137.25
-48	48 x 48	.125 AL	HIP		CALL	
DIAMOND GRADE (DG)						
Please Call Us at 877-718-7446 for competitive pricing and available sizes of Diamond Grade signs.						

Signs bearing official US Government Agency / Departmental Logos (Note: Any products bearing official U.S. Gov't Agency / Departmental logo is restricted to purchase & use by authorized individuals only. Proof of authorization for use may be required/requested)



10-100-Size
(See Table: AL-1)



10-600-Size
(See Table: AL-1)



10-100-12-M MG/EG
12x12x.030 20.00



10-100-8-M MG/EG
8x8..... 15.85



92-1600 AL/EG
10x10x.080 65.88



90-498-12 HDPE/PS
11x12x.75..... 42.75



90-498-15 HDPE/PS
13.5x15x.75 69.00



10-251-Size
(See Table: AL-1)



90-472 HDPE/PS
18x18x.75 65.00

U.S. DEPARTMENT OF AGRICULTURE

93-1107 HDPE/PS
39.75x7.75x.75 133.78

U.S. DEPARTMENT OF AGRICULTURE

90-498-410 HDPE/PS
43x5.5x.75..... 101.00

U.S. DEPARTMENT OF AGRICULTURE

90-498-409 HDPE/PS
37x3.5x.75..... 89.00

U.S. DEPARTMENT OF AGRICULTURE

90-473 HDPE/PS
68x6.5x.75..... 89.00



20-420-Size
(See Table: AL-1)



20-421-Size
(See Table: AL-1)



90-377 MG/EG
11x14x.030 37.50



92-3148 MG/EG
12x12 22.50



30-132-Size
(See Table: AL-1)



30-101-Size
(See Table: AL-1)





















92-1073 MG/EG
12x12x.030 26.00
































92-2320 AL/EG
20x24x.080 50.00








Signs that indicate the current status of a particular location. (i.e., Open, Closed, Full, etc...)









						
90-499-663 AL/EG 8x4x.080 Call	90-365 AL/EG 24x12x.080 35.50	92-2573 AL/EG 36x12x.080 57.00	90-499-635 AL/EG 14x10x.080 Call	90-499-572 AL/EG 96x10x.125 Call	90-499-870 AL/HIP 84x10x.080 Call	90-499-439 AL/EG 24x6x.080 Call
						
90-499-664 AL/EG 8x4x.080 Call	92-1363 AL/EG 20x10x.080 27.00	92-1569 PF/HIP 12x18x.024 5.50	90-1161 AL/EG 20x10x.080 27.00	90-499-458 AL/EG 12x18x.080 28.00	90-499-487 AL/EG 12x12x.080 17.50	90-499-673 AL/EG 12x12x.080 17.50
						
90-499-770 AL/EG 12x18x.080 28.00	90-773 PF/HIP 12x18x.050 9.32	92-1079 AL/EG 12x18x.080 28.00	92-2121 PC/EG 6x6x.188 8.50	92-2154 AL/EG 7.75x7.75x.080 12.00	92-2283 CG/HIP 24x24x4mm 30.00	90-499-669 AL/EG 24x24x.080 69.00
						
90-499-558 AL/EG 48x24x.125 Call	90-499-911 AL/EG 24x16x.080 Call	92-2149 AL/HIP 36x24x.080 92.00	92-2052 AL/HIP 12x6x.080 Call	92-3168 SN/EG 24x36x3mm 74.00	92-1349 AL/EG 33x16x.080 49.00	90-382 PF/HIP 8.5x11x.050 8.50
						
90-499-486 AL/EG 12x12x.080 17.50	90-499-649 AL/EG 12x18x.080 28.00	90-499-912 AL/EG 12x12x.080 17.50	92-1325 AL/HIP 18x12x.080 Call	92-1683 AL/HIP 12x18x.080 30.25	92-2155 AL/EG 7.75x7.75x.080 12.00	92-2695 AL/EG 18x24x.080 43.00
						
92-1126 AL/HIP 20x10x.080 29.00	90-1038 AL/HIP 30x15x.080 48.50	90-1039 AL/HIP 20x10x.080 29.75	90-499-618 AL/HIP 20x10x.080 29.00	90-499-619 AL/EG 24x18x.080 54.00	90-499-972 AL/EG 24x16x.080 39.00	90-499-973 AL/EG 36x24x.080 75.00

						
92-1201 AL/HIP 30x18x.080.....77.00	92-1495 AL/HIP 36x18x.125.....83.25	90-447-HIP AL/HIP 30x18x.080.....77.00	90-887 AL/EG 30x15x.080.....44.50	92-1200 AL/HIP 20x10x.080.....29.00	90-499-838 AL/EG 12x12x.080.....17.50	90-499-185 AL/EG 18x12x.063.....28.00
						
92-2095 AL/HIP 30x15x.080.....54.00	92-1818 AL/HIP 30x30x.080.....110.00	92-2244 PF/NS 9x12x.050.....7.18	92-1681 AL/HIP 18x12x.080.....33.00	90-499-194 AL/EG 18x12x.080.....28.00	92-2110 AL/HIP 36x24x.080.....162.00	
						
92-1993 PF/NS 3x10x.050.....4.00	92-2903 PF/NS 3x13x.050.....5.50	90-100- PF/NS -1(3x10).....4.00 -2(3x10).....4.00	92-2565 PF/NS 3x6.25x.024.....4.92	90-737 /N 3x6.25.....18		
						
90-1110 PF/NS 3x3x.024.....4.75	92-1314 PF/NS 5x3x.050.....3.50	92-3238 PF/NS 8.375x6.25x.050.....4.57	92-2561 PF/NS 3x6.25x.024.....8.58	92-2560 PF/NS 3x6.25x.024.....8.58		
						
92-3225 AL/HIP 36x12x.080.....Call	92-3226 AL/EG 24x30x.080.....85.50	90-1036 AL/EG 12x18x.080.....28.00	90-499-585 AL/EG 48x36x.125.....Call	92-1667 AL/HIP 24x18x.080.....58.50	92-1682 AL/HIP 12x18x.080.....30.25	92-2887 PF/NS 9x12x.110.....23.10

ROCKART REFLECTIVITY RATINGS

 Engineering Grade	 Semi-Reflective
 Hi-Intensity Prismatic	 Non-Reflective
 Diamond Grade	

ROCKART SIGN MATERIALS LEGEND




 Aluminum	 Corrugated	 High-Density PolyEthylene
 PolyFlex	 Di-Bond	
 Sintra	 PolyCarbonate	
 Magnetic		

v20jul07

Online: www.RockartSigns.com
 Email: Sales@RockartSigns.com

ROCKART
 SIGNS AND MARKERS

Phone: 480-854-3400
 Fax: 480-832-6390
 Toll-Free: 877-718-7446

			
92-2075 24x8x.080 Call	92-2153 12x18x.080..... 30.25	90-499-365 12x18x.080..... 28.00	92-1144 10x7x.032 8.50



92-3291
24x18x.080 Call







DELINEATORS

Signs or devices used to visually delineate the left / right boundary of a road or travelway.



4 x 4" Delineators



Standard, square, 4" x 4" Delineators are .080 **AL** Aluminum with reflective sheeting applied on one side.







SIZE	REFLECT. GRADE	ITEM NO.	PRICE	AVAIL COLORS
4 x 4		90-388-Color	4.00	
		90-389-Color	4.50	
		90-387-0206	5.25	

REMINDER: When ordering, replace *Color* in the item number with the 2-digit code of the color desired.



360° Delineators

Easily seen from any viewing angle, these 360° Delineators are available in 3" diameter (to fit 1# and 2# U-channel posts, and 4" diameter to fit 2# square tube posts. Available in Yellow or White in  **High-Intensity Prismatic** or  **Diamond Grade** reflectivity.

SIZE	REFLECT. GRADE	ITEM NO.	PRICE	AVAIL COLORS
3" Dia. x 6"H		90-877-Color	8.00	00  White 02  Yellow
		90-878-Color	10.00	
4" Dia. x 6"H		90-879-Color	9.00	
		90-880-Color	12.00	

REMINDER: When ordering, replace *Color* in the item number with the 2-digit code of the color desired.

Signs that indicate user skill level required to complete or use arrows to indicate directions.



10-124-Size

(See Table: AL-1)



10-125-Size

(See Table: AL-1)



10-123-Size

(See Table: AL-1)



10-274-Size

(See Table: AL-1)



90-212 AL/EG
12x4x.080..... 8.60



90-213 AL/EG
12x4x.080..... 8.60



92-2228 AL/HF
12x6x.080..... 20.00



92-2229 AL/HF
12x6x.080..... 20.00



92-2685 AL/HF
12x10x.080..... 33.00



92-1502 AL/EG
14x8x.080..... Call



92-1066 AL/EG
18x12x.080..... 28.00



92-1458 AL/HF
16x8x.080..... 14.00



92-2301-33 AL/HF
16x8x.080..... 21.46



90-499-55 AL/EG
16x8x.080..... Call

92-2301-34 AL/HF
16x8x.080..... 21.46



90-499-698 AL/EG
12x4x.080..... Call



92-3285 AL/HF
36x36x.125..... 165.00



90-499-697 AL/EG
12x4x.080..... Call



90-214 AL/EG
18x6x.080..... 15.38



90-215 AL/EG
18x6x.080..... 15.38



90-216 AL/EG
24x6x.080..... 20.25



90-217 AL/EG
24x6x.080..... 20.25

92-1838 AL/HF
24x6x.080..... 33.50



10-162-Size

(See Table: AL-1)



10-163-Size

(See Table: AL-1)



10-161-Size

(See Table: AL-1)



90-499-913 AL/EG
12x12x.080..... 17.50



60-747-Size
(See Table: AL-1)




90-499-920 AL/EG
18x12x.080..... 28.00



90-499-757 AL/EG
18x18x.080..... 40.75



92-2660 AL/EG
7.75x7.75x.080..... 13.00



90-498-6-011301
4x4x.75..... 10.00



90-499-353 AL/EG
18x7x.080..... Call



90-499-354 AL/EG
18x7x.080..... Call



60-748-Size
(See Table: AL-1)



90-499-919 AL/EG
18x12x.080..... 28.00



90-499-759 AL/EG
18x18x.080..... 40.75



93-1126-4 HDPE/RF
7x3x.75..... 24.00



93-1126-7 HDPE/RF
7x3x.75..... 24.00



90-499-610 AL/EG
36x8x.080..... Call



60-749-Size
(See Table: AL-1)



90-499-907 AL/EG
12x18x.080..... 28.00



90-499-156 AL/EG
24x18x.080..... 54.00



93-1126-5 HDPE/RF
7x3x.75..... 24.00



93-1126-6 HDPE/RF
7x3x.75..... 24.00



90-499-611 AL/EG
36x8x.080..... Call

v20jun07

Online: www.RockartSigns.com
Email: Sales@RockartSigns.com

ROCKART
SIGNS AND MARKERS

Phone: 480-854-3400
Fax: 480-832-6390
Toll-Free: 877-718-7446



90-499-490 AL/EG 12x12x.08017.50



92-1649 AL/EG 24x10x.08031.50



92-1475-3 AL/EG 6x12x.080 Call



90-499-910 AL/EG 18x6x.080 Call



92-1610 AL/EG 18x24x.080 54.00



92-1479 AL/EG 30x10x.080 Call



92-3189 AL/EG 58x21x.125145.00



92-3191 AL/EG 58x21x.125145.00



90-499-491 AL/EG 12x12x.08017.50



92-1481 AL/EG 30x10x.080 Call



92-1475-2 AL/EG 6x12x.080 Call



92-1908 AL/EG 24x24x.080 69.00



92-1045 AL/EG 30x12x.080 Call



90-499-735 AL/EG 36x24x.080 Call



92-3190 AL/EG 58x21x.125145.00



92-1035 AL/EG 30x20x.080 Call



92-1613 AL/EG 12x18x.080 28.00



92-1535 AL/EG 30x36x.080 Call



90-499-168 AL/EG 48x24x.125 72.60



90-499-180 AL/EG 24x30x.080 85.50



92-1419 AL/EG 9x12x.080 16.00



92-1418 AL/EG 9x12x.080 16.00

Skill level and motorized trail difficulty

- Green circle (easiest)**
 - Trails with no steep hills and few obstacles.
 - Intended for novice riders who have mastered the basic skills necessary for safe operation on well-developed trails.
 - Also for those lacking the experience or desire to ride more difficult trails.
- Blue square (more difficult)**
 - Suitable for the majority of intermediate riders.
 - More difficult trails are steeper hills and switchbacks and some moderate obstacles.
 - Intended for OHV enthusiasts with well-developed skills seeking a reasonable challenging trail ride.
 - Riders subjected to higher degree of risk and exposure.
- Black diamond (most difficult)**
 - Trails requiring a high-level of skill and experience.
 - Very steep grades and alignments, rough or loose tread surfaces, and substantial obstacles.
 - Suitable only for proficient or expert riders to test their machines - and their own skills and abilities.



90-277 AL/EG 8x11x.08011.50



90-276 AL/EG 8x11x.08011.50



90-279 AL/EG 8x11x.08011.50



92-2070 PF/EG 9x12x.05 5.50



92-2071 PF/EG 9x12x.05 5.50



92-2072 PF/EG 9x12x.05 5.50



92-1217 AL/EG 6x6x.063 9.50

92-2064 PF/EG 12x18x.05012.00

ROCKART

REFLECTIVITY RATINGS

- EG Engineering Grade
- HIP Hi-Intensity Prismatic
- Diamond Grade

- Semi-Reflective
- Non-Reflective

ROCKART

SIGN MATERIALS LEGEND

- AL Aluminum
- PF PolyFlex
- SN Sintra
- MG Magnetic

- CG Corrugated
- DB Di-Bond
- PC PolyCarbonate

- HDPE High-Density PolyEthylene

Signs for indicating traveling distance to a given place or location.



90-499-596 AL/EG 6x6x.063 9.50



90-499-597 AL/EG 6x6x.063 9.50




90-499-598 AL/EG 6x6x.063 9.50



90-499-599 AL/EG 6x6x.063 9.50



90-1016 AL/EG 12x18x.080 28.00



90-499-646 AL/EG 12x18x.080 28.00



90-499-453 AL/EG 11.75x11.75x.080 17.50



92-1206 AL/EG 12x12x.080 17.50



92-1207 AL/EG 12x12x.080 17.50



92-1015 PF/ 12x12x.070 6.25



92-1216-Size (See Table: AL-1)



90-291 AL/EG 18x18x.080 40.75



92-2004 AL/EG 12x18x.080 28.00



90-499-730 AL/EG 8x8x.080 12.00



92-1275 AL/EG 6x6x.063 9.50



90-499-970-11 AL/EG 58x18x.080 Call



90-499-970-04 AL/EG 48x18x.125 Call



92-1272 AL/ 18x8x.080 Call



Another busy (and wet) day for U.S. Forest Service workers! Checking for flooded areas brought by a monsoon storm late last night.

ROCKART	REFLECTIVITY RATINGS
Engineering Grade	Semi-Reflective
Hi-Intensity Prismatic	Non-Reflective
Diamond Grade	

ROCKART	SIGN MATERIALS LEGEND
Aluminum	Corrugated
PolyFlex	Di-Bond
Sintra	PolyCarbonate
Magnetic	High-Density PolyEthylene

Signs that help educate visitors, provide guidance or teach users how to use Public Lands responsibly.



90-252-Size
(See Table: AL-1)



90-499-617 AL/EG
18x18x.080.....40.75




92-3293 AL/EG
12x18x.080.....28.00



92-1985 AL/EG
12x18x.080.....28.00



92-1819 AL/EG
12x18x.080.....28.00



92-1820 AL/EG
12x18x.080.....28.00



92-1370 AL/EG
5x4.5x.0327.85



90-499-974 AL/EG
36x18x.12579.50



92-1305 AL/EG
30x24x.080 85.50



90-499-687 AL/EG
12x18x.080.....28.00



92-1579 AL/EG
60x24x.125157.00



92-1291 AL/EG
24x18x.08054.00



92-3170 AL/EG
18x12x.080.....28.00



92-1377 PF/EG
12x18x.050.....25.45



92-1867 AL/EG
12x6x.08043.00



92-1183 AL/EG
30x4x.080 Call



92-1087 AL/EG
48x18x.080 Call




90-414 PF/EG
12x12x.0506.00



92-1336 AL/EG
12x12x.08017.50




90-840-Size
(See Table: AL-1)




92-1602 PF/EG
12x4x.0707.85



90-929 SN/EG
11x14 Call



90-1020 AL/EG
8x10x.08014.70



90-1021 PF/EG
8x10x.0505.50



90-1122 AL/EG
18x24x.08054.00



92-1376 PF/EG
7x10x.0505.50



10-126-Size
(See Table: AL-1)



10-197-Size
(See Table: AL-1)



10-198-Size
(See Table: AL-1)



10-210-Size
(See Table: AL-1)



10-224-Size
(See Table: AL-1)



10-657-Size
(See Table: AL-1)



90-334-12 AL/EG
12x12x.08017.50



90-499-636 AL/EG
18x18x.08040.75



90-499-637 AL/EG
18x18x.08040.75



90-499-674 AL/EG
12x12x.08017.50



90-762 PF/
8x8x.050 5.50



10-733-Size
(See Table: AL-1)



10-667-Size
(See Table: AL-1)



90-701 PF/
8x11x.050 5.50



90-266 AL/EG
8x11x.08011.25



90-751 PF/
11x14x.1109.75



90-702 PF/
8x11x.050 5.50



90-261-8 AL/EG
8x11x.08011.25



92-2126 AL/
9x12x.0639.77



92-2005 PF/
9x12x.050 5.50



90-749 PF/
8x11x.050 5.50



90-964 PF/
9x12x.050 5.50




90-499-980 AL/EG
12x12x.08017.50



90-405-8 PF/
8x8x.05014.60



90-405-12 PF/
12x12x.05016.07



90-499-950 AL/EG
22x10x.080 Call



92-2746 AL/EG
11.75x11.75x.08017.50

ROCKART REFLECTIVITY RATINGS

- EG Engineering Grade
- HiP Hi-Intensity Prismatic
- Diamond Grade
- Semi-Reflective
- Non-Reflective

ROCKART SIGN MATERIALS LEGEND

- AL Aluminum
- PF PolyFlex
- SN Sintra
- MG Magnetic
- CG Corrugated
- DB Di-Bond
- PC PolyCarbonate
- HDPE High-Density PolyEthylene

Signs related to visitor fees and/or fines resulting from law violations.



60-673-Size
(See Table: AL-1)



10-691-
-9 (9x9) CALL
-12 (12x12) 14.34
-18 (18x18) CALL



92-1601 AL/EG
24x24x.080 69.00



92-1981 AL/EG
6x6x.063 9.50



92-1328 AL/EG
12x12x.080 17.50



90-499-670 AL/EG
24x18x.080 54.00



92-2829 AL/HIP
32x24x.125 88.00




90-499-85 AL/EG
24x18x.080 54.00



90-499-86 AL/EG
24x18x.080 54.00



92-3135 AL/EG
7.75x4x.080 12.00



90-499-561 AL/EG
12x18x.080 28.00



90-499-565 AL/EG
24x18x.080 54.00



92-2827 AL/HIP
28x17x.125 67.00



90-499-566 AL/EG
24x18x.080 54.00



90-499-602 AL/EG
18x30x.080 71.00



90-499-87 AL/EG
24x18x.080 54.00



90-499-88 AL/EG
24x18x.080 54.00




90-499-970-05 AL/EG
67x24x.080 Call




90-499-970-22 AL/EG
67x24x.080 Call



92-1615 AL/EG
24x24x.080 69.00



90-499-970-19 AL/EG
67x16x.125 Call



92-3222 AL/EG
5x3x.080 11.00



90-724 AL/EG
48x36x.080 Call



Signs used to clearly identify boundaries or areas to be used for specific purposes.



90-1026 PF/EG
12x18x.050.....9.32



90-499-833 AL/EG
36x8x.080..... Call



92-1122 AL/EG
12x12x.080.....17.50



92-1192 AL/EG
12x12x.080.....17.50



92-1303 AL/EG
12x12x.080.....17.50



10-204-Size
(See Table: AL-1)



92-2131 AL/HIB
7.75x7.75x.080..... 17.00



90-251-Size
(See Table: AL-1)



90-745-8 AL/EG
8x8x.080.....12.00



90-250-Size
(See Table: AL-1)



90-499-538 AL/EG
8x8x.080.....12.00



90-499-76 AL/EG
18x18x.080.....40.75



92-1343 PF/EG
6x6x.050..... 5.50



10-273-Size
(See Table: AL-1)



90-499-268 AL/EG
12x18x.080.....28.00



90-852 AL/EG
10x7x.032..... 9.50



92-2658 AL/EG
12x18x.080.....29.50



92-2922 AL/HIB
36x17x.125.....73.50



90-1032 AL/EG
6x6x.063..... 9.50

It's "GO TIME" for our team of ROCKART Message Center Kiosk Installers
Ask about our worry-free Kiosk Installation Services



v20jun07

Online: www.RockartSigns.com
Email: Sales@RockartSigns.com

ROCKART
SIGNS AND MARKERS

Phone: 480-854-3400
Fax: 480-832-6390
Toll-Free: 877-718-7446



90-1022 **PF/EG**
8x10x.050.....7.18



90-1023 **PF/EG**
10x7x.024.....4.25



90-712 **PF/EG**
10x7x.050.....5.50



90-807 **PF/EG**
10x7x.024.....4.25



92-2810 **PF/EG**
12x18x.050.....9.32



92-2808 **PF/EG**
12x18x.050.....9.32



92-2806 **PF/EG**
18x12x.050.....9.32



92-2804 **PF/EG**
18x12x.050.....9.32



92-2807 **PF/EG**
18x12x.050.....9.32



92-2805 **PF/EG**
18x12x.050.....9.32



90-784 **PF/EG**
10x7x.050.....5.50



92-1158 **PF/EG**
10x7x.050.....5.50



90-499-174 **AL/EG**
8x11x.080..... Call



90-499-175 **AL/EG**
8x11x.080..... Call



90-499-176 **AL/EG**
12x18x.080.....28.00




92-2269 **AL/EG**
14x4x.063.....5.87




"The CLAW" is alive and well!



90-1029 AL/EG 7x10x.03210.50



90-746 AL/EG 7x10x.0329.75



90-747 AL/EG 7x10x.0329.75



92-1076 AL/EG 12x6x.080 Call



90-401 AL/EG 22x10x.080 Call



90-1106 AL/EG 8x8x.06312.50



92-1587-12 AL/EG 40x15x.08070.89



92-1046 AL/EG 18x12x.08028.00



93-1043 HDPE/EG 18x24x.75140.81



93-1042 HDPE/EG 24x18x.75119.39



90-499-347 AL/EG 12x18x.08028.00



90-499-658 AL/EG 12x18x.08028.00



90-499-675 AL/EG 12x12x.08017.50



92-1161 AL/EG 10x7x.0328.50



92-1706 AL/EG 10x7x.0328.50



92-1712 AL/EG 10x7x.0328.50



92-1705 AL/EG 10x7x.0328.50



92-1709 AL/EG 10x7x.0328.50



92-1707 AL/EG 10x7x.0328.50



92-1710 AL/EG 10x7x.0328.50



92-2316 AL/EG 18x9x.08026.00



92-2317 AL/EG 18x9x.08026.00



90-499-350 AL/EG 12x12x.08017.50



92-2135 AL/EG 11.75x11.75x.08019.50



93-1138 HDPE/EG 12x6x.7545.00




10-160-Size (See Table: AL-1)




92-3125 AL/EG 24x12x.08035.50



92-2739 AL/EG 54x10x.125104.75



92-2341 PE/EG 8x8x.050 Call



92-2340 PE/EG 8x12x.050 Call



90-850 PE/EG 9x12x.0507.25



92-3310 AL/EG 18x24x.08054.00



92-3421 AL/EG 16x8x.08022.00



90-499-21 AL/EG 12x18x.08028.00



90-499-187 AL/EG 12x12x.08017.50



90-499-685 AL/EG 18x4x.080 Call



90-499-38 AL/EG 24x12x.08035.50



92-1150 AL/EG 36x12x.080 Call



92-1356 AL/EG
30x30x.080.....110.00



92-1357 AL/EG
30x30x.080.....110.00



92-1358 AL/EG
18x18x.080.....40.75



92-1484 AL/EG
31x17x.125.....Call



92-1970 AL/EG
5x5x.080.....9.50



90-794 MG/EG
12x12x.030.....Call



90-499-845 AL/EG
48x24x.080.....Call



92-1817 AL/EG
12x8x.080.....26.50



92-1341 AL/EG
18x18x.080.....37.50



92-1342 AL/EG
18x18x.080.....37.50



92-1259 AL/EG
18x12x.080.....28.00



92-1260 AL/EG
18x12x.080.....28.00



90-499-54 AL/EG
18x18x.080.....00



92-2412 AL/EG
24x24x.125.....110.00



90-499-583 AL/EG
48x36x.125.....Call



90-499-584 AL/EG
48x36x.125.....112.89



90-499-583-A AL/EG
36x24x.080.....Call



90-499-584-A AL/EG
36x24x.080.....Call



92-1069 PF/EG
18x12x.110.....11.67



92-1070 PF/EG
18x12x.110.....11.67



90-499-747 AL/EG
7x6x.080.....Call



90-1114 AL/EG
7x6x.080.....00



90-974 AL/EG
16x8x.080.....15.50



90-974-PC PC/EG
16x8x.188.....15.50



92-3394 AL/EG
18x6x.080.....17.00



90-975 AL/EG
21x8x.080.....21.70

Magnetic Vehicle Signs

Printed on .030" thick, reflective, magnetic material. Perfect solution when you need signage that is portable, removable or temporary. Plus, you have the option of contour cutting them to match the exact shape of your logo!



90-372 MG/EG
15x6x.030.....6.70



92-2929 MG/EG
15.5x6x.030.....6.70



90-374 MG/EG
15x6x.030.....6.70



90-372-M MG/EG
18x8x.030.....17.40



90-376 MG/EG
11.5x5x.030.....9.54



90-373 MG/EG
15x6x.030.....9.54



90-375 MG/EG
17x5.5x.030.....9.54



We can make Magnetic signs up to 24" wide...Call us for more information!



92-2831-__ **HDPS** / **RF**
4x5x.75.....15.00



92-2664-__ **AL** / **EG**
3 x 4 x .063..... 9.00



92-1012 **AL** / **EG**
18x18x.080.....40.75



92-1870-__ **AL** / **EG**
4x4x.0636.75




92-1869 **AL** / **EG**
6x6x.063 9.50



92-2904 **PF** / **RF**
3x3x.050 4.00

4" & 5" Tall Contour-Cut Steel Numbers



Perfect for durable, clear identification of Campsites!

.063 Thick Steel, White Powder Coat finish, with 2 mounting holes. Digits 0-9 available.

Replace _ in the part number with the single-digit number of your choice (0~9).

03-580-__-00

2.5w x 4h x .063 Steel Numbers 0-9

1-49	50-99	100+
6.75	5.63	5.31

03-582-__-00

3w x 5h x .063 Steel Numbers 0-9

1-49	50-99	100+
7.00	5.85	5.53



3 x 4 Individual Numbering Signs



Great for Numbering Campsites!

.050 Thick White PolyFlex with Black Numbers set in Helvetica Bold. Non-Reflective (NREF)

Single-Digit Numerals 0-9 and 10 available.

92-1772-__

3 x 4 x .050 **PF** PolyFlex

1-49	50-99	100+
2.75	2.65	1.65

Signs that communicate specific information or details.



60-136-Size
(See Table: AL-1)



92-1425 **AL** / **EG**
18x18x.080.....40.75



90-253-Size
(See Table: AL-1)



90-499-951 **AL** / **RF**
24x8x.080 Call



90-729 **AL** / **EG**
10x11.75x.080 12.10




90-1042 **PF** / **RF**
12x12x.050.....5.75



92-1940 **AL** / **EG**
12x12x.080 18.00



90-499-40 **AL** / **EG**
24x12x.080 35.50



90-499-567 **AL** / **EG**
28x16x.080 Call



90-499-613 **AL** / **EG**
12x12x.080 17.50



90-499-671 **AL** / **EG**
12x18x.080 28.00



90-499-682 **AL** / **EG**
60x30x.125 Call



90-499-792 **AL** / **RF**
48x36x.125 210.50



90-499-796 **AL** / **EG**
6x6x.063 9.50



90-499-970-03
AL/EG
59x36x.125 Call



92-1001 AL/EG
12x12x.08017.50



92-1002 AL/EG
18x24x.080 54.00



92-1022 AL/EG
30x30x.080108.25



92-1139 AL/EG
12x18x.080 28.00



92-3327 AL/EG
11.75x11.75x.080 20.00



92-1145 AL/EG
10x7x.032 7.85



92-1222 PF/EG
18x12x.11010.00



92-1475-15 AL/EG
12x6x.080 Call



92-1033 AL/EG
12x12x.08017.50



92-1498 AL/HIP
24x24x.080 72.00



93-1108 ADPE/EG
18x24x.75197.77



92-1714 AL/EG
10x7x.032 8.50



92-1702 AL/EG
7x10x.032 8.50



92-2030 AL/EG
12x9x.063 8.50



92-1713 AL/EG
10x7x.032 8.50



92-1708 AL/EG
10x7x.032 8.50



92-1720 AL/EG
10x7x.032 8.50



92-2686 AL/EG
12x9x.06324.60



92-2158 AL/HIP
48x36x.125210.50



92-2310 AL/EG
4x4x.063 15.00



92-2249 AL/EG
11.75x11.75x.08017.50



92-2043-60 AL/EG
12x12x.08017.50



92-2043-59 AL/EG
44x10x.125113.68



92-1770 AL/EG
24x18x.080 54.00



92-2051 AL/EG
18x12x.080 Call



92-2748 AL/EG
18x12x.08027.00



92-1081 AL/EG
18x18x.08040.75



92-2108 AL/EG
18x24x.080 54.00

110 Phone: 480-854-3400
Fax: 480-832-6390
Toll-Free: 877-718-7446

ROCKART
SIGNS AND MARKERS


Online: www.RockartSigns.com
Email: Sales@RockartSigns.com



92-2851 AL/EG 12x18x.080..... 28.00



92-2292 AL/EG 18x12x.080..... 28.00



92-2924 AL/HIP 48x17x.125..... 103.00



92-2845 AL/HIP 12x6x.080..... 27.50



92-3278-14 SN/EG 24x36x3mm 41.00



92-3293 AL/EG 12x18x.080..... 28.00



60-346-Size (See Table: AL-1)



90-446 PF/ 24x36x.110..... 31.17



90-499-484 AL/EG 18x8x.080..... Call



90-499-688 AL/EG 24x24x.080..... 69.00



90-827 AL/ 18x8x.080..... 17.40

MISCELLANEOUS

Signs that dont fit into one of the other subcategories can be found here.



10-252-8 AL/EG 8x8x.080..... 12.00



60-847-12 AL/EG 12x12x.080..... 17.50



90-499-689 AL/EG 3.5x1.5x.080..... Call



90-499-954 AL/EG 12x8x.080..... Call



90-572 a/ 3.875x3.875x.063..... 2.00



92-2146 PF/ 9x12x.110..... 7.27



92-2883 AL/EG 12x18x.080..... 28.00



92-1034 AL/EG 24x36x.080..... Call

ROCKART REFLECTIVITY RATINGS

- Engineering Grade
- Hi-Intensity Prismatic
- Diamond Grade
- Semi-Reflective
- Non-Reflective

ROCKART SIGN MATERIALS LEGEND

- Aluminum
- PolyFlex
- Sintra
- Magnetic
- Corrugated
- Di-Bond
- PolyCarbonate
- High-Density PolyEthylene

v20.10.07

Online: www.RockartSigns.com
Email: Sales@RockartSigns.com




Phone: 480-854-3400
Fax: 480-832-6390
Toll-Free: 877-718-7446

Signs used for marking objects in the roadway or marking the end of a street or road.
 + Barricade signs are typically used to close off a street/road
 + Signs for diverting traffic around road hazards.
 Note: Some signs in this category may NOT be MUTCD compliant!

Solid Color Object Markers

These single-color Object Markers are on .080 AL Aluminum with radius corners, and with EG Engineering Grade, HIP High-Intensity Prismatic or DM Diamond Grade reflective sheeting applied to one or both sides.




SIZE	SIDES	REFLECT. GRADE	ITEM NO.	PRICE	AVAIL COLORS
4 x 8	1 Side	EG	90-364-Color	4.50	00 <input type="checkbox"/> White 02 <input type="checkbox"/> Yellow
		HIP	90-719-Color	5.25	
		DM	90-720-Color	7.00	
6 x 12	1	EG	90-264-Color	9.50	
		HIP	90-965-Color	9.00	
	2	HIP	90-265-Color	12.00	
		DM	90-1163-Color	10.00	
	1	HIP	90-285-Color	14.50	
		DM	90-1164-Color	14.50	
8 x 24	1	HIP	90-882-Color	17.00	
		DM	90-883-Color	27.50	

REMINDER: When ordering, replace Color in the item number with the 2-digit code of the color desired.

Striped Object Markers

Our Striped Object Markers are AL Aluminum with radius corners, and with EG Engineering Grade or HIP High-Intensity Prismatic reflective sheeting applied to one or both sides.



SIZE W x H	STRIPE WIDTH	REFLECT. GRADE	DIR	ITEM NO.	PRICE
6 x 12 .080 AL	3"	EG	DS	90-1008	12.50
			DIR	90-1007	12.50
			DS	90-366	16.00
		HIP	DIR	90-1105	13.75
			DS	90-1104	13.75
			DS	90-1012	17.50
8 x 24 .080 AL	4"	EG	DIR	90-179	21.00
			DS	90-178	21.00
			DS	90-952	23.00
		HIP	DS	90-951	23.00
			DS	90-338	38.50
			DS	90-337	38.50
12 x 36 .125 AL	6"	EG	DS	90-962	47.00
			DS	90-346	43.00
			DS	90-345	43.00
		HIP	DS	90-963	55.00

Fast Facts About Left-to-Right



If the designations 'Left-to-right' & 'Right-to-left' seem confusing to you ... you are not alone. To understand this directional dilemma, start at the high point on a stripe edge, and follow it down to the lowest point, as shown in the examples to the left.

While it might **seem logical** that by simply rotating a marker 180° would reverse its designation, this is not the case.

However... rotating a vertical marker 90° (i.e. making it horizontal), you may notice that **Left-to-Right** becomes **Right-to-Left**, and vice versa. To make it a bit less confusing, we also offer double-sided barricade & object markers, with Left-to-Right on one side, and Right-to-Left on the other... So one side will always be the right one!



ROCKART's barricade markers feature 3, 4 or 6-in. wide alternating red & white stripes and are on .080 Aluminum, unless otherwise noted. All sizes and stripe direction designations are based on vertical orientation,

if you need to display the sign in a horizontal position, you will need to take this into consideration when ordering. Please see **Fast Facts About Left-to-Right** (opposite page).


Barricade Markers

Commonly used to mark the end of a road or other path of travel; they can be installed onto gates / fences to serve as a visual indicator that a route or area is closed.

Our Barricade Markers are available in 3 popular sizes, 2 reflectivity grades and all are AL Aluminum. **Double-Sided** markers are identified in the table (below) with 'DS' in the Direction Column.



SIZE W x H	STRIPE WIDTH	REFLECT. GRADE	DIR	ITEM NO.	PRICE
6 x 12 .080 AL	3"	EG	↗	92-1672	10.50
				92-1671	10.50
		HIP	↘	92-1675	11.50
				92-1674	11.50
8 x 24 .080 AL	4"	EG	↗	90-186	21.75
				90-185	21.75
		HIP	↘	90-492	24.50
				90-491	24.50
		EG	↗	90-163	40.00
				90-162	40.00
HIP	↘	DS 90-960	49.00		
		90-490	46.00		
12 x 36 .125 AL	6"	EG	↗	90-163	40.00
				90-162	40.00
		HIP	↘	DS 90-960	49.00
				90-490	46.00
EG	↗	DS 90-961	62.00		
		90-489	46.00		



Cable Visibility Markers

Blocking a driveway or other passageway with a thin cable/chain across the entrance can be very dangerous if someone trying to enter doesn't see the cable or chain blocking it. Hanging these markers (using hog rings) along the cable or chain will make them more visible.

They are 12 x 5 x .070 PF PolyFlex with the front screen printed in EG and includes a protective UV overlaminate, while the back side is covered with solid White, Reflective Sheeting (EG)

Each corner has 1 hole for attaching with Hog Rings, see Page 177 (Sold separately).

92-2113		
1-49	50-99	100+
10.25	9.17	7.25

SIGN MATERIALS LEGEND		
AL Aluminum	CG Corrugated	HDP High-Density PolyEthylene
PF PolyFlex	DB Di-Bond	
SN Sintra	PC PolyCarbonate	
MG Magnetic		

REFLECTIVITY RATINGS	
EG Engineering Grade	Semi-Reflective
HIP Hi-Intensity Prismatic	Non-Reflective
Diamond Grade	

FEDERAL RECREATION SYMBOL SIGNS

Complete selection of signs bearing Federal Recreation symbols including permissive and prohibitive versions, and all newly-revised 2009 symbols.

Check the 'Services / Facilities / Amenities' subcategory (sign section) for related symbols.

About 2009 Revised Symbols...

Item #'s for newer Recreation Symbols (rev. 2009) start with 11-. In most cases, if you have an item number of an older-version symbol and want to order the newer version, simply replace 10- with 11-. Example: For older item #10-136-8 (no campfires), the 2009 version would become #11-136-8.

RECREATION | GENERAL

Signs bearing one of the 'General' group of Federal Recreation Symbols. Includes all permissive & prohibitive versions; original & revised (2009) symbols.



10-1052-Size

(See Table: AL-1)



10-1053-Size

(See Table: AL-1)



11-519-Size

(See Table: AL-1)



11-566-Size

(See Table: AL-1)



10-294-Size

(See Table: AL-1)



11-673-Size

(See Table: AL-1)



11-1009-Size

(See Table: AL-1)



10-265-Size

(See Table: AL-1)



11-265-Size

(See Table: AL-1)



90-889-Size

(See Table: AL-1)



10-674-Size

(See Table: AL-1)



11-674-Size

(See Table: AL-1)



10-135-Size

(See Table: AL-1)



10-259-Size

(See Table: AL-1)



11-135-Size

(See Table: AL-1)



10-136-Size

(See Table: AL-1)



11-136-Size

(See Table: AL-1)



11-1024-Size

(See Table: AL-1)



10-128-Size

(See Table: AL-1)



11-128-Size

(See Table: AL-1)



10-263-Size

(See Table: AL-1)



10-145-Size

(See Table: AL-1)



11-145-Size

(See Table: AL-1)



10-142-Size

(See Table: AL-1)



10-264-Size

(See Table: AL-1)



10-144-Size
(See Table: AL-1)



11-1010-Size
(See Table: AL-1)



11-1080-Size
(See Table: AL-1)



11-1081-Size
(See Table: AL-1)



10-697-Size
(See Table: AL-1)



11-697-Size
(See Table: AL-1)



11-235-Size
(See Table: AL-1)



11-1007-Size
(See Table: AL-1)



11-1013-Size
(See Table: AL-1)



11-234-Size
(See Table: AL-1)



10-732-Size
(See Table: AL-1)



10-731-Size
(See Table: AL-1)



10-230-Size
(See Table: AL-1)



11-230-Size
(See Table: AL-1)



10-231-Size
(See Table: AL-1)



11-231-Size
(See Table: AL-1)



10-775-Size
(See Table: AL-1)



10-223-Size
(See Table: AL-1)



10-233-Size
(See Table: AL-1)



11-233-Size
(See Table: AL-1)



60-200-Size
(See Table: AL-1)



11-1059-Size
(See Table: AL-1)



11-232-Size
(See Table: AL-1)



10-229-Size
(See Table: AL-1)



11-228-Size
(See Table: AL-1)



11-229-Size
(See Table: AL-1)



92-1020 PF/14.50
(See Table: AL-1)



10-763-Size
(See Table: AL-1)



11-1014-Size
(See Table: AL-1)



11-1048-Size
(See Table: AL-1)



11-1051-Size
(See Table: AL-1)



11-1082-Size
(See Table: AL-1)



10-249-Size
(See Table: AL-1)



11-1085-Size
(See Table: AL-1)



11-127-Size
(See Table: AL-1)



11-1057-Size
(See Table: AL-1)



11-1058-Size
(See Table: AL-1)



10-227-Size
(See Table: AL-1)



11-226-Size
(See Table: AL-1)



11-227-Size
(See Table: AL-1)



11-1068-Size
(See Table: AL-1)



11-1069-Size
(See Table: AL-1)



11-1064-Size

(See Table: AL-1)



11-1084-Size

(See Table: AL-1)



11-1016-Size

(See Table: AL-1)



11-1086-Size

(See Table: AL-1)



11-1018-Size

(See Table: AL-1)



11-1090-Size

(See Table: AL-1)



11-1095-Size

(See Table: AL-1)



11-1096-Size

(See Table: AL-1)



11-1017-Size

(See Table: AL-1)



11-1019-Size

(See Table: AL-1)



11-1020-Size

(See Table: AL-1)



11-1021-Size

(See Table: AL-1)

RECREATION | LAND BASED

Signs bearing one of the 'Land Recreation' group of Federal Recreation Symbols. Includes all permissive & prohibitive versions; original & revised (2009) symbols.



10-111-Size

(See Table: AL-1)



11-111-Size

(See Table: AL-1)



10-112-Size

(See Table: AL-1)



11-112-Size

(See Table: AL-1)



10-665-Size

(See Table: AL-1)



10-187-Size

(See Table: AL-1)



10-703-Size

(See Table: AL-1)



10-188-Size

(See Table: AL-1)



92-1193

8x8x.050 5.50

PF/



10-922-Size

(See Table: AL-1)



10-921-Size

(See Table: AL-1)



10-956-Size

(See Table: AL-1)



10-704-Size

(See Table: AL-1)



10-853-Size

(See Table: AL-1)

ROCKART

SIGN MATERIALS LEGEND

- AL Aluminum
- PF PolyFlex
- SN Sintra
- MG Magnetic

- CG Corrugated
- DB Di-Bond
- PC PolyCarbonate

HDPE High-Density PolyEthylene

ROCKART

REFLECTIVITY RATINGS

- EG Engineering Grade
- HIP Hi-Intensity Prismatic
- DG Diamond Grade

- SR Semi-Reflective
- NR Non-Reflective



10-137-Size
(See Table: AL-1)



11-137-Size
(See Table: AL-1)



10-138-Size
(See Table: AL-1)



11-138-Size
(See Table: AL-1)



10-1009-Size
(See Table: AL-1)



10-115-Size
(See Table: AL-1)



10-116-Size
(See Table: AL-1)



11-202-Size
(See Table: AL-1)



11-216-Size
(See Table: AL-1)



10-203-Size
(See Table: AL-1)



11-203-Size
(See Table: AL-1)



11-217-Size
(See Table: AL-1)



92-1999 AL/EG
12x18x.080..... 28.00



11-1012-Size
(See Table: AL-1)



10-272-Size
(See Table: AL-1)



10-278-Size
(See Table: AL-1)



11-1023-Size
(See Table: AL-1)



11-1001-Size
(See Table: AL-1)



11-1054-Size
(See Table: AL-1)



11-1002-Size
(See Table: AL-1)



11-1005-Size
(See Table: AL-1)



11-1006-Size
(See Table: AL-1)



11-1032-Size
(See Table: AL-1)



11-1033-Size
(See Table: AL-1)



11-1074-Size
(See Table: AL-1)



11-1034-Size
(See Table: AL-1)



11-1035-Size
(See Table: AL-1)



10-121-Size
(See Table: AL-1)



10-122-Size
(See Table: AL-1)



11-121-Size
(See Table: AL-1)



11-122-Size
(See Table: AL-1)



10-117-Size
(See Table: AL-1)



10-118-Size
(See Table: AL-1)



10-707-Size
(See Table: AL-1)



10-708-Size
(See Table: AL-1)



11-117-Size-[Ref]
(See Table: AL-1)



11-118-Size
(See Table: AL-1)



10-277-Size
(See Table: AL-1)



10-271-Size
(See Table: AL-1)



11-271-Size
(See Table: AL-1)



11-277-Size
(See Table: AL-1)



11-1042-Size
(See Table: AL-1)



11-1043-Size
(See Table: AL-1)



10-109-Size
(See Table: AL-1)



10-110-Size
(See Table: AL-1)



92-1194
8x8x.050 PF/PS 5.50



11-109-Size
(See Table: AL-1)



11-110-Size
(See Table: AL-1)



10-107-Size
(See Table: AL-1)



10-108-Size
(See Table: AL-1)



11-107-Size
(See Table: AL-1)



11-108-Size
(See Table: AL-1)



11-174-Size
(See Table: AL-1)



11-175-Size
(See Table: AL-1)



10-201-Size
(See Table: AL-1)



11-201-Size
(See Table: AL-1)



11-214-Size
(See Table: AL-1)



11-1076-Size
(See Table: AL-1)



10-208-Size
(See Table: AL-1)



11-208-Size
(See Table: AL-1)



10-245-Size
(See Table: AL-1)



11-245-Size
(See Table: AL-1)



10-968-Size
(See Table: AL-1)



10-969-Size
(See Table: AL-1)



10-1044-Size
(See Table: AL-1)

RECREATION | WATER BASED

Signs bearing one of the 'Water Recreation' group of Federal Recreation Symbols. Includes all permissive & prohibitive versions; original & revised (2009) symbols.



10-517-Size
(See Table: AL-1)



11-517-Size
(See Table: AL-1)



11-1047-Size
(See Table: AL-1)



10-195-Size
(See Table: AL-1)



11-195-Size
(See Table: AL-1)



10-540-Size
(See Table: AL-1)



11-540-Size
(See Table: AL-1)



10-225-Size

(See Table: AL-1)



11-225-Size

(See Table: AL-1)



10-687-Size

(See Table: AL-1)



11-1044-Size

(See Table: AL-1)



10-518-Size

(See Table: AL-1)



11-518-Size

(See Table: AL-1)



11-1015-Size

(See Table: AL-1)



11-1027-Size

(See Table: AL-1)



11-1026-Size

(See Table: AL-1)



11-1028-Size

(See Table: AL-1)



11-1029-Size

(See Table: AL-1)



10-209-Size

(See Table: AL-1)



11-209-Size

(See Table: AL-1)



10-215-Size

(See Table: AL-1)



11-215-Size

(See Table: AL-1)



11-1030-Size

(See Table: AL-1)



10-685-Size

(See Table: AL-1)



11-685-Size

(See Table: AL-1)



10-659-Size

(See Table: AL-1)



11-659-Size

(See Table: AL-1)



10-660-Size

(See Table: AL-1)



11-660-Size

(See Table: AL-1)



11-248-Size

(See Table: AL-1)



10-268-Size

(See Table: AL-1)



11-268-Size

(See Table: AL-1)



10-507-Size

(See Table: AL-1)



11-507-Size

(See Table: AL-1)



10-508-Size

(See Table: AL-1)



11-508-Size

(See Table: AL-1)



11-1060-Size

(See Table: AL-1)



11-1061-Size

(See Table: AL-1)



11-1063-Size

(See Table: AL-1)



11-1062-Size

(See Table: AL-1)



11-1072-Size

(See Table: AL-1)



11-1071-Size

(See Table: AL-1)



10-247-Size

(See Table: AL-1)



11-247-Size

(See Table: AL-1)



10-267-Size

(See Table: AL-1)



11-267-Size

(See Table: AL-1)



10-949-Size

(See Table: AL-1)



11-949-Size

(See Table: AL-1)



11-1089-Size

(See Table: AL-1)



11-1092-Size

(See Table: AL-1)



11-1091-Size

(See Table: AL-1)



11-1093-Size

(See Table: AL-1)



11-1008-Size

(See Table: AL-1)



11-1087-Size

(See Table: AL-1)



11-1088-Size

(See Table: AL-1)

RECREATION | WINTER

Signs bearing one of the 'Winter Recreation' group of Federal Recreation Symbols. Includes all permissive & prohibitive versions; original & revised (2009) symbols.



10-119-Size

(See Table: AL-1)



11-119-Size

(See Table: AL-1)



10-120-Size

(See Table: AL-1)



11-120-Size

(See Table: AL-1)



11-1022-Size

(See Table: AL-1)



11-875-Size

(See Table: AL-1)



11-1094-Size

(See Table: AL-1)



11-1038-Size

(See Table: AL-1)



11-1039-Size

(See Table: AL-1)



11-1040-Size

(See Table: AL-1)



11-1041-Size

(See Table: AL-1)



11-1065-Size
(See Table: AL-1)



11-1066-Size
(See Table: AL-1)



11-911-Size
(See Table: AL-1)



10-904-Size
(See Table: AL-1)



11-1067-Size
(See Table: AL-1)



11-904-Size
(See Table: AL-1)



11-1070-Size
(See Table: AL-1)



11-876-Size
(See Table: AL-1)



10-113-Size
(See Table: AL-1)



11-113-Size
(See Table: AL-1)



90-885 PF/EG
12x12x.050.....7.50



10-114-Size
(See Table: AL-1)



11-114-Size
(See Table: AL-1)



10-158-Size
(See Table: AL-1)



11-158-Size
(See Table: AL-1)



10-218-Size
(See Table: AL-1)



11-218-Size
(See Table: AL-1)



10-1004-Size
(See Table: AL-1)



10-1003-Size
(See Table: AL-1)

REGULATORY (Non MUTCD)

Regulatory signs for use on low-speed, low-volume or non-motorized paths of travel. This includes Stop Signs, Yield, Speed Limit signs, etc
Note: Some signs in this category may NOT be MUTCD compliant!



92-1488 AL/EG
28x17x.080.....78.57



92-2174 AL/EG
12x18x.080.....30.25



10-985-Size
(See Table: AL-1)



90-180-Size
(See Table: AL-1)



90-499-23 AL/EG
12x18x.080.....28.00



90-361 AL/EG
18x24x.080.....54.00



90-181-Size
(See Table: AL-1)



90-499-978 AL/EG
12x12x.080.....17.50



92-1824 AL/EG
18x24x.080.....54.00



92-1868 AL/EG
8x8x.080.....20.50



90-182-Size
(See Table: AL-1)



90-499-700 AL/EG
24x36x.125.....Call



90-499-979 AL/EG
12x12x.080.....17.50



90-499-459 AL/EG
12x18x.080.....28.00



90-996 AL/EG
18x24x.080..... 54.00



92-1024 AL/EG
30x30x.080.....108.25



90-731- AL/EG
-12 (12x12)..... 21.00
-18 (18x18)..... 36.00
-24 (24x24)..... 57.00
-30 (30x30)..... 90.00
-36 (36x36)..... 118.00
-48 (48x48)..... 230.00



90-369 AL/EG
24x30x.080..... 85.50



90-499-367 AL/EG
12x18x.080..... 28.00



90-499-22 AL/EG
12x18x.080..... 28.00



90-499-49 AL/EG
12x18x.080..... 28.00



90-499-672 AL/EG
12x18x.080..... 28.00



90-499-840 AL/EG
12x18x.080..... 28.00



90-499-906 AL/EG
12x12x.080..... 19.00



90-717 AL/EG
12x18x.080..... 28.00



92-1414 AL/EG
12x12x.080..... 19.00



92-1313 AL/EG
18x24x.080..... 54.00



92-1321 AL/EG
12x18x.080..... 28.00



92-1765 AL/EG
12x18x.080..... 30.25



92-1764 AL/EG
12x18x.080..... 30.25



90-499-699 AL/EG
12x18x.080..... 28.00



92-2247 AL/EG
12x18x.080..... 30.25



92-2186 AL/EG
12x18x.080..... 30.25



92-2185 AL/EG
12x18x.080..... 30.25



92-2175 AL/EG
12x18x.080..... 30.25



92-2173 AL/EG
12x18x.080..... 30.25



92-2184 AL/EG
12x18x.080..... 30.25



92-2183 AL/EG
12x18x.080..... 30.25



92-2182 AL/EG
12x18x.080..... 30.25



92-2181 AL/EG
12x18x.080..... 30.25



92-1611 AL/EG
18x24x.080..... 54.00



90-499-767 AL/EG
7.75x7.75x.080..... 12.00



92-3332-2 AL/EG
12x18x.080..... 30.25



92-1487 AL/EG
27.75x17x.080..... Call



92-2296 PC/EG
8x16x.188..... 22.00



92-3355 AL/EG
16x8x.080..... 21.00

Signs related to various types of restrictions for motorized or mechanized methods of travel.


Note: Some signs in this category may NOT be MUTCD compliant!




90-499-266 AL/EG 36x12x.080..... Call



92-1483 AL/EG 50x17x.125..... Call



92-1276 AL/EG 12x18x.080..... Call



92-2702 AL/EG 12x18x.080..... 30.00



90-240 AL/EG 48x48x.125..... Call



90-359 AL/EG 18x21x.080..... 32.50



90-499-26 AL/EG 12x18x.080..... 28.00



90-499-31 AL/EG 18x18x.080..... 40.75



90-499-652 AL/EG 11x7.75x.080..... Call



90-499-862 AL/EG 30x24x.080..... 85.50



90-344-12 AL/EG 12x12x.080..... 17.50



10-258-Size (See Table: AL-1)



60-335-Size (See Table: AL-1)



60-577-Size (See Table: AL-1)



60-786-18 AL/EG 18x18x.080..... 40.75




90-755 PF/ 10x7x.050..... 8.50



90-948 AL/EG 18x24x.080..... 54.00



90-499-24 AL/EG 12x18x.080..... 28.00



90-1034 PF/ 12x18x.050..... 9.32




90-1125 AL/EG 18x24x.080..... 58.50




90-706 AL/ 10x7x.032..... 7.85



90-1126 AL/EG 24x36x.080..... 78.00



90-1140 PF/ 9x12x.050..... 5.50



90-1151 AL/EG 18x24x.080..... 43.00



90-288 AL/EG 24x24x.080..... 69.00



90-323-A AL/EG 12x18x.080..... 28.00



90-324-A AL/EG 12x18x.080..... 28.00



90-325-A AL/EG 12x18x.080..... 28.00



90-326-A AL/EG 12x18x.080..... 28.00



90-486 AL/EG 12x18x.080..... 28.00



90-499-155 AL/EG 24x18x.080..... 54.00



90-499-186 AL/EG 18x12x.080..... 28.00

v20.00107

Online: www.RockartSigns.com
Email: Sales@RockartSigns.com

ROCKART
SIGNS AND MARKERS

Phone: 480-854-3400
Fax: 480-832-6390
Toll-Free: 877-718-7446



90-499-222 AL/EG 12x18x.080..... 28.00



90-499-451 AL/EG 12x18x.080..... 28.00



90-499-471 AL/EG 72x24x.125 Call



90-499-485 AL/EG 18x8x.080..... Call



90-499-489 AL/EG 12x12x.080 19.00



90-499-495 AL/EG 12x18x.080..... 28.00



90-499-499 AL/EG 18x24x.080..... 54.00



90-499-522 AL/EG 12x18x.080..... 28.00



90-499-523 AL/EG 12x18x.080..... 28.00



90-499-571 AL/EG 36x24x.080 Call



90-499-594 AL/EG 12x18x.080..... 28.00



90-499-607 AL/EG 36x24x.080 Call



90-499-612 AL/EG 18x24x.080..... 54.00



90-499-615 AL/EG 12x18x.080..... 28.00



90-499-62 AL/EG 96x27x.125 Call



90-499-620 AL/EG 18x24x.080..... 54.00



90-499-638 AL/EG 18x24x.080..... 54.00



90-499-705 AL/EG 48x24x.080 Call



90-499-706 AL/EG 12x12x.080 19.00




90-499-714 AL/EG 48x36x.080 Call



90-499-624 AL/EG 48x12x.080..... 61.00



90-499-63 AL/EG 120x36x.125 Call



90-499-716 AL/EG 18x24x.080..... 54.00



90-499-741 AL/EG 24x24x.080 69.00



90-499-742 AL/EG 18x24x.080..... 54.00



90-499-748 AL/EG 18x24x.080..... 54.00



92-1060 AL/EG 36x24x.125 129.50



90-499-786 AL/EG 36x12x.080 Call



90-499-830 AL/EG 12x18x.080..... 28.00



90-499-835 AL/EG 24x24x.080 69.00



90-499-841 AL/EG 24x18x.080..... 54.00



90-499-853 AL/EG 18x24x.080..... 54.00



90-499-885 AL/EG 24x18x.080..... 54.00



90-499-908 AL/EG 12x18x.080..... 28.00



90-499-928 AL/EG 12x18x.080..... 28.00



90-499-929 AL/EG 12x18x.080..... 28.00



90-499-938 AL/EG 24x18x.080..... 54.00



90-499-94 AL/EG 18x24x.080..... 54.00



90-499-942 AL/EG 18x12x.080..... 28.00



90-499-976 AL/EG 42x12x.080..... Call



90-792 AL/EG 8x8x.080.....12.00



90-809 PF/EG 44x16x.024.....14.60



90-810 PF/EG 44x16x.024.....14.60



90-886 AL/EG 12x18x.080.....22.50



90-892 AL/EG 24x30x.080.....85.50



90-895 AL/EG 12x18x.080.....28.00




92-1032 AL/EG 12x12x.080.....17.50



92-1061 AL/HIP 36x24x.125.....129.50



92-1351 AL/EG 18x24x.080.....54.00



92-1088 AL/EG 16x6x.080.....Call



92-1089 AL/EG 12x8x.080.....Call



92-1068 PF/EG 18x12x.110.....11.67



92-1107 AL/EG 18x24x.080.....54.00



92-1111 AL/EG 18x24x.080.....54.00



92-1112 AL/EG 18x8x.080.....Call



92-1129 AL/HIP 36x36x.125.....165.00



92-1149 AL/EG 18x24x.080.....54.00



92-1154 AL/EG 12x18x.080.....28.00



92-1165 AL/EG 48x24x.080.....95.50



92-1164 AL/EG 48x24x.080.....95.50



92-1177 AL/EG 9x12x.063.....Call



92-1190 AL/EG 24x24x.080.....48.00



92-1191 AL/EG 24x24x.080.....48.00



92-1214 AL/EG 12x18x.080.....28.00



92-1215 AL/EG 12x18x.080.....28.00



92-1239 AL/HIP 12x18x.080.....30.25



92-1240 PF/EG 10x7x.050.....8.50




90-499-315-Size (See Table: AL-1)



90-317-Size (See Table: AL-1)



90-335-Size (See Table: AL-1)



92-1541 AL/EG 60x24x.125150.00



92-1519 AL/EG 18x12x.080 28.00



92-1507 AL/EG 24x24x.080 69.00



92-1441 AL/EG 36x60x.080 Call



92-1403 AL/EG 18x12x.080 28.00



92-1404 AL/EG 18x12x.080 28.00



92-3383 AL/EG 11.75x11.75x.08019.00



92-1300 PF/EG 12x12x.0505.75



92-1348 AL/EG 8x12x.080 Call



92-1353 AL/EG 12x12x.08017.50



92-1361 AL/EG 12x18x.080 28.00




92-1520 AL/EG 18x12x.080 28.00



92-1612 AL/EG 18x24x.080 54.00



92-1578 AL/EG 12x18x.080 28.00




92-1537 AL/EG 13x8x.080 16.50



92-1522 AL/EG 4x4x.063 Call



92-1652 AL/EG 18x24x.080 58.50



92-1650 AL/EG 54x19x.125 Call



92-1278 AL/EG 12x12x.080 19.00



92-1277 AL/EG 12x12x.080 19.00



92-1258 AL/EG 12x18x.080 28.00



92-1100 AL/EG 18x24x.080 54.00



92-1322 AL/EG 7.75x11x.080 Call



92-1102 AL/EG 18x24x.080 54.00



92-1103 AL/EG 18x24x.080 54.00



92-2960 AL/EG 36x36x.080144.00



92-1701 AL/EG 7x10x.032 8.50



92-2097 AL/EG 18x18x.08040.75



92-2287 AL/EG 18x24x.080 58.50



92-2466 AL/EG 36x24x.08057.00



92-2193 PF/EG 12x18x.1108.73



92-2176 AL/EG 18x18x.080 44.50



92-2157 AL/EG 24x36x.080120.00

<p>ATTENTION: HARD SIDE VEHICLE / RV / TRAILER CAMPING ONLY AHEAD TENT AND POPUP CAMPERS PROHIBITED</p>	<p>NO STOPPING NO WAITING NO PARKING NO PARADA NO ESPERAR NO APARCAMIENTO</p>	<p>NO OHV USE IN DEVELOPED RECREATION AREAS</p>	<p>TRUCKS WITH HORSE TRAILERS ONLY</p>	<p>IRRIGATION DITCH MAINTENANCE ACCESS ONLY</p>	<p>PLEASE DON'T USE TRAIL WHEN MUDDY</p>	<p>NO MOTORCYCLES BEYOND THIS POINT</p>
92-2156 AL/HIP 48x36x.125.....210.50	92-2150 AL/HIP 36x36x.080.....130.00	92-1956 AL/EG 24x18x.080.....54.00	92-1963 AL/HIP 24x18x.080.....58.50	92-1850 AL/EG 18x12x.080.....28.00	92-1829 AL/EG 12x12x.080.....17.50	92-1823 AL/HIP 18x24x.080.....58.50
<p>ENTERING WILDERNESS STUDY AREA FOOT AND HORSE TRAVEL BEYOND THIS POINT</p>	<p>WRONG WAY DO NOT ENTER</p>	<p>STAY ON FOREST SERVICE DESIGNATED ROADS</p>	<p>NON-MOTORIZED VEHICLES (FOR GROOMED TRAIL)</p>	<p>NO CAMPING NO FIRES WITHIN 1/4 MILE OF THIS ROAD</p>	<p>RECREATIONAL CAMPING PERMITTED BEYOND THIS POINT 14 DAY STAY LIMIT RESIDENTIAL CAMPING PROHIBITED</p>	<p>NO MOTORIZED USE IN STAGING AREA UNLOADING OK</p>
92-1809 AL/EG 12x18x.080.....28.00	92-1648 AL/EG 38x17x.125.....94.25	90-499-435 AL/EG 36x18x.125.....79.50	92-2043-61 AL/EG 12x12x.080.....17.50	92-2470 AL/HIP 24x36x.125.....129.50	92-2602 AL/HIP 24x40x.125.....181.00	92-2747 AL/EG 18x24x.080.....40.00
<p>ENTERING OPEN TRAVEL AREA MOTORIZED CROSS COUNTRY TRAVEL IS PERMITTED WITHIN THE AREA DELINEATED BY THE YELLOW BOUNDARY MARKERS</p>	<p>LEAVING OPEN TRAVEL AREA HELP US KEEP THIS AREA OPEN PLEASE TRAVEL ON DESIGNATED ROUTES ONLY</p>	<p>ENTERING TRAVEL RESTRICTED AREA NO OFF-ROAD TRAVEL</p>	<p>NO ORV'S BEYOND THIS POINT</p>	<p>NO ORVs BEYOND THIS POINT</p>	<p>NO OHV's</p>	<p>NO OHV's BEYOND THIS POINT</p>
92-2749 AL/EG 18x24x.080.....54.00	92-2750 AL/EG 18x24x.080.....54.00	92-2751 AL/HIP 48x24x.125.....141.00	92-1533 AL/EG 12x36x.125.....51.25	92-2889 AL/EG 12x30x.080.....42.50	92-2775 AL/HIP 24x24x.080.....72.00	92-2774 AL/HIP 24x24x.080.....72.00
<p>Rough Road Ahead High Clearance 4WD Vehicles ONLY</p>	<p>FIRE CLOSURE Shooting Prohibited On Public Lands in this Area Except Lawful Hunting</p>	<p>PARKING FOR VEHICLES WITH TRAILERS ONLY BETWEEN SIGNS</p>	<p>TRAILS OPEN TO VEHICLES < 50" IN WIDTH</p>	<p>VEHICLES LESS THAN 50" WIDE</p>	<p>CLOSED TO VEHICLES OVER 50" WIDE</p>	
92-3045 AL/HIP 56x24x.125.....171.00	92-3379 AL/HIP 18x24x.080.....58.50	92-3366 AL/EG 18x24x.080.....54.00	92-2826 AL/HIP 28x24x.125.....78.15	60-526-Size (See Table:..... AL-1)	92-1157 AL/EG 8x8x.080.....12.00	
<p>VEHICLES LESS THAN 60" WIDE</p>	<p>CLOSED TO VEHICLES OVER 64" WIDE</p>	<p>CLOSED TO VEHICLES OVER 50" WIDE</p>				
60-954-8 AL/EG 8x8x.080.....12.00	92-2993 AL/EG 11.75x11.75x.080.....17.50	60-684-Size (See Table:..... AL-1)				

ROCKART	REFLECTIVITY RATINGS
Engineering Grade	Semi-Reflective
Hi-Intensity Prismatic	Non-Reflective
Diamond Grade	

ROCKART	SIGN MATERIALS LEGEND
Aluminum	Corrugated
PolyFlex	Di-Bond
Sintra	PolyCarbonate
Magnetic	High-Density PolyEthylene

Signs bearing one of the 'Services' or 'Accommodations' group of Federal Recreation Symbols. Includes all permissive & prohibitive versions; original & revised (2009) symbols.

Check the 'Recreation' subcategories (sign section) for additional symbols.



10-104-Size
(See Table: AL-1)



11-104-Size
(See Table: AL-1)



90-194 AL/EG
7x8x.032 8.50



90-195 AL/EG
7x8x.032 8.50



92-2348 AL/EG
9x12x.080 16.00



90-200 AL/EG
12x8x.080 Call



92-3290 AL/EG
12x24x.080 35.50



90-193 AL/EG
7x5x.032 8.00



10-105-Size
(See Table: AL-1)



11-105-Size
(See Table: AL-1)



11-106-Size
(See Table: AL-1)



10-146-Size
(See Table: AL-1)



11-146-Size
(See Table: AL-1)



11-1003-Size
(See Table: AL-1)



10-129-Size
(See Table: AL-1)



11-129-Size
(See Table: AL-1)



90-191 AL/EG
7x8x.032 8.50



11-1004-Size
(See Table: AL-1)



10-130-Size
(See Table: AL-1)



11-130-Size
(See Table: AL-1)



90-192 AL/EG
7x8x.032 8.50



10-131-Size
(See Table: AL-1)



11-131-Size
(See Table: AL-1)



10-283-Size
(See Table: AL-1)



11-283-Size
(See Table: AL-1)



90-499-683 AL/EG
8x16x.080 Call



90-499-684 AL/EG
8x16x.080 21.50



90-499-769 AL/EG
8x11x.080 Call



92-1831 AL/EG
12x12x.080 17.50



10-281-Size
(See Table: AL-1)



11-281-Size
(See Table: AL-1)



10-282-Size
(See Table: AL-1)



10-147-Size
(See Table: AL-1)



11-147-Size
(See Table: AL-1)



10-149-Size
(See Table: AL-1)



11-149-Size
(See Table: AL-1)



11-1036-Size
(See Table: AL-1)



11-1025-Size
(See Table: AL-1)



10-155-Size

(See Table: AL-1)



11-155-Size

(See Table: AL-1)



10-156-Size

(See Table: AL-1)



11-156-Size

(See Table: AL-1)



11-1077-Size

(See Table: AL-1)



11-1078-Size

(See Table: AL-1)



10-157-Size

(See Table: AL-1)



11-157-Size

(See Table: AL-1)



10-512-Size

(See Table: AL-1)



11-512-Size

(See Table: AL-1)



11-1053-Size

(See Table: AL-1)



10-171-Size

(See Table: AL-1)



11-171-Size

(See Table: AL-1)



11-141-Size

(See Table: AL-1)



11-1011-Size

(See Table: AL-1)



11-1052-Size

(See Table: AL-1)



10-170-Size

(See Table: AL-1)



11-170-Size

(See Table: AL-1)



11-275-Size

(See Table: AL-1)



11-279-Size

(See Table: AL-1)



10-173-Size

(See Table: AL-1)



10-250-Size

(See Table: AL-1)



11-250-Size

(See Table: AL-1)



10-270-Size

(See Table: AL-1)



10-276-Size

(See Table: AL-1)



11-276-Size

(See Table: AL-1)



11-510-Size

(See Table: AL-1)



11-253-Size

(See Table: AL-1)



11-262-Size

(See Table: AL-1)



10-933-Size

(See Table: AL-1)



11-933-Size

(See Table: AL-1)



10-172-Size

(See Table: AL-1)



11-172-Size

(See Table: AL-1)



10-954-Size

(See Table: AL-1)



10-511-Size

(See Table: AL-1)



11-511-Size

(See Table: AL-1)



11-1037-Size

(See Table: AL-1)



93-1112 HDPE/PS 24 x24x.75 135.00



10-965-Size

(See Table: AL-1)



11-965-Size

(See Table: AL-1)



11-1056-Size

(See Table: AL-1)



11-1031-Size

(See Table: AL-1)



10-132-Size

(See Table: AL-1)



11-132-Size

(See Table: AL-1)



10-284-Size

(See Table: AL-1)



11-284-Size

(See Table: AL-1)



11-1045-Size

(See Table: AL-1)



11-1046-Size

(See Table: AL-1)



10-244-Size

(See Table: AL-1)



11-244-Size

(See Table: AL-1)



11-134-Size

(See Table: AL-1)



11-1049-Size

(See Table: AL-1)



11-1050-Size

(See Table: AL-1)



11-1055-Size

(See Table: AL-1)



11-1073-Size

(See Table: AL-1)



11-1075-Size

(See Table: AL-1)



11-1079-Size

(See Table: AL-1)



11-1083-Size

(See Table: AL-1)



11-1000-Size

(See Table: AL-1)



Hey there, didn't mean to startle you... Can you come back over on this side so I can see whats in your purse?
Check your donkey doors!

ROCKART

REFLECTIVITY RATINGS

Engineering Grade

Hi-Intensity Prismatic

Diamond Grade

Semi-Reflective

Non-Reflective

ROCKART

SIGN MATERIALS LEGEND

Aluminum

PolyFlex

Sintra

Magnetic

Corrugated

Di-Bond

PolyCarbonate

High-Density PolyEthylene

MUTCD STREET & HIGHWAY SIGNS

As part of our **2020 Expansion**, **ROCKART** is proud to announce our new Traffic Sign Division that will include Street / Highway signs that are fully compliant with specifications published in the **Manual on Uniform Traffic Control Devices (MUTCD)**.

ROCKART item #'s within this special group of compliant signs all begin with **91-**.

To remain compliant and unless noted otherwise, signs in this subcategory are available **ONLY** in **High-Intensity Prismatic** or **Diamond Grade** reflectivity and are **.080 AL** (Aluminum). Signs measuring 36" or more in either width or height are on **.125 AL** (Aluminum).

Consult the **MUTCD** (and applicable State/City/Municipal directives) to determine the proper size/dimensions for each sign needed. Signs may

not be available in every size or configuration listed.

Finding Signs by their MUTCD Identifiers

If you are viewing a downloaded Adobe® PDF copy of this catalog or you are using the **ROCKART** website, you can search for a sign by its **MUTCD** identifier (Example: A STOP sign is **R1-1**).

For help using the search function in **Adobe® Reader**, please refer to the **Help** section within the application.

Can't locate the MUTCD sign you need?

The list of signs in this new section of our catalog is not exhaustive. We will be adding hundreds more in a concerted effort to eventually have the entire **MUTCD** library available. Always check our website for the most up-to-date offerings.

STREET & HIGHWAY | REGULATORY

Includes signs from MUTCD chapters on Regulatory Signs (Series R), and Barricades



91-100- **AL**/ **91-101-** **AL**/
 -18 (18x18)..... 44.50 -18 (18x18)..... 44.50
 -24 (24x24)..... 72.00 -24 (24x24)..... 72.00
 -30 (30x30)..... 110.00 -30 (30x30)..... 110.00
 -30b (30x30)..... 48.91 -30b (30x30)..... 33.26
 -36 (36x36)..... 165.00 -36 (36x36)..... 165.00
 -48 (48x48)..... **CALL** -48 (48x48)..... **CALL**
 -60 (60x60)..... **CALL**



91-101- **AL**/ **91-101-** **AL**/
 -18 (18x18)..... 44.50 -18 (18x18)..... 44.50
 -24 (24x24)..... 72.00 -24 (24x24)..... 72.00
 -30 (30x30)..... 110.00 -30 (30x30)..... 110.00
 -30b (30x30)..... 48.91 -30b (30x30)..... 33.26
 -36 (36x36)..... 165.00 -36 (36x36)..... 165.00
 -48 (48x48)..... **CALL** -48 (48x48)..... **CALL**
 -60 (60x60)..... **CALL**



91-141-Size
 (See Table: AL-3)



91-142-Dims
 (See Table: AL-3)



91-126-Dims
 (See Table: AL-3)



91-173-Size
 (See Table: AL-3)



91-194-Dims-[WT]
 (See Table: AL-3)



91-189-Dims
 (See Table: AL-3)



91-190-Size
 (See Table: AL-3)



91-183-Dims
 (See Table: AL-3)



91-108-Size
 (See Table: AL-3)



91-174-Dims
 (See Table: AL-3)



91-171-Dims
 (See Table: AL-3)



91-153-Dims
 (See Table: AL-3)



91-154-Dims
 (See Table: AL-3)



91-152-Dims
 (See Table: AL-3)



91-151-Dims
 (See Table: AL-3)



91-103-Dims
 (See Table: AL-3)



91-104-Dims-Speed
 (See Table: AL-3)



91-105-Dims
 (See Table: AL-3)



91-109-Size
 (See Table: AL-3)



91-107-Size
 (See Table: AL-3)



91-106-Size
 (See Table: AL-3)



91-117-Size
 (See Table: AL-3)



91-118-Size
 (See Table: AL-3)



91-128-Size
 (See Table: AL-3)



91-129-Size
 (See Table: AL-3)



91-119-Dims
 (See Table: AL-3)



91-120-Dims

(See Table: AL-3)



91-121-Dims

(See Table: AL-3)



91-122-Dims

(See Table: AL-3)



91-123-Dims

(See Table: AL-3)



91-124-Dims

(See Table: AL-3)



91-125-Dims

(See Table: AL-3)



91-127-Dims

(See Table: AL-3)



91-130-Dims

(See Table: AL-3)



91-131-Dims

(See Table: AL-3)



91-132-Dims

(See Table: AL-3)



91-133-Dims

(See Table: AL-3)



91-138-Dims

(See Table: AL-3)



91-204-Dims

(See Table: AL-3)



91-139-Dims

(See Table: AL-3)



91-191-Dims

(See Table: AL-3)



91-140-Dims

(See Table: AL-3)



91-137-Dims

(See Table: AL-3)



91-143-Size

(See Table: AL-3)



91-145-Size

(See Table: AL-3)



91-155-Dims

(See Table: AL-3)



91-156-

-1218L (12x18)..... 30.25

-1218R (12x18)..... 30.25

-1218LR (12x18)..... 30.25

-1218LRb (12x18)..... 14.72



91-163-

-1218-L (12x18)..... 30.25

-1218-R (12x18)..... 30.25

-1218-LR (12x18)..... 30.25



91-165-Dims

(See Table: AL-3)



91-164-Dims

(See Table: AL-3)



91-166-Size

(See Table: AL-3)



91-168-Dims

(See Table: AL-3)



91-169-Dims

(See Table: AL-3)



91-167-Dims

(See Table: AL-3)



91-170-Dims

(See Table: AL-3)



91-195-Size

(See Table: AL-3)



91-197-Size

(See Table: AL-3)



91-112-Dims

(See Table: AL-3)



91-110-Dims

(See Table: AL-3)



91-111-Dims

(See Table: AL-3)



91-113-Dims

(See Table: AL-3)



91-114-Dims

(See Table: AL-3)



91-115-Size
(See Table: AL-3)




91-116-Size
(See Table: AL-3)



91-134-Dims
(See Table: AL-3)



91-135-Dims
(See Table: AL-3)



91-136-Dims
(See Table: AL-3)



91-144-Size
(See Table: AL-3)



91-146-Dims
(See Table: AL-3)



91-147-Dims
(See Table: AL-3)



91-148-Dims
(See Table: AL-3)



91-149-Size
(See Table: AL-3)



91-150-Dims
(See Table: AL-3)



91-157-Dims
(See Table: AL-3)



91-158-Dims
(See Table: AL-3)



91-159-Dims
(See Table: AL-3)



91-160-Dims
(See Table: AL-3)



91-161-Dims
(See Table: AL-3)



91-162-Dims
(See Table: AL-3)



91-172-Dims
(See Table: AL-3)



91-175-Dims
(See Table: AL-3)



91-176-Dims
(See Table: AL-3)



91-177-Dims
(See Table: AL-3)



91-178-Dims
(See Table: AL-3)



91-179-Dims
(See Table: AL-3)



91-184-Dims
(See Table: AL-3)



91-185-Dims
(See Table: AL-3)



91-186-Dims
(See Table: AL-3)



91-187-Dims
(See Table: AL-3)



91-188-Dims
(See Table: AL-3)



91-192-Dims
(See Table: AL-3)




91-193-Dims
(See Table: AL-3)



91-182-Dims
(See Table: AL-3)



91-180-Dims
(See Table: AL-3)



91-196-Dims
(See Table: AL-3)



91-198-Size
(See Table: AL-3)



91-201-Dims
(See Table: AL-3)



91-205-Dims
(See Table: AL-3)



91-202-Dims
(See Table: AL-3)



91-181-Dims
(See Table: AL-3)

Includes signs from MUTCD chapters on Guide Signs (Series M, E), General Service (Series D) and General Information (Series I)



91-910A-Dims
(See Table: AL-3)



91-910B-Dims
(See Table: AL-3)



91-911A-Dims
(See Table: AL-3)



91-911B-Dims
(See Table: AL-3)



91-900-Size
(See Table: AL-3)



91-901-Size
(See Table: AL-3)



91-908A-Dims
(See Table: AL-3)



91-908B-Dims
(See Table: AL-3)



91-909A-Dims
(See Table: AL-3)



91-909B-Dims
(See Table: AL-3)



91-321-Dims
(See Table: AL-3)



91-903A-Dims
(See Table: AL-3)



91-903B-Dims
(See Table: AL-3)



91-904A-Dims
(See Table: AL-3)



91-904B-Dims
(See Table: AL-3)



91-902A-Dims
(See Table: AL-3)



91-902B-Dims
(See Table: AL-3)



91-905A-Dims
(See Table: AL-3)



91-905B-Dims
(See Table: AL-3)



91-906A-Dims
(See Table: AL-3)



91-906B-Dims
(See Table: AL-3)



91-907A-Dims
(See Table: AL-3)



91-907B-Dims
(See Table: AL-3)

Many, many more signs will be added soon!
Check our website for the latest updates!

ROCKART REFLECTIVITY RATINGS

- Engineering Grade
- Hi-Intensity Prismatic
- Diamond Grade
- Semi-Reflective
- Non-Reflective

ROCKART SIGN MATERIALS LEGEND

- Aluminum
- PolyFlex
- Sintra
- Magnetic
- Corrugated
- Di-Bond
- PolyCarbonate
- High-Density PolyEthylene

Includes signs from MUTCD chapters regarding specific areas or situations. This includes signs for School Zones (Series S), Temporary Traffic Control (TTC), and Emergencies (Series EM)



91-702-Size
(See Table: AL-3)



91-703-Dims
(See Table: AL-3)



91-704-Dims
(See Table: AL-3)



91-705-Size
(See Table: AL-3)



91-706-Size
(See Table: AL-3)



91-707-Size
(See Table: AL-3)



91-709-Size
(See Table: AL-3)



91-710-Size
(See Table: AL-3)



91-708-Dims
(See Table: AL-3)

Many, many more signs will be added soon!
Check our website for the latest updates!

Includes signs from MUTCD chapters on Warning Signs (Series W) and Object Markers (Series OM)



91-514-Dims
(See Table: AL-3)



91-515-Dims
(See Table: AL-3)



91-587-Size
(See Table: AL-3)



91-522-Size
(See Table: AL-3)



91-523-Size
(See Table: AL-3)



91-506-Size
(See Table: AL-3)



91-507-Size
(See Table: AL-3)



91-500-Size
(See Table: AL-3)



91-501-Size
(See Table: AL-3)



91-502-Size
(See Table: AL-3)



91-503-Size
(See Table: AL-3)



91-504-Size
(See Table: AL-3)



91-505-Size
(See Table: AL-3)



91-508-Size
(See Table: AL-3)



91-509-Size
(See Table: AL-3)




91-510-Dims
(See Table: AL-3)



91-511-Dims
(See Table: AL-3)



91-512-Dims
(See Table: AL-3)



91-513-Dims
(See Table: AL-3)



91-516-Size
(See Table: AL-3)



91-517-Size
(See Table: AL-3)



91-518-Size
(See Table: AL-3)



91-519-Size
(See Table: AL-3)



91-520-Size
(See Table: AL-3)



91-527-Size
(See Table: AL-3)



91-526-Size
(See Table: AL-3)



91-529-Size
(See Table: AL-3)



91-528-Size
(See Table: AL-3)



91-531-Size
(See Table: AL-3)



91-530-Size
(See Table: AL-3)



91-574-Size
(See Table: AL-3)



91-539-Size
(See Table: AL-3)



91-538-Size
(See Table: AL-3)



91-540-Size
(See Table: AL-3)



91-588-Size
(See Table: AL-3)



91-589-Size
(See Table: AL-3)



91-532-Size
(See Table: AL-3)



91-533-Size
(See Table: AL-3)



91-534-Size
(See Table: AL-3)



91-535-Size
(See Table: AL-3)



91-537-Size
(See Table: AL-3)



91-521-Size
(See Table: AL-3)



91-524-Size
(See Table: AL-3)



91-525-Size
(See Table: AL-3)



91-541-Size
(See Table: AL-3)



91-543-Dims
(See Table: AL-3)



91-542-Size
(See Table: AL-3)



91-545-Size
(See Table: AL-3)



91-548-Size
(See Table: AL-3)



91-549-Size
(See Table: AL-3)



91-550-Size
(See Table: AL-3)



91-551-Size
(See Table: AL-3)



91-552-Size
(See Table: AL-3)



91-553-Size
(See Table: AL-3)



91-554-Size
(See Table: AL-3)



91-555-Size
(See Table: AL-3)



91-556-Size
(See Table: AL-3)



91-557-Size
(See Table: AL-3)



91-558-Size
(See Table: AL-3)



91-559-Size
(See Table: AL-3)



91-560-Size
(See Table: AL-3)



91-561-Size
(See Table: AL-3)



91-562-Size
(See Table: AL-3)



91-563-Size
(See Table: AL-3)



91-564-Size
(See Table: AL-3)



91-565-Size
(See Table: AL-3)



91-566-Size
(See Table: AL-3)



91-567-Size
(See Table: AL-3)



91-570-Size
(See Table: AL-3)



91-571-Size
(See Table: AL-3)



91-573-Size
(See Table: AL-3)



91-586-Size
(See Table: AL-3)



91-585-Size
(See Table: AL-3)



91-568-Size
(See Table: AL-3)



91-569-Size
(See Table: AL-3)



91-572-Size
(See Table: AL-3)



91-575-Size
(See Table: AL-3)



91-576-Size
(See Table: AL-3)



91-577-Dims
(See Table: AL-3)



91-578-Dims
(See Table: AL-3)



91-579-Size
(See Table: AL-3)



91-580-Size
(See Table: AL-3)



91-581-Dims
(See Table: AL-3)



91-582-Size
(See Table: AL-3)




91-584-Dims
(See Table: AL-3)



91-590-Dims
(See Table: AL-3)




91-591
(See Table: AL-3)



91-536-Dims
(See Table: AL-3)



91-547-Dims
(See Table: AL-3)



91-546-Dims
(See Table: AL-3)



91-544-Dims
(See Table: AL-3)



91-583-Dims
(See Table: AL-3)

Many, many more signs will be added soon!
Check our website for the latest updates!

Signs for managing travel in and through areas with lower-volume, slower-speeds or non-motorized traffic.
 Note: Some signs in this category may NOT be MUTCD compliant!



92-2520 AL/EG 11.75x11.75x.08019.00



90-499-390-Size (See Table: AL-1)



90-330 AL/EG 24x12x.080 35.50



90-1085 AL/EG 24x12x.080 38.50



90-499-606 AL/EG 24x24x.080 72.00



90-499-647 AL/EG 18x18x.08040.75



92-1130 AL/EG 36x36x.125165.00



92-1699 AL/EG 24x24x.080 72.00



90-499-70 AL/EG 12x12x.08017.50



92-2553-12 AL/EG 12x12x.08018.50



92-2554-12 AL/EG 12x12x.080 18.50



92-2555-8 AL/EG 8x8x.08013.50



92-2556-8 AL/EG 8x8x.08013.50



92-2879 PC/EG 17.25x12x.188 22.50



92-2880 PC/EG 17.25x12x.188 22.50



92-1289 AL/EG 12x18x.080 28.00



90-767 PF/EG 12x12x.050 5.50



90-769 PF/EG 12x12x.0505.25



90-867 PF/EG 12x12x.0505.67



90-853 PF/EG 12x12x.0505.25



90-854 PF/EG 12x12x.0505.25



90-855 PF/EG 12x12x.0505.25



90-870 PF/EG 12x12x.0505.25



90-871 PF/EG 12x12x.0505.25



90-872 PF/EG 12x12x.0505.25



90-856 PF/EG 12x12x.0505.25



90-857 PF/EG 12x12x.0505.25



90-858 PF/EG 12x12x.0505.25



90-859 PF/EG 12x12x.0505.25



90-860 PF/EG 12x12x.0505.25



90-861 PF/EG 12x12x.0505.25



90-862 PF/EG 12x12x.0505.25



90-863 PF/EG 12x12x.0505.25



90-864 PF/EG 12x12x.0505.25



90-865 PF/EG 12x12x.0505.25



90-866 PF/EG 12x12x.0505.25



90-768 PF/EG 12x12x.0505.25



90-868 PF/EG 12x12x.0505.25



90-869 PF/EG 12x12x.0505.25

Signs bearing logos for well-known Trails, Groups or Organizations (i.e., Great Western Trail, etc).



90-404 PF/EG 3.25x3.875x.050 5.75



90-487 PF/EG 3.5x3.5x.050 7.00



90-748 PF/EG 3.5x3.5x.050 7.00



92-1822 PF/EG 3.5x3.5x.050 7.00



92-3202 AL/EG 3.5x3.5x.063 9.20

90-488 PF/EG 10x10x.050 9.00

92-1988 PF/EG 10x10x.050 9.00

92-1202 PF/EG 10x10x.050 9.00



90-392 PF/EG 3.5x3.5x.050 7.50



90-384-18 AL/EG 18x18x.080 33.00



92-2373 PF/EG 10x10x.050 Call



92-1282 PF/EG 3.5x3.5x.050 8.00



92-1283 PF/EG 3.5x3.5x.050 8.00



90-946 PF/EG 3.5x3.5x.050 7.00



90-398 PF/EG 3.5x3.5x.050 8.50

92-1284 PF/EG 10x10x.050 10.00

92-1285 PF/EG 10x10x.050 10.00

90-947 PF/EG 10x10x.050 9.00

90-454 PF/EG 3.5x3.5x.070 8.75

90-716 PF/EG 3.5x3.5x.110 9.00



92-1910 PF/EG 3.5x3.5x.050 8.00



92-1911 PF/EG 3.5x3.5x.050 8.00



92-1914 PF/EG 3.5x3.5x.050 8.00



92-1915 PF/EG 3.5x3.5x.050 8.00



92-1912 PF/EG 3.5x3.5x.050 8.00



92-1913 PF/EG 3.5x3.5x.050 8.00

92-1916 PF/EG 10x10x.050 10.00

92-1917 PF/EG 10x10x.050 10.00

92-1920 PF/EG 10x10x.050 10.00

92-1921 PF/EG 10x10x.050 10.00

92-1918 PF/EG 10x10x.050 10.00

92-1919 PF/EG 10x10x.050 10.00



92-2975-Size (See Table: AL-1)



92-2976-Size (See Table: AL-1)



92-2979-Size (See Table: AL-1)



92-2980-Size (See Table: AL-1)



92-2977-Size (See Table: AL-1)



92-2978-Size (See Table: AL-1)



92-1853-Size (See Table: AL-1)



90-378-Size (See Table: AL-1)



90-1132-Size (See Table: AL-1)



92-1852-Size (See Table: AL-1)



90-379-Size (See Table: AL-1)



92-1851-Size (See Table: AL-1)



92-1856	AL/EG	92-1855	AL/EG	92-2275	DB/EG	92-2812-	AL/EG
12x18x.080.....	28.00	12x18x.080.....	28.00	10x10x3mm.....	30.92	-3.5 (3.5x3.5).....	10.00
				90-783	DB/EG	-8 (8.2x8).....	CALL
				18x18x3mm.....	53.68	-18 (18x18).....	CALL



ROCKART Kiosk Sign Panels can be easily adapted for use with other structures. Any way you mount it... Always **Built to Last!**

TRAILBLAZERS

These colorful solid-color elongated-diamond shaped signs are used to color-code trails and may also include directional arrows. .



92-1287	PF/ EG	92-2360	PF/ EG	92-2361	PF/ EG	92-2166	PF/ EG	90-1131	AL/HIP	90-1130	AL/HIP
5x7x.050.....	2.00	5x7x.050.....	1.08	5x7x.050.....	1.08	5x7x.050.....	1.35	9x12x.080.....	8.04	9x12x.080.....	7.55

ROCKART

REFLECTIVITY RATINGS

Engineering Grade	Semi-Reflective
Hi-Intensity Prismatic	Non-Reflective
Diamond Grade	

ROCKART

SIGN MATERIALS LEGEND

Aluminum	Corrugated	High-Density PolyEthylene
PolyFlex	Di-Bond	
Sintra	PolyCarbonate	
Magnetic		

These colorful .050 thick **PF PolyFlex TrailBlazers** are lightweight, very durable, and are used to color, and can be installed onto trees or posts using Aluminum nails or screws.



PolyFlex® with Non-Reflective Arrow PolyFlex® with Reflective Arrow



PolyFlex® with Non-Reflective Arrow PolyFlex® with Reflective Arrow

SIZE	GRADE	ITEM NO.	AVAIL. COLORS	1-49	50-99	100+	
3 x 6		90-562-Color		2.00	1.60	1.07	
4" Dia		92-1010-Color		3.00	2.65	1.65	
SIZE	GRADE	ITEM NO.	AVAIL. COLORS	1-249	250-499	500-999	1000+
5 x 7		90-469-Color		1.03	.95	.86	.80
		90-460-Color		1.03	.95	.86	.80
		90-461-Color		1.03	.95	.86	.80
		90-468-Color		.82	.70	.64	.58
		90-462-Color		.96	.89	.80	.73
		90-463-Color		.96	.89	.80	.73
9 x 12		90-464-Color		2.13	1.88	1.72	1.58
		90-465-Color		2.13	1.88	1.72	1.58
		90-711-Color		1.59	1.34	1.21	1.07
		90-466-Color		1.88	1.64	1.48	1.33
		90-467-Color		1.88	1.64	1.48	1.33


REMINDER: When ordering, please be sure to replace **Color** in the Item # with the 2-digit number indicating the color you want (from the choices shown in the Avail. Colors column).

ROCKART


PRODUCT COLOR CODES (##)

- 00 White
- 04 Red
- 08 Gray
- 01 Brown
- 05 Blue
- 09 Black
- 02 Yellow
- 06 Green
- 10 Gold
- 03 Orange
- 07 Violet
- 11 Purple

WITH REFLECTIVE ARROWS




90-460-Color
5 x 7
.050 **PF**/



90-461-Color
5 x 7
.050 **PF**/



90-464-Color
9 x 12
.050 **PF**/




90-465-Color
9 x 12
.050 **PF**/

WITH NON-REFLECTIVE ARROWS




90-462-Color
5 x 7
.050 **PF**/



90-463-Color
5 x 7
.050 **PF**/



90-466-Color
9 x 12
.050 **PF**/



90-467-Color
9 x 12
.050 **PF**/


PolyFlex

Blank PolyFlex Trail Reassurance Markers
(Non-Reflective)

Our rectangular .050 thick PolyFlex Trail Reassurance Markers are lightweight, durable, easily visible, and they mount easily to trees or posts with aluminum nails or screws.



90-562-Color
3 x 6
.050 **PF**/



90-468-Color
5 x 7
.050 **PF**/



90-711-Color
9 x 12
.050 **PF**/

PolyFlex
Trail Marker Discs
(Non-Reflective)



92-1010-Color
4" Dia.
.050 **PF**/

PolyFlex
PolyFlex TrailBlazers
with White Reflective Border



90-469-Color
5 x 7
.050 **PF**/

Travel Management Signs are used to control the various types of travel through or within a particular location, area, trail, road, etc. These signs typically have multiple "blank zones" in which same-sized decals may be overlaid (applied directly to the face of the sign) thus building a cohesive message.

Some of these signs are 'pre-populated' and are ready for use. Others are mostly empty except for tiny 'corner marks' that highlight each blank zone wherein a decal can be applied.


Any decal used to fill a blank zone to these signs should match the

size of the zone, covering it completely. When looking for decals that are compatible with these signs, check the following subcategories (in the Decal Section of this catalog) :

- Restricted / Permitted Travel / Activities
- Date Ranges or Conditions
- Reasons for the Restrictions/ Closures
- Difficulty Levels

See the example below to learn how to create a Customized Travel Management sign!

Creating a Customized Travel Management Sign



1. Select a **Travel Management Sign Blank** (see following page) that best matches the size & layout requirements of your application.
2. Browse our extensive library of decals and strip decals to compose your messaging as needed. Don't forget to use decals that show permitted / restricted activities when applicable.
3. After your order arrives, it's a good idea to do a 'dry-run' by laying the sign blank on a flat, clean surface, face up. Place each (unapplied) decal over each zone you intend to cover. Check to ensure your message is clear, and will be understood, as intended.
4. If everything is good to go, simply apply each decal into its respective zone (as previously planned in the last

- step). Use the tiny corner marks around each zone as a guide to ensure they are applied straight.
5. Your Customized Travel Management Sign is ready to install!

s

ROCKART	REFLECTIVITY RATINGS
Engineering Grade	Semi-Reflective
Hi-Intensity Prismatic	Non-Reflective
Diamond Grade	

ROCKART	SIGN MATERIALS LEGEND
Aluminum	Corrugated
PolyFlex	Di-Bond
Sintra	PolyCarbonate
Magnetic	High-Density PolyEthylene

92-1687-EG AL/EG 18x24x.080..... 54.00	90-104-B AL/EG 18x24x.080..... 54.00	92-2319 AL/EG 12x18x.080..... 28.00	92-2302 AL/EG 12x18x.080..... 17.75	90-204 AL/EG 18x24x.080..... 54.00	90-987 AL/EG 18x24x.080..... 54.00
92-1687 AL/EG 18x24x.080..... 58.50					

92-2200-1 AL/EG 12x18x.080..... 28.00	92-2200-2 AL/EG 12x18x.080..... 28.00	92-2200-3 AL/EG 11.75x11.75x.080 17.50	92-2200-5 AL/EG 18x24x.080..... 54.00	92-2200-6 AL/EG 18x24x.080..... 54.00	92-2200-7 AL/EG 18x24x.080..... 54.00	92-2200-8 AL/EG 18x24x.080..... 54.00

92-2200-10 AL/EG 18x12x.080..... 28.00	92-2200-11 AL/EG 18x24x.080..... 54.00	92-2200-12 AL/EG 18x24x.080..... 54.00	92-2200-13 AL/EG 18x24x.080..... 54.00	92-2200-14 AL/EG 18x24x.080..... 54.00	92-2200-16 AL/EG 18x24x.080..... 54.00	92-2200-17 AL/EG 24x18x.080..... 54.00

92-2200-18 AL/EG 24x30x.080..... 85.50	92-2200-19 AL/EG 24x18x.080..... 54.00	92-2200-20 AL/EG 24x18x.080..... 54.00	92-2200-21 AL/EG 24x36x.125 62.50	92-2200-22 AL/EG 24x24x.080 69.00	92-2200-23 AL/EG 24x24x.080 69.00	92-2200-24 AL/EG 36x24x.125 89.00

92-2200-25 AL/EG 48x36x.125 Call

v20jul07

Online: www.RockartSigns.com
Email: Sales@RockartSigns.com

ROCKART
SIGNS AND MARKERS

Phone: 480-854-3400
Fax: 480-832-6390
Toll-Free: 877-718-7446



92-2124 AL/EG 12x18x.080..... 28.00



90-884 AL/EG 12x18x.080..... 28.00



90-499-860 AL/EG 20x24x.080..... 66.50



90-499-642 AL/EG 12x18x.080..... 28.00



92-1044 PF/EG 18x21x.110..... 18.00



92-1105 AL/EG 18x24x.080..... 54.00



92-1983 AL/EG 12x12x.080..... 19.00



92-1968 AL/EG 12x12x.080..... 17.50



92-2024 PF/EG 12x18x.050..... 25.45



92-1997 AL/EG 18x24x.080..... 54.00



90-348 AL/EG 12x18x.080..... 28.00



90-499-573 AL/EG 12x18x.080..... 28.00



90-313-12-A AL/EG 12x12x.080..... 19.00



90-312 AL/EG 12x12x.080..... 19.00



92-3367 AL/EG 12x18x.080..... 28.00



92-3211 PF/EG 12x18x.110..... 11.67



92-3121 AL/HIP 12x18x.080..... 30.25



90-499-262 AL/EG 18x24x.080..... 54.00



92-2771 AL/EG 36x24x.080..... 89.00



92-3409 AL/EG 18x24x.080..... 54.00



92-3420 AL/EG 11.75x11.75x.080..... 19.00



90-1116 AL/HIP 12x18x.080..... 36.50



90-1117 AL/HIP 12x18x.080..... 36.50



90-1118 AL/HIP 12x18x.080..... 21.00



92-1104 AL/EG 18x24x.080..... 54.00



92-1106 AL/EG 18x24x.080..... 54.00



90-1093 AL/HIP 12x18x.080..... 30.25



90-499-519 AL/EG 12x18x.080..... 28.00



90-499-520 AL/EG 12x18x.080..... 28.00



92-3137 AL/EG 18x24x.080..... 54.00



92-2892 AL/HIP 12x18x.080..... 30.25

Signs that communicate allowed or prohibited activities within an area. They may include specific conditions or other qualifiers (such as start/ending calendar dates, times, seasons, weather conditions, etc)



92-2241 AL/EG
18x18x.080.....40.75



92-2158 AL/HIP
48x36x.125.....210.50



92-3245-16 AL/HIP
40x24x.125.....153.00



10-280-Size
(See Table: AL-1)




90-499-498 AL/EG
12x18x.080.....28.00



90-499-926 AL/EG
8x8x.080.....12.00



92-1538 AL/EG
13x8x.080..... Call



92-2159 AL/HIP
18x24x.080.....58.50



90-842-Size
(See Table: AL-1)



90-843-Size
(See Table: AL-1)



90-844-Size
(See Table: AL-1)



90-1141 PF/~~EG~~
9x12x.050.....5.50



92-1452 PF/~~EG~~
18x18x.110.....18.48



92-2188 PF/~~EG~~
44x16x.024.....39.92



10-763-Size
(See Table: AL-1)



92-2931 PF/~~EG~~
18x12x.110.....11.67



10-1024-Size
(See Table: AL-1)



90-499-763 AL/EG
18x24x.080.....54.00



90-984 PF/~~EG~~
12x18x.070.....8.50





92-1016 PF/SL
12x18x.070.....10.50



92-1638 PF/SL
12x18x.070.....10.50



92-2656 PF/SL
12x18x.070.....6.68



93-1142 HDRE/SL
26.5x26.5x.75266.00



92-2930 PF/SL
12x18x.11011.67



90-1044 PF/SL
12x9x.050.....7.18



92-1017 PF/SL
12x18x.070.....9.00



90-847-Size
(See Table: AL-1)



90-360 AL/EG
18x21x.08032.50



90-1045 PF/SL
12x12x.050.....5.75





90-1046 PF/EG 8x11x.050.....7.25



90-311-12-A AL/EG 12x12x.080.....19.00



90-499-820 AL/EG 12x12x.080.....17.50



90-499-821 AL/EG 12x12x.080.....17.50



90-949 PF/EG 12x18x.110.....9.75



90-740 PF/EG 8x11x.050.....5.50



90-499-724 AL/EG 24x24x.080.....69.00



90-709 AL/EG 10x7x.063.....7.75



90-808 PF/EG 12x18x.070.....8.50



92-1151 AL/EG 18x18x.080.....40.75



90-314-Size (See Table: AL-1)



92-1604 PF/EG 7x6x.050.....5.50



92-2745 AL/EG 18x12x.080.....27.00



90-357 AL/EG 10x7x.032.....11.00



90-355 AL/EG 10x7x.032.....11.00



90-499-356 AL/EG 12x12x.080.....17.50



92-1703 AL/EG 10x7x.032.....8.50



92-1700 AL/EG 10x7x.032.....8.50




92-2342 PF/EG 8x8x.050.....12.80



92-2343 PF/EG 8x10x.050.....Call



92-2653 AL/EG 10x7x.032.....Call



92-2515 PF/EG 3x4x.070.....4.08



92-2516 PF/EG 12x10x.070.....24.72



92-2654 AL/EG 10x7x.032.....10.83



92-2516-1 PF/EG 12x10x.070.....00



90-781 PF/EG 8x11x.050.....7.25



90-1123 AL/EG 24x24x.080.....69.00



90-499-157 AL/EG 18x3x.080.....Call



90-499-623 AL/EG 12x18x.080.....28.00



90-499-764 AL/EG 18x18x.080.....40.75



92-1074 AL/EG 24x18x.080.....54.00



92-1117 AL/EG 8x11x.080.....Call



92-1244 PF/EG 8x11x.050.....7.00



93-1041 HDPE/EG 18x24x.75.....126.53



92-2007 AL/EG 12x18x.080.....28.00



92-2836 AL/HIP 36x18x.125.....83.25



92-2828 AL/HIP 28x18x.125.....67.00



92-2294 PC/EG 12x18x.188.....29.60



92-3332-1 AL/HIP 12x18x.080.....30.25



90-499-202 AL/EG 18x18x.080.....40.75



60-334-Size (See Table: AL-1)



90-499-595 AL/EG 36x24x.080.....Call



90-499-643 AL/EG 24x18x.080.....54.00



90-499-651 AL/EG 18x24x.080.....54.00




92-1080 AL/EG 12x18x.080.....28.00




92-1778 AL/EG 11x8x.080.....Call



92-1923 AL/EG 8x4x.080.....7.50



92-2572 AL/EG 18x12x.080.....26.00



92-2884 PF/EG 12x18x.050.....9.32



92-2494 AL/EG 18x18x.080.....40.00



92-3188 AL/EG 24x12x.080.....35.50



90-839-Size (See Table: AL-1)



92-1006 PF/EG 6x9x.110.....6.50



92-2122 PC/EG 6x6x.188.....8.50



10-238-Size (See Table: AL-1)



10-287-Size (See Table: AL-1)



90-499-171 AL/EG 18x18x.080.....40.75



92-2327 AL/EG 7.75x11x.080.....17.50



92-2335 AL/EG 7.75x11x.080.....17.50



92-2152 AL/HIP 18x24x.080.....58.50



92-2003 AL/EG 12x12x.080.....17.50



90-402 AL/EG 18x12x.080.....28.00



90-997 AL/EG 18x18x.080.....40.75



90-499-154 AL/EG 36x18x.125.....79.50



90-499-496 AL/EG 48x24x.125.....Call



90-499-902 AL/EG 18x12x.080.....28.00



90-499-904 AL/EG 60x24x.080.....Call



90-499-905 AL/EG 60x24x.125.....129.00



90-499-918 AL/EG 18x12x.080.....28.00



90-499-924 AL/EG 24x18x.080.....54.00



90-782 AL/EG 18x24x.080.....54.00



92-1014 AL/EG 28x20x.080.....Call



92-1116 AL/EG 48x18x.080.....Call



92-1155 AL/EG 12x12x.080.....17.50



92-1189 AL/EG 24x24x.080 69.00



92-1408 AL/EG 12x18x.080 28.00



92-1347 AL/EG 24x32x.080 61.00



92-1101 AL/EG 18x24x.080 54.00



92-2277 PF/EG 12x18x.070 9.32



92-3349 PC/EG 12x18x.188 28.00



92-1898 AL/EG 36x18x.125 83.25



92-2717 PF/EG 12x18x.050 9.32



92-2544 AL/EG 48x20x.125 145.00



92-2614-12 AL/EG 11.75x11.75x.080 17.50



92-2881 AL/EG 12x24x.080 38.50



92-2837 AL/EG 12x18x.080 30.25



92-2846 AL/EG 18x24x.080 58.50



92-3260 AL/EG 18x24x.080 57.00



92-3332-3 AL/EG 12x18x.080 30.25



90-837-Size (See Table: AL-1)



90-838-Size (See Table: AL-1)



92-3211 PF/EG 12x18x.110 11.67



92-3294 AL/EG 12x18x.080 28.00



90-841-Size (See Table: AL-1)



92-2169 AL/EG 5.875x5.875x.063 9.50



90-846-Size (See Table: AL-1)



92-2192 PC/EG 18x12x.188 25.50



90-845-Size (See Table: AL-1)



92-1067 PF/EG 18x12x.110 11.67



92-2477 AL/EG 11.75x11.75x.080 17.50



92-2044 AL/EG 18x12x.080 Call



60-224-Size (See Table: AL-1)



10-223-Size (See Table: AL-1)



90-445 AL/EG 12x18x.080.....28.00



90-499-822 AL/EG 12x12x.080.....17.50



92-1252 AL/EG 12x18x.080.....28.00



92-2290 AL/HIP 24x18x.080.....58.50



92-2628 AL/EG 11.75x11.75x.080.....19.00



10-775-Size (See Table:..... AL-1)



90-1089 PF/EG 4x4x.050.....3.50



90-499-952 AL/EG 8x4x.080.....Call



90-499-977 AL/EG 6x6x.063.....9.50



92-1000 PF/EG 6x6x.070.....3.75



92-1124 AL/EG 5.5x8x.080.....Call



92-2242 PF/EG 5x8x.050.....6.10



92-1536 PC/EG 18x12x.1875.....25.50



90-349 AL/EG 48x48x.080.....Call



92-1903 AL/EG 18x18x.080.....40.75




92-1961 AL/EG 18x12x.080.....28.00



92-2708 AL/EG 8x4x.080.....19.00



92-2690 PF/EG 12x18x.070.....14.45



92-2693 PF/EG 12x18x.050.....9.32



90-741 PF/EG 8x11x.050.....5.50



90-499-676 AL/EG 18x24x.080.....54.00



92-2721 AL/EG 7.75x11x.080.....14.50



90-1024 AL/EG 11x8x.063.....14.51



90-499-20 AL/EG 12x18x.080.....28.00



92-2248 AL/EG 7.75x7.75x.080.....12.00



92-2274 AL/HIP 18x18x.080.....44.50



92-2022 AL/EG 12x18x.080.....28.00



92-1837 AL/EG 24x12x.080.....35.50



92-1941 AL/EG 12x18x.080.....28.00



10-1004-Size (See Table:..... AL-1)



10-969-Size (See Table:..... AL-1)



10-1044-Size (See Table:..... AL-1)



10-1009-Size (See Table:..... AL-1)



10-1052-Size (See Table:..... AL-1)



10-1053-Size (See Table:..... AL-1)



92-2402 AL/~~EG~~
12x9x.063.....24.60



92-2403 AL/~~EG~~
12x9x.063.....24.60



92-2030 AL/~~EG~~
12x9x.063..... 8.50



92-1305 AL/~~EG~~
30x24x.080..... 85.50



92-3170 AL/~~EG~~
18x12x.080..... 28.00



ROCKART	REFLECTIVITY RATINGS
Engineering Grade	Semi-Reflective
Hi-Intensity Prismatic	Non-Reflective
Diamond Grade	

ROCKART	SIGN MATERIALS LEGEND
Aluminum	Corrugated
PolyFlex	Di-Bond
Sintra	PolyCarbonate
Magnetic	High-Density PolyEthylene

Online: www.RockartSigns.com
Email: Sales@RockartSigns.com

ROCKART
SIGNS AND MARKERS

Phone: 480-854-3400
Fax: 480-832-6390
Toll-Free: 877-718-7446

Signs for warning users / bringing awareness to the possible presence of unforeseen dangers.



92-1329 AL/HIF 30x30x.080.....110.00
 92-2413 AL/HIF 12x18x.080..... 32.60
 92-2720 AL/HIF 36x36x.125170.00
 92-2691 AL/HIF 24x36x.080106.00



92-2692 PF/EG 12x18x.050.....9.32
 92-2497 AL/HIF 12x18x.080.....28.00



92-2982 AL/EG 10x7x.032.....10.83



90-362 AL/EG 24x24x.080 69.00



90-370 AL/HIF 36x36x.125165.00



90-371 AL/HIF 36x36x.125165.00



90-448 PF/EG 10x8x.050..... 5.50



90-499-302 AL/HIF 48x30x.125.....174.75



90-499-182 AL/EG 18x18x.080.....40.75



90-499-635 AL/EG 14x10x.080 Call



90-499-662 AL/EG 12x12x.08017.50



90-499-719 AL/HIF 36x36x.080119.00



90-499-720 AL/EG 12x12x.08019.00



90-763-12 AL/EG 12x12x.08019.00



90-953 AL/EG 12x12x.08019.00




90-499-112 AL/EG 18x24x.080..... 54.00




90-499-828 AL/EG 18x14x.080..... Call



90-766-18 AL/EG 18x18x.080.....40.75




92-1039 AL/HIF 12x18x.080..... 30.25



92-1043 AL/EG 24x36x.080 Call



92-1127 AL/HIF 36x36x.125165.00



92-1133 AL/HIF 24x36x.080 Call



92-1169 AL/EG 12x12x.08019.00



92-1203 AL/HIF 36x36x.125165.00






						
92-1212 AL/EG 12x12x.080 19.00	92-1302 DB/EG Call 12x18x.086 19.00	92-1593 PF/EG 12x18x.050 9.32	92-1586 AL/EG 12x18x.080 28.00	92-1570 AL/EG 12x18x.080 28.00	92-1433 AL/EG 18x18x.080 40.75	92-1389-18 AL/EG 18x18x.080 44.50

				
92-1309 AL/EG 18x18x.080 40.75	92-1320 AL/EG 12x12x.080 19.00	92-1955 AL/EG 12x12x.080 19.00	92-1711 AL/EG 10x7x.032 8.50	92-1715 AL/EG 10x7x.032 8.50









			
92-1716 AL/EG 10x7x.032 8.50	92-1717 AL/EG 10x7x.032 8.50	92-1718 AL/EG 10x7x.032 8.50	92-1719 AL/EG 10x7x.032 8.50

					
92-1704 AL/EG 10x7x.032 8.50	92-1769 AL/EG 36x24x.125 129.50	92-2132 AL/EG 7.75x7.75x.080 17.00	92-2344 PC/EG 24x24x.188 62.00	92-1139 AL/EG 12x18x.080 28.00	92-2400 AL/EG 18x24x.080 54.00
					
92-2240 AL/EG 18x24x.080 54.00	92-1962 AL/EG 60x24x.080 126.00	92-2161 AL/EG 5x5x.080 00			

ROCKART REFLECTIVITY RATINGS

 Engineering Grade	 Semi-Reflective
 Hi-Intensity Prismatic	 Non-Reflective
 Diamond Grade	

ROCKART SIGN MATERIALS LEGEND

 Aluminum	 Corrugated	 High-Density PolyEthylene
 PolyFlex	 Di-Bond	
 Sintra	 PolyCarbonate	
 Magnetic		



92-2886 PF/EG 9x12x.110..... 23.10



92-2958 CG/EG 18x24..... 39.00



92-3197 AL/EG 12x18x.080..... 28.00




92-3198 AL/EG 12x18x.080..... 28.00



92-3199 AL/EG 12x18x.080..... 28.00



92-3200 AL/EG 11.75x11.75x.080.....17.50



92-3125 AL/EG 24x12x.080..... 35.50



92-2463 AL/HIP 52x28x.125.....163.00



92-3317 PF/EG 10x12x.050..... 16.07



90-847-Size (See Table: AL-1)



92-3046 AL/EG 24x24x.080..... Call



92-1793 AL/HIP 16x8x.080..... 16.78



90-899 AL/EG 8x10x.032.....11.50



90-998 AL/EG 8x11x.032..... 8.00



60-229-Size (See Table: AL-1)



90-499-971 AL/HIP 24x24x.080..... 72.00



92-1254 PF/EG 12x12x.050..... 6.00



92-1255 PF/EG 12x12x.050.....9.75



90-499-927 AL/EG 12x12x.080..... 19.00



92-2833 AL/EG 24x18x.080..... 54.00



92-3147 AL/EG 12x18x.080..... 28.00



90-1000 PF/EG 12x18x.110.....15.77



90-1000-A AL/EG 12x18x.080..... 28.00



92-1639 PF/EG 12x12x.050..... 6.00



93-1064 HDPE/EG 24x30x.75.....160.00



92-1568 AL/EG 12x18x.080..... 28.00



92-2033 AL/EG 7.75x11x.080..... 20.50



92-2171 AL/EG 11.75x11.75x.080.....17.50



92-2170 AL/EG 11.75x11.75x.080.....17.50



90-758 PF/EG 8x10x.050..... 5.50



92-1019 AL/EG 24x24x.080..... Call



60-200-Size (See Table: AL-1)




90-499-310 AL/EG 12x18x.080..... 28.00




92-2252 AL/EG 12x12x.080.....17.50




90-1025 PF/EG 12x18x.050.....9.32



90-1033 PF/EG 12x18x.050.....9.32



90-403 AL/EG 12x18x.080.....28.00




90-450 AL/EG 12x18x.080.....28.00



90-499-562 AL/EG 12x18x.080.....28.00



90-499-650 AL/EG 12x18x.080.....28.00



90-700 AL/EG 12x18x.080.....28.00




90-727 PF/EG 18x12x.024.....5.50



90-893 AL/EG 12x18x.080.....28.00



92-1592 PF/EG 12x18x.050.....9.32




92-1591 PF/EG 12x18x.050.....9.32



92-3382 PF/EG 12x18x.050.....9.32



92-1590 PF/EG 12x18x.050.....9.32



92-1540 AL/EG 12x18x.080.....28.00



92-1539 AL/EG 12x18x.080.....28.00



92-2757 AL/AF 54x16x.125.....110.50



90-358 AL/EG 20x14x.080.....Call



90-499-366 AL/EG 12x18x.080.....28.00



92-1301 AL/AF 48x48x.125.....Call



92-1324 AL/AF 24x18x.080.....58.50




92-1680 PF/EG 12x18x.110.....17.00



92-1875 PF/EG 12x18x.110.....11.67



92-1464 AL/AF 30x30x.080.....110.00



92-1679 PF/EG 12x18x.110.....Call



92-1323 AL/AF 24x18x.080.....58.50



92-1352 PF/EG 12x18x.070.....8.50



92-1684 AL/AF 24x24x.080.....58.00



92-3371 AL/AF 48x48x.080.....Call



92-3381-24 (24x24) AL/AF 72.00
-36 (36x36) 165.00



92-3407 AL/AF 24x18x.080.....58.50

These uniquely-shaped signs are used by various U.S. agencies to identify the areas under their management. These signs are grouped by their usage type (as specified by the US Forest Service Manual).

You may encounter these signs when travelling along a major or minor boundary of a National Forests, campgrounds, recreation areas, administrative sites, routes and other well-known points of interest.

RECREATION SITE ID SIGNS • RS, RSM1, RSM2, RSE SERIES



- RSE-
- 1(30 x 14)..... CALL
 - 2(48 x 20)..... CALL
 - 3(60 x 24)..... CALL
 - 4(72 x 28)..... CALL



- RSM1-
- 1(48 x 30)..... CALL
 - 2(63 x 40)..... CALL
 - 3(78 x 48)..... CALL
 - 4(93 x 60)..... CALL



- RSM2-
- 1(48 x 36)..... CALL
 - 2(63 x 48)..... CALL
 - 3(78 x 60)..... CALL
 - 4(93 x 72)..... CALL



- RS-
- 1(48 x 30)..... CALL
 - 2(63 x 40)..... CALL
 - 3(78 x 48)..... CALL
 - 4(93 x 60)..... CALL

NATIONAL RECREATION AREA SIGNS • NRA-REC SERIES



- NRA-Rec-
- 1(48 x 36)..... CALL
 - 2(63 x 48)..... CALL
 - 3(78 x 60)..... CALL
 - 4(93 x 72)..... CALL

SITE APPROACH SIGNS • SA-1, SA-2 SERIES



- SA-
- 1a(38 x 40)..... CALL
 - 2b(48 x 52)..... CALL



- SA-
- 1e(38 x 40)..... CALL
 - 2f(48 x 52)..... CALL



- SA-
- 1g(38 x 40)..... CALL
 - 2h(48 x 52)..... CALL

ENTERING / LEAVING SIGNS • NRA-E, NRA-L SERIES



ASL-, ASR-
 -1 (54 x 36)..... CALL
 -2 (72 x 48)..... CALL
 -3 (108 x 72) CALL
 -4 (144 x 96)..... CALL



NRA-E-, NRA-L-
 -1 (54 x 36)..... CALL
 -2 (72 x 48)..... CALL
 -3 (108 x 72) CALL
 -4 (144 x 96)..... CALL



ASL-, ASR-
 -1 (54 x 36)..... CALL
 -2 (72 x 48)..... CALL
 -3 (108 x 72) CALL
 -4 (144 x 96)..... CALL



M1-7-
 -18 (18 x 18)..... CALL
 -24 (24 x 24)..... CALL


BLM STATE ILLUSTRATIONS



Alaska



Montana-Dakotas




Arizona



Nevada




California



New Mexico



Colorado



Oregon-Washington



Eastern States



Utah



Idaho



Wyoming

MESSAGE CENTER KIOSKS™

ROCKART® QUALITY & Built to Last!

03-450-L
2-Panel, Left-Angled Shed Roof Kiosk

03-550-6
Brochure Box Add-On

03-603-4848
48x48, Single sided, Fully-Enclosed Sign Panel



Tamper-Resistant Construction



Proudly Made in the U.S.A.

Recyclable



Made from Recycled Materials

Sign Panels not included – See Page 164.
Call 877-718-7446 for Pricing

ROCKART® Message Center Kiosks are manufactured locally by our team of professionals using high-quality materials and are always **Built to Last!**

Full-sized kiosks will accept 1 to 4 Sign Panels, arranged in a straight or angled layout. We also have 4-sided Kiosk models.

Choose from three roof styles: Shed, Gable or No Roof. Most roofed Kiosk models can be ordered with the option for simulated green or

brown shingles to give it a cabin-like aesthetic.

Add new capabilities to any new or existing installation with **ROCKART® Add-on Accessories**.

Compatible with **ROCKART® Message Center Sign Panels** (sold separately, see [Page 164](#)).

Built to Last!

- + Vertical Supports (legs) made from: 5x5 or 6x6 (.188" thick) Steel-Tube
-or-
.375" thick FiberGlass (for **Coastal** Kiosk models)
- ✓ Powder Coat finish (Rust Texture) on all exposed surfaces for durability and longevity*
- ✓ Slotted Steel sign panel mounting tabs allow mounted sign panel to expand/contract as seasonal temperatures change
- ✓ **ROCKART®** Sign Panels (sold separately, see [Page 164](#))
- ✓ **Coastal** Kiosk models are corrosion-resistant*
- 🔒 Tamper-Resistant mounting hardware
- 🔒 Can withstand most small-to-medium caliber firearms (damage sustained is often cosmetic)
- ♻️ Environmentally Friendly: Made using mostly recycled materials and is partially recyclable*

Additional Features / Options

- + *Optional:* Simulated Shingles (in Brown or Green) for Roofed models*
- + *Optional:* Ask us how you can collect Visitor Fees securely with a built-in **Kiosk Rock Ranger** Fee Collection Box!

Post-Installation Add-On Accessories

- + Inform/Engage visitors with printed maps/literature with an **Add-on Brochure Box!**
- + Track Visitors with an **Add-On Registration Box!**
- + Keep visitors informed of important usage rules and current information

Installation & Maintenance

- ✓ Touch-Up Paint available
- ✓ Replacement parts are always kept in stock
- ✓ Well-written, fully-illustrated guide makes installation & maintaining easy
- ✓ Installation Support by phone/email
- ✓ Ask about **ROCKART®** Kiosk Installation Service

Kiosk Sign Panel Features & Options

- + Sign Panel base material (substrate) options:
 - **HDPE** (default material)
 - **BioMass**
 - **GlasRoc**
- + Single or Double-Sided displays
- ✓ Graphic content can be swapped out in 15 minutes or less
- 🔒 Tamper-Resistant Features*
- 🔒 Content secured using special Key* (included)
- 🔒 Content is fully enclosed (protected on all sides)*
- + UV Protective Laminate for Graphics* (optional)
- + Graffiti-Resistant Laminate Overlay* (optional)
- + Routed Text for Header/Footers* (optional)

Options to Consider Before Ordering

By first deciding the sizes (dimensions) and count of Sign panels your project requires, will make choosing remaining options easier (because some options are mutually exclusive).

- ✍️ Compute the size requirements of the content to be displayed:
 - Choose a sign panel size that can contain content
 - How many sign panels: 1, 2, 3 or 4
 - Will you need to display content on both front & back sides?
- ✍️ Select a suitable Kiosk floorplan/layout:
 - Straight (inline)
 - Angled
 - 4-Sided (square)
 - Single-Post
- ✍️ Select a Roof Type and Shingling Options
 - Shed, Gable or Non Roof
 - Shingle Colors: Brown or Green
 - Roof Aesthetics: Simulated shingling or Plain?
- ✍️ Would your kiosk benefit from any of these Options/Add-ons?
 - Integrated Fee Collection Box (build option)
 - Fee Envelope Storage (Add-on)
 - Guest Registration Box (Add-on)
 - Comment/Suggestion Box (Add-on)
 - Brochure/Literature Box (Add-on)

*Applies only to specific models



03-420
1-Panel, Straight
62"W x 90"H x 62"D



03-441
2-Panel, Straight
124"W x 95"H x 62"D



03-442
3-Panel, Straight
178"W x 95"H x 62"D



03-444
4-Panel, Straight
232"W x 95"H x 62"D



03-422-WOS
1-Panel (72x48 Sign Panels)
92"W x 95"H x 62"D




03-562
1-Panel (36x48 Sign Panels)
56"W x 95"H x 62"D



03-740
4-Panel
83.5"W x 95"H x 83.5"D

See Full Page Product Brochure for #03-740 on Page 192



Important Kiosk Installation Note

ROCKART strongly recommends using our 3 piece Aluminum Assembly Fixtures during kiosk installation. They are used as temporary "place holders" for each sign panel. They maintain critical spacing between posts and help to secure the kiosk in place during installation. They weigh much less than actual kiosk sign panels and are easier to handle.

Don't risk possible injury to the installers or damage to your Kiosk Sign Panels!

ROCKART will refund the Security Deposit (less shipping costs) back to you once the fixture(s) have been returned back to ROCKART (in usable condition). For this reason, please retain the original shipping boxes! See Page 169 for details.

Use ONE Assembly Fixture PER Kiosk Sign Panel.

Sign Panels not included – See Page 164.
Call 877-718-7446 for Pricing

6X6" STEEL-TUBE – STRAIGHT



03-440
1-Panel, Straight
62"W x 97"H x 42"D



03-457
2-Panel, Straight
117"W x 97"H x 42"D



03-459
3-Panel, Straight
172"W x 97"H x 42"D



03-461
4-Panel, Straight
226"W x 97"H x 42"D


6X6" STEEL-TUBE – ANGLED




03-563
1-Panel (36x48 Sign Panels)
56"W x 97"H x 42"D



03-450-L
2-Panel, Angled
113"W x 97"H x 58"D




03-460
3-Panel, Angled
173"W x 97"H x 58"D



03-470
4-Panel, Angled
228"W x 97"H x 58"D



Sign Panels not included – See Page 164.
Call 877-718-7446 for Pricing






Important Kiosk Installation Note

ROCKART strongly recommends using our 2 piece Aluminum Assembly Fixture to aid installation of Non-Roof kiosks. They maintain critical spacing between posts and help to secure the kiosk during installation. They weigh much less than actual kiosk sign panels and are much easier to handle. See [Page 169](#) for details.

Don't risk possible injury to the installers or damage to your Kiosk Sign Panels.

Use ONE Assembly Fixture PER Kiosk Sign Panel.



6X6" STEEL-TUBE – ANGLED



03-432-L
2-Panel, Angled
117"W x 78"H x 26"D



03-433
3-Panel, Angled
172"W x 78"H x 26"D



03-435
4-Panel, Angled
226"W x 78"H x 26"D

6X6" STEEL-TUBE – STRAIGHT



03-431
1-Panel, Straight
62"W x 78"H x 6"D



03-465
2-Panel, Straight
117"W x 78"H x 6"D



03-466
3-Panel, Straight
172"W x 78"H x 6"D



03-468
4-Panel, Straight
226"W x 78"H x 6"D

5X5" STEEL-TUBE – ANGLED & 4-SIDED



03-492-L
2-Panel, Angled
108"W x 78"H x 26"D



03-493
3-Panel, Angled
157"W x 78"H x 26"D



03-495
4-Panel, Angled
211"W x 78"H x 26"D



03-742
4-Panel
60"W x 78"H x 60"D

5X5" STEEL-TUBE – STRAIGHT



03-491
1-Panel, Straight
60"W x 78"H x 5"D



03-596
2-Panel, Straight
114"W x 78"H x 5"D



03-597
3-Panel, Straight
169"W x 78"H x 5"D




03-599
4-Panel, Straight
223"W x 78"H x 5"D



Single-Post Kiosk Features

- ✔ 5x5" Steel-Tube Post w/Slotted mounting tabs and Cap
 - ✔ Powder Coat finish (Rust Texture) for lasting good looks
 - 🔒 Tamper-Resistant fasteners included
 - 🔒 Includes Threaded Steel-Rod Anchor
 - ✔ Replacement parts are always in stock
 - ➕ Accepts 1 or 2 compatible Sign Panels (sold separately, see below)
 - ✔ Recommended Install Depth: 20 - 24" (encased in cement)
 - ✔ Compatible with **Message Center Add-On Accessories** (Order '-5' size option for bracket size)
- 📄 See Full Product Brochure on **Page 184**



Posts for 24" Tall Sign Panels



03-730
5x5 Steel Post, 1-side
24" Tall Sign Panel



03-732
5x5 Steel Post, 2-sides
24" Tall Sign Panels

Posts for 36" Tall Sign Panels



03-731
5x5 Steel Post, 1-side
36" Tall Sign Panel




03-733
5x5 Steel Post, 2-sides
36" Tall Sign Panels

**A Post for one of each!
24 & 36" Tall Sign Panels**



03-734
5x5 Steel Post, 2-sides
24" & 36" Tall Sign Panels

24" Tall Sign Panels



03-603-2424
24" Square Sign Panel
24"W x 24"H
(visible area: 20"W x 18"H)



03-603-3624
Wide Sign Panel
36"W x 24"H
(visible area: 32"W x 18"H)

36" Tall Sign Panels



03-603-2436
Tall Sign Panel
24"W x 36"H
(visible area: 20"W x 30"H)



03-603-3636
36" Square Sign Panel
36"W x 36"H
(visible area: 32"W x 30"H)

Model #03-734 Single-Post Kiosk accepts 2 panels of different heights. Select a 24" tall Sign panel -AND- a 36" tall Sign Panel (shown left)

Single-Post Kiosk Sign Panels

- ✔ Fully-Enclosed w/ .75" thick tackboard with .75" thick HDPE PolyEthylene header, footer and side rails
- 🔒 Removable right-side rail is secured with Tamper-Resistant fasteners (Access tool included)
- ✔ 3/16" thick clear removable Polycarbonate cover (with UV protection)
- ✔ Mounting hardware included
- ➕ 4 different size configurations available:
24 x 24 , 24 x 36,
36 x 24 , 36 x 36

Add-On Accessories

Most of our **ROCKART® Message Center** Add-On Accessories are compatible with these steel-tube Single-Post Kiosks. When ordering, just be sure to order the accessory with a 5" wide mounting bracket (simply add '-5' to the end of the part number).

- Wide selection of Brochure Boxes
- Registration Box
- Suggestion/Comment Box
- Envelope Box



Learn more about Add-on Accessories on **Page 168!**

Constructed using high-quality materials by our professional staff. All Kiosk Sign Panels are **sold separately** since the base material and various other build options can affect the overall cost. Sign Panel models range from a very basic Tackboard up to a Fully-

Enclosed, Double-Sided display... complete with routed text headers & footers. All models include **Tamper-Resistant** hardware and are **Built-to-Last!**

Fully-Enclosed, Kiosk Sign Panel

Front View



03-600-Dims[-Option]

- Tackboard is included in every Kiosk Sign panel and **by default** is .75" thick High-Density PolyEthylene (HDPE).

Alternate Material Choices for the Tackboard are:

- + GlasRoc™ Bullet-Resistant (.5" thick)
- + BioMass (unpainted, .75" thick)

Single-Sided Panels

Double-Sided Panels



03-601-Dims

- .75" thick HDPE Header & Footer on **FRONT SIDE** only (No Routed Text)



03-602-Dims


- .75" thick HDPE Headers & Footers on **BOTH SIDES** (No Routed Text)



03-603-Dims

Fully-Enclosed, with **ONE SIDE** having:

- .75" thick HDPE Header & Footer (no routed text)
- Side Rails (one removable, one stationary)
- Removable Side Rail secured with Tamper-Resistant fasteners (Access Tool included)
- Clear, UV-Resistant, Removable cover



03-604-Dims

Fully-Enclosed, with **BOTH SIDES** having:

- .75" thick HDPE Header & Footer (no routed text)
- Side Rails (one removable, one stationary)
- Removable Side Rail secured with Tamper-Resistant fasteners (Access Tool included)
- Clear, UV-Resistant, Removable cover



03-605-Dims

- .75" thick HDPE Header & Footer on **FRONT SIDE** only (with Routed Text)



03-606-Dims

- .75" thick HDPE Headers & Footers on **BOTH SIDES** (with Routed Text)



03-607-Dims

Fully-Enclosed, with **ONE SIDE** having:

- .75" thick HDPE Header & Footer (w/ Routed Text)
- Side Rails (one removable, one stationary)
- Removable Side Rail secured with Tamper-Resistant fasteners (Access Tool included)
- Clear, UV-Resistant, Removable cover



03-608-Dims

Fully-Enclosed, with **BOTH SIDES** having:


- .75" thick HDPE Header & Footer (w/ Routed Text)
- Side Rails (one removable, one stationary)
- Removable Side Rail secured with Tamper-Resistant fasteners (Access Tool included)
- Clear, UV-Resistant, Removable cover

No Routed Text

with ROUTED TEXT


Fully-Enclosed, Single-sided Kiosk Sign Panel

Cross Section View



Fully-Enclosed, Double-sided Kiosk Sign Panel

Cross Section View



See Product Brochure for Kiosk Sign Panel Graphic Inserts on Page 194.


Looking for Sign Panel replacement parts or related items? See Page 179.

Item #	Key Features	Front	Back	Available Size Configurations (WxH)	Price
03-600-[Dims]	Basic Tackboard			-3648 (36 x 48) -4848 (48 x 48) -7248 (72 x 48)	
03-601-[Dims]	w/ Non-Routed Header+Footer (1-side)	1		-3648 (36 x 48) -4848 (48 x 48) -7248 (72 x 48)	
03-602-[Dims]	w/ Non-Routed Headers+Footers (2-sides)	1	1	-3648 (36 x 48) -4848 (48 x 48) -7248 (72 x 48)	
03-603-[Dims]	Fully-Enclosed, Non-Routed, 1-side	1 3		-2424 (24 x 24) -3624 (36 x 24) -2436 (24 x 36) -3636 (36 x 36) -3648 (36 x 48) -4848 (48 x 48) -7248 (72 x 48)	
03-604-[Dims]	Fully-Enclosed, Non-Routed, 2-sides	1 3	1 3	-3648 (36 x 48) -4848 (48 x 48) -7248 (72 x 48)	
03-605-[Dims]	w/ Routed Header+Footer (1-side)	2		-3648 (36 x 48) -4848 (48 x 48) -7248 (72 x 48)	
03-606-[Dims]	w/ Routed Headers+Footers (2-sides)	2	2	-3648 (36 x 48) -4848 (48 x 48) -7248 (72 x 48)	
03-607-[Dims]	Fully-Enclosed, w/Routed Headers+Footers, 1-side	2 3		-3648 (36 x 48) -4848 (48 x 48) -7248 (72 x 48)	
03-608-[Dims]	Fully-Enclosed, w/Routed Headers+Footers, 2-sides	2 3	2 3	-3648 (36 x 48) -4848 (48 x 48) -7248 (72 x 48)	


- 1 w/Header & Footer (No Routed Text)
- 2 Header & Footer w/ Routed Text
- 3 Fully-Enclosed, w/ Side Rails & Removable Clear Cover

Kiosk Sign-Panel | Relative Size Comparison


24" Tall Sign Panels for Single-Post Kiosks



36" Tall Sign Panels for Single-Post Kiosks



48" Tall Sign Panels for Standard-Size Kiosks



The Sign-Panels above are sized proportionally to compare their relative sizes

COASTAL KIOSKS™

CORROSION RESISTANT & Built to Last!

ROCKART, Inc. has a family of Message Center Kiosks designed specifically for coastal regions! They're *Built to Last* using materials that are unaffected by the corrosive effects of sea water.

The vertical supports are made from a .375" thick Fiberglass tube.

Roof panels and mounting plates for these kiosks are made from Aluminum, so they will not rust.

Since these kiosks are typically installed in areas with less dense topsoil, a rebar anchor is included to help secure the kiosk in place.

Compatible with **ROCKART® Single-Post Kiosk Sign Panels** (sold separately).



03-603-2436

Single-Post
Sign Panel

03-781

Single-Post
Coastal Kiosk

Sign Panels not included – See Page 164.
Call 877-718-7446 for Pricing

166

Phone: 480-854-3400
Fax: 480-832-6390
Toll-Free: 877-718-7446

ROCKART
SIGNS AND MARKERS



Online: www.RockartSigns.com
Email: Sales@RockartSigns.com

MESSAGE CENTERS

COASTAL KIOSKS – GABLE ROOF



03-751
1-Panel
62"W x 95"H x 62"D



03-752
2-Panel, Straight
124"W x 95"H x 62"D



03-753
3-Panel, Straight
178"W x 95"H x 62"D



03-754
4-Panel, Straight
232"W x 95"H x 62"D

COASTAL KIOSKS – SHED ROOF



03-758
1-Panel
62"W x 97"H x 42"D



03-759
2-Panel, Straight
117"W x 97"H x 42"D



03-760
3-Panel, Straight
172"W x 97"H x 42"D



03-761
4-Panel, Straight
226"W x 97"H x 42"D

COASTAL KIOSKS – NON ROOF



03-720
1-Panel
62"W x 78"H x 4"D



03-721
2-Panel, Straight
117"W x 78"H x 4"D



03-722
3-Panel, Straight
172"W x 78"H x 4"D



03-723
4-Panel, Straight
226"W x 78"H x 4"D

COASTAL KIOSKS – SINGLE-POST

Posts for 24" Tall Sign Panels



03-780
1-side



03-782
2-sided

Posts for 36" Tall Sign Panels



03-781
1-side



03-783
2-sided

Post for one of each!
24 & 36" Tall Sign Panels



03-784
2-sided

Sign Panels for Single Post
Kiosks sold Separately – See
Page 163
Call 877-718-7446 for Pricing

v20 Jul07

Online: www.RockartSigns.com
Email: Sales@RockartSigns.com

ROCKART
SIGNS AND MARKERS

Phone:
Fax:
Toll-Free:

480-854-3400
480-832-6390
877-718-7446

Add new features / capabilities to your existing **Message Center Kiosk** installation with these **Add-On Accessories** from **ROCKART®!**

Most of these **Add-Ons** may be ordered with a mounting bracket compatible with 3, 4, 5, 6, 8" wide Steel-Tube posts or a 3.5" wide for 4x4 Wood Posts (measure the width of the target post before order-

ing). Replace 'Size' in the Item number with -3,-4,-5,-6,-8 or -3.5

All units include Tamper-Resistant fasteners and Install Guides!

Each Add-On/Accessory includes the same Powder Coat finish (Rust texture) as our **Message Center Kiosks**, so they will NOT look like an afterthought and will look good for many years to come.

Brochure Box Add-Ons

All Brochure Box Add-Ons feature oversized, slanted & hinged lids that help protect stored items.

Mounting bracket sizes compatible with:

- 3, 4, 5, 6, 8" wide Steel-tube post; or
- 3.5" (aka 4x4) Wooden post.

Includes Tamper-Resistant installation hardware.

Made from 1/8" thick steel, with a durable Rust-Texture Powder Coat finish.

i See Full Product Brochure on **Page 188 !**



03-550-SIZE

Standard Brochure Box

- ✓ Holds 100 US Letter-sized pages

5"W x 12"H x 5"D



03-559-SIZE

Deluxe Brochure Box

- ✓ Holds ~100 US Letter-sized pages

8"W x 12"H x 4"D



03-676-SIZE

Large Brochure Box

- ✓ Holds 150+ US Letter-sized pages

6"W x 12"H x 6"D



03-671-SIZE

High-Capacity Brochure Box

- ✓ Holds 200+ US Letter-sized pages

7"W x 11"H x 7"D



Suggestion / Comment Box

A lockable, sloped lid features a 3.875" wide slot in lid and can safely hold approx. 145 items.

Mounting bracket widths available for 3, 4, 5, 6, 8" wide Steel-tube post; or a 3.5" (aka 4x4) Wooden post. Includes Tamper-Resistant hardware. 1/8" thick steel, with a durable powder coat finish. Lock sold separately, see #03-316. 5"W x 12"H x 5"D

i See Full Product Brochure on **Page 190 !**

03-571-SIZE



Fee Envelope Storage Box

Convenient storage for up to 110 empty fee envelopes.

Mounting bracket widths available for 3, 4, 5, 6, 8" wide Steel-tube post; or a 3.5" (aka 4x4) Wooden post. Includes Tamper-Resistant hardware. 1/8" thick steel, with a durable powder coat finish. 5"W x 8"H x 5"D.

i See Full Product Brochure on **Page 190 !**

03-567-SIZE

Registration Boxes

Track Visitors to a Site/Trail or other Attraction

For storing a 3-ring binder Registry for visitors to sign upon arrival! May brochures, forms, handouts etc. The large 14.75 x 14.25" slanted, hinged lid is ideal for adding an optional *Call-to-Action* or reminder message (see examples, below).


This rugged 1/8" thick steel Registration Box comes in two versions:

- 1 Ground-installed, Stand-alone model (#03-547)
- 2 Kiosk Add-On (#03-710-SIZE) with mounting bracket sizes available:
 - 3, 4, 5, 6, 8" wide Steel-Tube posts or
 - 3.5 (for 4x4 wood posts)

All models include Tamper-Resistant fasteners.

The standard finish is a brown, rust-textured powder coat, which matches our *Message Center Kiosks* and will keep looking great for many years to come!

i See Full Product Brochures on **Page 186** and **Page 187** !



03-547
14.75"W x 42"H x 14.25"D



03-710-SIZE
14"W x 5.5"H x 12"D

Aluminum Assembly Fixtures




Used during Kiosk installation to maintain spacing between vertical posts without risking damage to your sign panels. Security Deposit will be refunded (less shipping), once received back to Rockart in usable condition.

For Installing Roofed Kiosks

- 03-524 (48x48 panels)..... \$175.00
- 03-522 (72x48 panels)..... \$245.00

For Installing Non-Roof Kiosks

- 03-525-36 (36x48 panels)\$110.00
- 03-525-48 (48x48 panels)\$140.00



Tamper-Resistant fasteners are included with all Kiosk Add-ons!

Call 877-718-7446 for Pricing & Available Options



ROCK RANGER™

Built to Last & Always On Duty!

- ✔ Collect Visitor Fees Safely & Securely!
- ✔ Tamper-Resistant & Anti-Theft Features
- ✔ 6x6 Super-Thick Formed 100% Steel Exterior
- ✔ Removable, Lockable Fee Deposit Box

i See the Full Product Brochure on **Page 180**

03-560 Rock Ranger
03-565 Additional Fee Box



#03-560

Read an amusing (but true) Customer Testimonial in *Letters from the Front Lines*, (inside back cover)



HARD ROCK RANGER™

Built to Last & Always On Duty!

- ✔ Collect Visitor Fees Safely & Securely
- ✔ Bigger, Tough with More Security Features
- ✔ 8 x 8 x .25" thick Steel Tube
- ✔ Removable, Lockable Fee Box has Double 1/4" Steel Wall
- ✔ Additional .25" steel frame surrounds fee box to further discourage would-be thieves
- ✔ Professionally Welded All-Steel Construction
- ✔ Powder Coat Finish (Rust Texture) for Durability and Longevity
- ✔ Additional internal storage above and below fee box

i See Full Product Brochure on **Page 181**

03-561 Hard Rock Ranger
03-564 Additional Removable Fee Box

This Fee Box Has Teeth!




Lockable, Removable and Very Secure!



Secured in place with Rebar Anchors



Lock Protected with Solid Steel Cover



PEDESTAL SIGN DISPLAYS by ROCKART®

Built to Last! Engaging Good Looks... (it's OK to stare!)

Also known as "Interpretive Signs", they are the perfect solution for presenting semi-permanent signage presented in an accessible and engaging way. These attractive, super-rugged displays will only accen-

uate well-designed content while capturing the attention of visitors passing by.

See Full Product Brochure on **Page 185**

Call 877-718-7446 for Pricing & Available Options



Framed Mount Pedestal Sign Displays

Our **Framed Mount** displays can have a single or dual 5x5 Steel-tube supports and display content at a 30° angle. These models include a separate, fully-enclosed aluminum frame that protects content on all sides*. Sign content (and any protective cover) up to 7/16" thick will fit into this display. This frame is then secured to the pedestal base. This is a great way to display extended information, historical detail or interesting obscure facts!

03-532-Dims-Legs



Reverse Mount Pedestal Sign Displays

Our **Reverse Mount** displays can have a single or dual 5x5 Steel-tube supports and display content at a 30° angle. These models feature an angled steel mounting plate with through-holes. A sign printed on/applied to a rigid substrate (Aluminum, Polycarbonate or High-Pressure Laminate) can be attached using multiple strips of VHB (Very High Bond) double-sided tape or directly bolted to the mounting plate. Perfect for displaying extended information, historical detail or interesting side notes!

03-530-Dims-Legs



Surface Mount Option for Above-Ground installations is available (add "A" after the part #)

*To protect the face of the sign, we recommend using reverse-printed polycarbonate signs or placing a size-matched sheet of clear polycarbonate on top of the graphic before sliding it into the frame

v20jul07

Online: www.RockartSigns.com
Email: Sales@RockartSigns.com

ROCKART®
SIGNS AND MARKERS



Phone:
Fax:
Toll-Free:

480-854-3400
480-832-6390
877-718-7446



Fence Wire Tightening Solution

This remarkably simple & ingenious product will help 'take up the slack' in any loose, sagging strands of fence wire! No cutting or splicing of wire needed!

i See the Full Product Brochure on **Page 218**



Fence Wire Tightener Tool

Fence Wire Tightener Tool

08-652..... 21.50



Fence Wire Tightener Clips (Pkg. of 20)
Standard Fence Wire Tighteners (Bag of 20)


03-370
1-9 10-19 20+
14.00 13.50 13.00



Fence Wire Tightener Clip (Single clip)

Standard Fence Wire Tightener (singular)

03-371..... .70 ea.



T-Post Sign Mount for attaching signs to T-Posts (hardware included)

Attach signage to any T-Post using this amazing sign mount solution! Hardware included.

03-323
1-99 100-249 250+
.88 .70 .58

i See the Full Product Brochure on **Page 220**



Wire Gate Closing Device (Device to boost leverage when closing a wire gate), Incl. Hardware

This leverage-boosting device makes it easier to securely close the gate of a barbed-wired fence (also known as a Texas or Western Gate). Someone passing through a gate with this device installed, can use it to gain the added leverage necessary to bring the the wooden posts together so it may be closed/secured properly. The 3 foot long chain serves as an "adjustable loop" and installs easily in just minutes. It includes a hammer-in staple so it can be anchored to the stationary side of the gate and also 2 "S-hooks" used to hold the white handle in place horizontally, while not in use.

Available in handle sizes of 18" or 24" long; the longer one allows even more leverage for extremely hard-to-close gates.



03-818-18
18" Gate Closer

Hardware Included



i See the Full Product Brochure on **Page 219**

03-818-18.....\$23.00

Phone: 480-854-3400
Fax: 480-832-6390
Toll-Free: 877-718-7446



Signicade Deluxe "A-Frame" Portable Sign Stand - Displays two 24 x 36 signs up to 3/16 inch thick (signage not included)

Quick Change feature allows changing the displayed content in seconds

No maintenance necessary

Displays two 24 x 36 Signs up to 3/16 inch thick (Coroplast is recommended)

No need for fasteners like tape, Velcro®, or screws!

Once opened to full position, hinges lock to prevent over-extending the two panels

Stay Tabs on sides hold signs in place.

Sign stand has built-in weights totaling 20 lbs

Up to 10lbs of additional weight may be added by removing the plugs along the sides and adding 5lbs of sand to each side.

Built-in formed handle (top) makes it easy to carry and handle.

Small mounds & dimples on front and back allow stacking displays vertically

i See the Full Product Brochure on **Page 195**

03-829..... \$130.00



We now offer the highly-acclaimed **EZ KUT** cutting & trimming products. These tools make easy work of trim-

ming, pruning or removal of overgrown foliage from campgrounds, trails, etc.



EZ KUT WOW Saw w/collapsible 10" blade & non-slip rubber grip

The EZ KUT WOW Saw is considered one of the finest cutting tools on the market. It is designed with the highest quality material and craftsmanship available. Our goal in creating this saw is for you to actually say "Wow!" with your first & every use! The perfect tool for landscapers, gardeners, sportsmen and outdoor enthusiasts.

Features

- Large 10 inch replaceable blade
- Taper-ground hard chrome plated SK4 Japanese steel blade
- Metal on metal lock; Locks in open and closed positions
- Real non-slip rubber grip for comfort and safety
- Slotted blade cleans as it cuts, keeps blade cooler to resist sap and pitch buildup
- Curvature ground triple-edge teeth to reduce cutting resistance
- Impulse hardened teeth for superior durability & sharpness
- Cuts on the draw stroke

03-327\$38.54



EZ KUT WOW Saw Sheath / Scabbard

The new EZ KUT Wow Saw Sheath is constructed of the same military grade ballistic nylon as our Pruner Sheath and Sling Pak. Lightweight and durable!! It's the perfect companion to the world-famous Wow Saw!

Designed to be worn or attached to your favorite pack in the closed position with EZ KUT's 3-way clipping system or open the Wow Saw Sheath and attach the front clip to your belt and have access to your open Wow Saw for easy "in and out" while working! At the bottom of the Wow Saw Sheath is a Leg Lash hole to secure the bottom of the sheath to your leg for extra comfort and accessibility. The back of the Wow Saw Sheath has two extra pockets built in: one holds extra blades and the other holds the tool to make a blade change (extra blades and EZ tool sold separately).

Guaranteed for life, it's the perfect companion to your Wow Saw!

Features

- Made from tough temperature molded Ballistic Nylon material
- High quality metal belt clip
- Pull thru belt opening
- Insert cover flap into back slot to turn the sheath into a holster
- High quality metal snap

03-340.....\$23.20



EZ KUT WOW Saw Replacement Blade

03-339 \$16.84



EZ KUT Ratcheting Pruner Replacement Blade Kit

Replacement blade for the EZ KUT Ratcheting Pruner (#03-330)

03-336.....\$8.32



EZ KUT WOW Saw, Sheath & Replacement Blade Combo

This combo has everything for your EZ KUT WOW Saw...

- EZ KUT WOW Saw
- EZ KUT WOW Saw Sheath
- EZ KUT WOW Saw Replacement Blade Kit

03-341..... \$57.28



EZ KUT G2 Ratcheting Lopper

The EZ KUT G2 Ratcheting Lopper is the perfect tool for the big jobs! The extendable handles make the transition from 19" to 32" with just the push of a button, allowing you to clear out even those hard-to-reach areas. It's the perfect tool for clearing campsite areas, creating ground blind locations, removing large limbs from shooting lanes, or making pathways through the forest.

Features

- HEAVY DUTY Ratcheting Jaws
- Cut live branches up to 3" in Diameter!
- Lifetime Guarantee! All parts are replaceable
- 4-stage extendable handles. From 19" to 32"
- Handles are replaceable
- Non-Slip Grips with Real Rubber
- Aggressive toothed jaw for non-slip cutting
- Non-stick coating on blades. (Also replaceable)
- Patented oiler bolts for constant lubrication

03-331..... \$141.38



EZ KUT G2 Ratcheting Lopper Replacement Blade

03-344.....\$20.00



EZ KUT Carbide Sharpener w/texturized rubber handle and Cap

The EZ KUT Carbide Sharpener is the perfect addition to the EZ KUT family. Designed to carry with you, this handy sharpener has a Carbide working end and ergonomic textured rubber handle to make sharpening your EZ KUT tools a breeze!

Features

- Carbide working end
- Ergonomic textured rubber handle

03-334..... \$14.50



EZ KUT G1 Lopper Replacement Blade

Replacement blade for the G1 Lopper (#03-330)

03-335.....\$20.80



EZ KUT G1 Lopper (aka "Big Brother")

The EZ KUT Lopper (aka, 'The Big Brother') is the perfect tool for the big jobs! The large blade is made of SK5 carbon hardened steel and is also replaceable like its "little brother". The extendable handles make the transition from 18" to 42" with just a twist of the handle, allowing you to clear out even those hard-to-reach areas. It's the perfect tool for clearing campsite areas, creating ground blind locations, removing large limbs from shooting lanes, or making pathways through the forest.

Features

- Extendable handles transition from 18" to 42"
- SK5 carbon steel blade 5-stage ratcheting action

03-330.....\$67.54



EZ KUT Ratcheting Pruner (Green)

The original EZ KUT Ratcheting Pruner features a unique front end design for leverage, a wrap around knuckle protector, and ergonomic handle for a sure grip not found in other pruners. The blade is made of SK5 carbon hardened steel that cuts through the hardest wood with ease, and with the replaceable blade kit, you are never without a sharp blade. The three stage ratcheting action on this tool provides the power for the big jobs, and the lock keeps this bad boy from biting!

Features

- 3-stage ratcheting action
- Unique front end design for leverage
- Wrap around knuckle protector
- Ergonomic handle
- SK5 carbon steel blade

03-328 (Green).....\$36.35

03-329 (Pink).....\$36.45



EZ KUT Sling Pak carrying case solution for all of your favorite EZ-KUT tools and more!

Introducing the World's First Full Size Lopper Sheath with 5-in-1 carrying capacity to hold all your favorite EZ KUT tools! The EZ KUT SLING PAK provides protection for your EZ KUT Lifetime Tools as well as functionality in the field, on the farm, or in your backyard.

The innovative pull-thru strap and flex-formed opening makes access to your EZ KUT Lopper quick and easy; just reach back and grab the Big Brother Lopper and get Kuttin'!

When you need your EZ KUT Ratcheting Pruner or Folding Hand Saw, just swing the Sling Pak around and Grab 'em! Additional pockets are provided for your cell phone or hand held device and EZ KUT Carbide Sharpener as well. When you're finished just place it back in the Sling Pak... It's always ready for action.

Guaranteed for life, it's the perfect accessory for your EZ KUT tools!

Features

- Made from Military-Grade Ballistic Nylon material
- Innovative pull-thru shoulder strap
- Flex-formed opening for Quick & Easy access
- EG Marking on back side
- Triple-Stitched at stress points
- Additional Attachment Points (metal eyelets)
- Lifetime Guarantee

5-in-1 Carry-All for your:

- EZ KUT Lopper
- EZ KUT Pruner with or w/o Sheath
- Folding EZ KUT Wow Saw
- Cell phone/hand held device or keys
- Carbide Sharpener
- and even a bottle of water!

03-332.....\$68.58



EZ KUT Pruner, Sheath & Sharpener Combo (Green)

Get the original EZ KUT Pruner along with the new EZ KUT Pruner Sheath at a special price! Also includes a FREE Sharpener!

The original EZ KUT Pruner features a unique front end design for leverage, a wrap around knuckle protector, and ergonomic handle for a sure grip not found in other pruners. The blade is made of SK5 carbon hardened steel that cuts through the hardest wood with ease, and with the replaceable blade kit, you are never without a sharp blade. The three stage ratcheting action on this tool provides the power for the big jobs, and the lock keeps this bad boy from biting!

Features

- 3-stage ratcheting action
- Unique front end design for leverage
- Wrap around knuckle protector
- Ergonomic handle
- SK5 carbon steel blade

03-342 (Green).....\$55.99

03-343 (Pink).....\$55.99



EZ KUT Pruner Sheath

Finally, The Original EZ KUT Ratcheting Pruner has a Sheath to match the quality and durability that the tool is known and respected for. Made from tough temperature molded Ballistic Nylon material and quality stitching. The EZ Sheath features a dual hip attachment that includes a high quality metal belt clip and a pull thru belt opening. For quick and easy access to your Pruner just tuck the cover into the convenient back slot and turn the sheath into a holster.

When you need ultimate protection for your EZ KUT turn the flap over and the high quality metal snap locks it into the Sheath for safekeeping.

Guaranteed for life, it's the perfect companion to your EZ KUT Pruner!

Features

- Made from tough temperature molded Ballistic Nylon material
- High quality metal belt clip
- Pull thru belt opening
- Insert cover flap into back slot to turn the sheath into a holster
- High quality metal snap

03-333.....\$19.96

174 Phone: 480-854-3400
 Fax: 480-832-6390
 Toll-Free: 877-718-7446



Online: www.RockartSigns.com
 Email: Sales@RockartSigns.com



EZ KUT Fully-Loaded SlingPak Carry-All, complete with G1 Lopper, WOW Saw, Pruner, Pruner Sheath and Carbide Sharpener

This Fully-Loaded SlingPak combo Includes:

- EZ KUT SlinkPak Carry-All
- EZ KUT G1 Lopper,
- EZ KUT Folding WOW Saw,
- EZ KUT Ratcheting Pruner
- EZ KUT Sheath for Pruner
- EZ KUT Carbide Sharpener

03-337.....\$216.46



EZ KUT Fully-Loaded SlingPak Carry-All, complete with G2 Ratcheting Lopper, WOW Saw, Pruner, Pruner Sheath and Carbide Sharpener

This Fully-Loaded SlingPak combo Includes:

- EZ KUT SlinkPak Carry-All
- EZ KUT G2 Ratcheting Lopper,
- EZ KUT Folding WOW Saw,
- EZ KUT Ratcheting Pruner
- EZ KUT Sheath for Pruner
- EZ KUT Carbide Sharpener

03-338.....\$291.86



EZ KUT Hand Drill

The lightweight rugged construction promises years of service. Its lightweight and compact design can easily be slipped into one of your pockets or pack. The hand drill can be disassembled and the drill bit can be used in your cordless drill.

03-345.....\$59.95



EZ KUT Kamikaze Max Saw Curved Blade S-330H MAX

- SK-4 Carbon-Hardened Steel
- Hard Chrome Finish
- Hollow Ground
- Impulse Hardened Teeth
- Real Rubber Grip
- Sheath Included
- Japanese Steel and Blade Technology
- Made in Spain
- Lifetime Guarantee

03-353.....\$55.19



EZ KUT Hand Drill Bit Replacement Assembly

Our bits stay sharp a long time but if you find you need to replace the bit on your hand drill, this replacement bit kit allows you to get your hand drill working like new again.

03-346.....\$39.95



EZ KUT Kamikaze Max Saw Straight Blade S-300H

- SK-4 Carbon-Hardened Steel
- Hard Chrome Finish
- Hollow Ground
- Impulse Hardened Teeth
- Real Rubber Grip
- Sheath Included
- Japanese Steel and Blade Technology
- Made in Spain
- Lifetime Guarantee

03-354.....\$49.89



EZ KUT Cordless Drill Bit

This drill bit is designed to be used in your cordless drill.

03-347.....\$24.95



EZ KUT Kamikaze 15 ft. Extending Pole Saw

Features

- Single hook assists with removal of branches
- Japanese steel and tooth design
- SK-4 Carbon-Enriched steel blade
- Hollow ground
- Impulse-hardened teeth are 3x stronger than conventional teeth
- Draw/pull stroke
- Hard chrome plating prevents rust and sap build up
- Blades can be used with either pole
- Extends to 15 Feet
- Aggressive tooth design with raker gaps and Single hook
- Oval aluminum tube with reinforced locking area
- Maximum rigidity, lightness, and strength
- Polyamide blade holder with a high strength design
- Lighter weight top end of telescoping pole makes sawing easier

- New high-tech integrated screw design avoids entangling with other branches
- Top end has 4 heavy-duty locking positions
- Non-slip rubber-coated handle provides an excellent grip and reduced fatigue
- Double-locking system for greater strength and durability
- Greater smoothness Safety of telescopic extension
- Lifetime Guarantee
- Made in Spain

03-351 (15 Ft).....\$220.15

EZ KUT Kamikaze 20 ft. Extending Pole Saw
03-352 (20 Ft).....\$240.10



EZ KUT Kamikaze Force Pruner

Features

- Teflon-coated SK-5 Steel blade
- Heavy-Duty / Lightweight Polyamide Handle
- Real Rubber Grip
- Ergonomically-shaped handle
- Replaceable Blade and Components
- Lifetime Guarantee
- Made in Spain

03-355.....\$49.10

Phone: 480-854-3400
Fax: 480-832-6390
Toll-Free: 877-718-7446



Marsh-88 Black Permanent Marker (for Writing on Decals)
for Writing on Decals Permanently
 08-625\$4.00



Expo Dry Erase Set For PolyFlex Signs includes
 1 Red, 1 Blue, 2 Black markers, an eraser and
 Cleaning solution
 08-608 \$14.00



3.125 x 6.25 Clear Size 8 Vinyl Plastic Protector
 (Outer dimensions 3.5 x 7), includes mounting
 hardware
 03-386 \$1.40

Sign Fasteners

Standard fastener hardware & Tools to aid sign installation.



#10 1/8" Hex Key with Comfortable, Plastic-coated T-shaped Grip with Cushion Grip
08-606\$3.50



DWHTTR350 DeWalt Heavy Duty Aluminum Staple Gun / Brad Nailer
Mount Signs to hard surfaces
08-640\$41.65



4" Handheld Staple / Tack Puller
Remove staples/tacks easily
08-641\$9.25



Deluxe Staple Remover (with curved, cast Aluminum handle)
Removes staples using leverage
08-648\$18.50



Hog Ring (1.5" wide, .875" Opening, Copper-plated steel), Individual
Hang signs on wire fences
08-706\$.11 ea.
Box of 100
08-706-BOX\$9.50



1 lb. Box of Aluminum Nails, Avail. in 4 lengths 1, 1.5, 2 and 2.5 inch with .375" Dia. Head (Piece count per box depends on size of nail)
Multiple uses
08-778 (1")\$9.25/810 pc.
08-779 (1.5")\$9.25/577 pc.
08-780 (2")\$9.25/437 pc.
08-781 (2.5")\$9.25/360 pc.



Sign Mounting Bracket - Used to attach small signs to SP38 Snow Poles w/ 2 threaded holes (Includes tamper-resistant mounting hardware)
08-126
1-49 50+
3.60 3.50



Handheld Hog Ring Pliers / Installation Tool
Tool for installing Hog Rings
08-607\$17.50



#8 x 1.25 Long Deck Screw, Phillips Head, Steel
for Marker Shrouds
08-700 (1.25")\$.05 ea
08-710 (2.5")\$.10 ea



Heavy-Duty Staples, Box of 1250 (Avail. in 4 sizes)
Staples for use with 08-640
08-642 (.25")\$4.25
08-643 (.3125")\$4.25
08-644 (.375")\$4.95
08-645 (.5")\$4.95

Tamper-Resistant Fasteners & Tools

Tools for accessing tamper-resistant fasteners



1/4" Double Headed Alum. Rivet, w/ 1.375" - 1.625" grip range (2-pieces)
U-Channel Marker Post
08-808\$.39/ea



3/8-16 x 2.5" Long Carriage Bolt, Square Neck (Bulk)
for Kiosk Sign Panels
08-838\$1.33



POP Set PS15 Hand-held Rivet Installation Tool
For installing rivets.
08-600\$ 62.00 ea.



#10 x 1" Long Round Washer Head, Square Drive Screw
with Washer Head
08-750\$.08



7/32" Pin-in-Hex Head ScrewDriver (for Pin-in-Hex Button Head Tamper-Resistant Bolts/Screws) (used for installing Kiosk Roof)
for Pin-in-Hex Tamper-Resistant Bolts/Screws
08-637\$18.00



#2 Ball-point, Square-Recess Screw Driver w/ 4" Blade Length, for #8, #9 or #10 screw sizes
for 08-750
08-623\$9.78



#2 Tip, 1" Long Square-Recess Insert Tool Bit for #8, #10 Screws
Drill Bit for 08-750
08-624\$2.50



1/4", 5/16", 3/8" All-in-One One-Way Bolt Removal Tool
for removing one-way security screws
08-622\$27.67



#10 1/8" Hex L-Key, Short Arm (for use with tamper-resistant snow pole mounting brackets)
for Snow Pole Brackets
08-604\$.42



3/8-16 VandIGard Tamper-Resistant Nut, Die Cast Zinc
Tamper Resistant Break-away Nut
08-826\$.85




3/16 Short Arm Hex Key - Drilled, Yellow
08-619\$ 3.50



Black & Decker Rechargeable Handheld Cordless Screwdriver (includes PH2 & #8 Drill Bits, AC Adapter for recharging)

Two basic drill bits are included with this product: PH2 and #8 Flat Head


08-651.....\$28.50



#18, #19 & #20 .684 Dia. One-Way Lag Screw / Bolt Remover/Driver Bit for Power Tools

Use this bit to remove one-way screws and bolts. It has a groove in the shank and fits directly into a power tool without an adapter. It offers added reach for recessed holes and less wobble when compared to using a hex shank bit fitted with an adapter.

08-638.....\$56.50



#2 Tip, 1" Long Square-Recess Insert Tool Bit for #8, #10 Screws

Square-Recess Insert Bit for #8, #10 Screws 1/4" Hex Shank, Tip #2, 1" Length

08-624.....\$2.50



5/32 Hex Socket Insert Driver Bit

08-621.....\$4.62



#1 Tip, Square Drive Recess Power Tool Bit

08-772.....\$1.14



Tamper-Resistant Hex Bit 1/4" Hex Shank for Power Tools, 7/32" Hex Size, 2" Long

An opening at the tip accommodates the pin in the recess of tamper-resistant hex screws. These are also known as pin-in-hex or pin-in-socket bits.

Hex shank bits for power tools have a groove in the shank and fit directly into power tools without an adapter. They offer more reach for recessed holes and less wobble compared to a hex shank bit used with an adapter.

08-626.....\$5.00



3/16 Hex Driver Power Tool Bit, Drilled

08-618.....\$4.62




5/16 Hex Nut Driver Bit for Power Drills

08-639.....\$3.50



7/16" DeWalt Pilot Head Titanium Power Drill Bit

08-646.....\$21.50



#1 Tip, 2" Long Square-Recess Power Tool Bit insert, For #5-#7 Screws (1/4" Hex Shank)

08-629.....\$1.30



13/64 Solid Carbide, Straight Flute Drill Bit, for Power Tools .203" Diameter, #6

Used for drilling holes in fiberglass posts before installing Rock-Flex or Flex-Flange Anchors

Harder, stronger, and more wear resistant than carbide-tipped steel, solid-carbide bits maintain their sharp edges longer. They require rigid toolholding to prevent breakage and should not be used in hand-held drilling applications. The straight flutes withstand the heavy pressure necessary to penetrate hard steel. They are short length, also known as screw machine or stub length, which provides maximum rigidity for drilling straighter holes than jobbers'-length drill bits.


Drill bits with a carbide shank have the strength and rigidity to drill steel with a Rockwell hardness up to C45.

Drill bits with a four-facet or split point keep centered without a pilot hole.

08-633.....\$34.25

U-Channel Hardware


Hardware for use with U-Channel posts.



1/4" Double Headed Alum. Rivet, w/ 1.375" - 1.625" grip range (2-pieces)

U-Channel Marker Post Fasteners

08-80839



Aluminum Sign Saver Plate for mounting Alum. Signs to U-Channel Posts without bending

Prevents installed signs from bending

08-828 \$.54



1/4-20 x 1.75" Long Threaded Fastener System w/ Short T-Nut and Special Collared Nylon Washer

U-Channel Post Fasteners for signage

08-80054



1.25" Tall, 0-Nub Nylon Sign Support/ Spacer (Compatible with ROCKART U-Channel posts)

1.25" Tall U-Channel Sign Support

08-82946



1.39" Tall, 4-Nub Nylon Sign Support/ Spacer

1.4" Tall U-Channel Sign Support

08-83046



1.53" Tall, 8-Nub Nylon Sign Support/ Spacer

1.53" Tall U-Channel Sign Support

08-83246

Kiosk Sign Panel Hardware & Replacement Parts

Items for maintaining our Kiosks



3mm Blank White PVC Insert (a semi-rigid, tape-friendly backing material for mounting printed content, to be placed within a Kiosk Sign Panel display) Avail. in sizes compatible with ROCKART Kiosk Sign Panels

A flexible, tape-friendly white backer used to mount printed materials to be inserted into a Kiosk Sign Panel.

03-638-4848 \$21.00

03-638-7248 \$30.00



42.75 x 40.50 x .188 Thick Clear Polycarbonate cover (replacement) for Fully-Enclosed 48x48 ROCKART Message Center Sign Panel Displays, w/ UV inhibitors

03-377 133.00

ROCK RANGER

SECURE FEE COLLECTION STATION

ITEM#: 03-560



ROCK RANGER™ Fee Collection Stations are **ALWAYS ON DUTY** and **BUILT TO LAST!**

- 🔒 Collect Visitor Fees Safely & Securely!
- 🔒 Tamper-Resistant features to discourage vandals & thieves
- ✓ 6" w x 6" d x 3/16" thick Steel Base
- 🔒 .25" thick steel housing protects the padlock on every side (#03-317, sold separately)
- 🔒 Rebar anchor welded to the bottom make brute-force vehicular extraction attempts very difficult
- 🔒 Removable Fee Deposit Box #03-565 is self-contained and may also be locked with a secondary, optional lock #03-316.
This means the fee deposit box can be quickly swapped out with an empty one, and then taken to a safe location for processing.
- 🔒 Anti-Fishing baffle thwarts attempts to "fish out" deposited items
- 🔒 Install depth: 40" below ground; encased in concrete
- ✓ Powder Coat (Rust Texture) for Durability and Longevity
- ✓ Professionally welded, all steel construction
- ✓ Additional storage inside (just above and below fee box opening)
- ✓ Well-written, Fully-illustrated Installation Guide included
- ✓ Compatible with many **ROCKART®** Add-on Accessories!

Need a Fee Collection solution with even *more* security features, ask about our **HARD ROCK RANGER** (#03-561).

If you are considering a *new* kiosk, ask about our **KIOSK ROCK RANGER** (option to include a built-in Fee Collection Station)

Locks are NOT INCLUDED and are sold separately.

Securing this unit requires a compatible lock, See item #03-317



Rebar Anchors help secure the installation against vehicle extraction attempts!



#03-317

Recommended lock for securing the fee deposit box within the base unit



#03-565

Removable Fee Deposit Box



#03-316

(Optional) Secondary Lock to secure the Fee Deposit Box



Tamper-Resistant Features



Proudly made in the USA



100% Recyclable



(03-560) Rock Ranger

180

Phone:
Fax:
Toll-Free:

480-854-3400
480-832-6390
877-718-7446

ROCKART
SIGNS AND MARKERS


Online: www.RockartSigns.com
Email: Sales@RockartSigns.com

v20j007

HARD ROCK RANGER

ITEM#: 03-561

SECURE FEE COLLECTION STATION WITH HARDENED SECURITY FEATURES



HARD ROCK RANGER™ Fee Collection Stations are **ALWAYS ON DUTY** and **BUILT TO LAST!**

- 🔒 **Hardened** Security Features provide extra protection
- ✓ 8"w x 8"d x .25" thick Steel Tube Body
- 🔒 Solid block of machined steel fully encases & protects a Shackless lock (#03-320, sold separately)
- 🔒 .25" thick barriers on all sides of the solid steel block help discourage theft attempts
- 🔒 Removable Fee Deposit Box #03-564 is self-contained; has .25" thick steel walls and may also be locked with a secondary, optional lock #03-316.
This means the fee deposit box can be quickly swapped out with an empty one, and then taken to a safe location for processing.
- 🔒 Anti-Fishing baffle thwarts attempts to "fish out" deposited items
- 🔒 .25" thick Steel Frame protects the Fee Deposit Box opening hinders prying attempts on all sides.
- 🔒 Rebar anchor welded to the bottom make brute-force vehicular extraction attempts very difficult.
- 🔒 Install depth: 40" below ground; Encased in concrete
- ✓ Professionally welded, all steel construction
- ✓ Powder Coated (Rust Texture) for Longevity
- ✓ Additional storage inside (just above and below fee box)
- ✓ Well-written, Fully-Illustrated Installation Guide included
- ✓ Compatible with many **ROCKART®** Add-on Accessories!

Also check out our **ROCK RANGER (#03-560)**... a smaller version of this product!


Locks are NOT INCLUDED, and are sold separately.

Securing the Fee Box within the base requires a compatible lock, see #03-320



#03-320

Shackless Lock to secure the fee deposit box within the base unit (Not included)



#03-564

Removable Fee Deposit Box



#03-316

(Optional) Secondary Lock to secure the Fee Deposit Box



(03-561) HARD Rock Ranger

Online: www.RockartSigns.com
Email: Sales@RockartSigns.com

ROCKART®
SIGNS AND MARKERS

Phone: 480-854-3400
Fax: 480-832-6390
Toll-Free: 877-718-7446

KIOSK ROCK RANGER

SECURE, KIOSK-INTEGRATED FEE COLLECTION SOLUTION

ITEM#: **03-472** (for Non-Roof Kiosks)
03-473 (for Kiosks w/Roof)



Allow visitors to pay conveniently... right at the Kiosk!

When ordering your next **ROCKART®** Message Center Kiosk, ask about adding the option for an *integrated ROCK RANGER!*

- ✓ Collect visitor fees Safely & Securely!
- ✓ Compatible with 6x6 Steel-tube kiosks*
- 🔒 Tamper-resistant features to discourage thieves
- 🔒 Round steel padlock (sold separately, #03-317) is shielded by a .25" thick steel protective cover on back side
- 🔒 Removable **Fee Deposit Box #03-565** is a self-contained unit and may also be locked with a second, optional lock #03-316.
This means the fee deposit box can be quickly swapped out with an empty one, and then taken to a safe location for processing.
- 🔒 Anti-Fishing baffle thwarts attempts to "fish out" items inside
- 🔒 Install depth: 30" below ground; Encased in concrete
- ✓ Powder coat (Rust texture) finish for long-lasting durability
- ✓ Professionally-welded, all-steel construction
- ✓ Additional storage inside (just above and below fee box)
- ✓ Installation guide included
- ✓ Compatible with many **ROCKART®** Add-on Accessories!

Locks are not included and are sold separately. Securing this unit requires a compatible lock, see item #03-317

*Designed to be a build option of the RIGHT SIDE vertical support.

Searching for a *stand-alone* fee collection solution? Ask about our **ROCK RANGER (#03-560)** and **HARD ROCK RANGER (#03-561)**



#03-317

Recommended lock to secure the Fee Deposit Box within the base unit (not Included)



#03-565

Fee Deposit Box



#03-316

(Optional) Secondary Padlock for locking the Fee Deposit Box



Tamper-Resistant Features



Proudly made in the USA



100% Recyclable



(03-472,3) Kiosk Rock Ranger

182

Phone:
 Fax:
 Toll-Free:

480-854-3400
 480-832-6390
 877-718-7446

ROCKART®
 SIGNS AND MARKERS

Online: www.RockartSigns.com
 Email: Sales@RockartSigns.com

v201007

KIOSK BANNER MOUNTING KIT

MOUNTING HARDWARE FOR INSTALLING A KIOSK BANNER

ITEM#: 03-792



*Allow project sponsors to show their support!
Collect additional revenue through advertising!*

- ✓ Perfect for recreation area upgrades that are paid for or sponsored by outside parties.
- ✓ Kiosk Banners may be Single or Double-sided
- ✓ Tamper-Resistant mounting hardware is included*
- ✓ Also great for property management/HOA branding of kiosks located in multi-housing complex
- ✓ Compatible with most 6x6 **ROCKART** Kiosks with a Gable or Shed-style roof (only for use on non-angled segments)
- ✓ Discourages birds from roosting/nesting on sign panels
- ✓ Installation guide included

Actual printed signage is not included and sold separately.

Kiosk pictured is strictly for illustration purposes and is not included.

**Additional hardware may be required for proper installation, please Call for details.*

SAMPLE BANNERS



#03-792
1 pair of brackets, with Tamper-Resistant fasteners included



(03-792) Kiosk Banner Kit

Online: www.RockartSigns.com
Email: Sales@RockartSigns.com

ROCKART
SIGNS AND MARKERS

Phone: 480-854-3400
Fax: 480-832-6390
Toll-Free: 877-718-7446

SINGLE-POST KIOSKS

A SINGLE VERTICAL POST W/ MOUNTS FOR 1 OR 2 SIGN PANELS

ITEM#: **03-730 ~ 03-734** (Standard Models)

03-780 ~ 03-784 (Coastal Models)



#03-730 Single-Post Kiosk shown with
#03-603-2424 Sign Panel and
#03-710-5 Registration Box Add-on

Single-Post Kiosk Features

- + Vertical Post constructed from :
 - 5 x 5" Steel-tube Standard Models
 - .375" thick Fiberglass Tube Coastal Models
- + Single and Double-sided models available
- + Two Sign Panel Heights to choose from (24" and 36" tall)
- ✓ Compatible with **ROCKART® Single-Post Kiosk Sign Panels**
(Sign panels not included, Sold separately)
- ✓ Slotted mounting tabs allow expansion/contraction of installed signage as seasonal temperatures change
- ✓ Rust Texture Powder Coat finish (*Standard Models Only*)
- 🔒 Included Anchor make vehicular extraction attempts more difficult when installed as recommended
- 🔒 Tamper-Resistant fasteners
- ✓ Replacement parts are always in stock
- ✓ 20 - 24" install depth encased in cement
- ✓ Corrosion-Resistant (*Coastal Models Only*)

	Posts for 24" Tall Sign Panels	Posts for 36" Tall Sign Panels	A Post for each height! 24 & 36" Tall Sign Panels
STANDARD MODELS	<p>03-730 1-Sided 03-732 2-Sided</p>	<p>03-731 1-Sided 03-733 2-Sided</p>	<p>03-734 2-Sided</p>
COASTAL MODELS	<p>03-780 1-Sided 03-782 2-Sided</p>	<p>03-781 1-Sided 03-783 2-Sided</p>	<p>03-784 2-Sided</p>



Single-Post Kiosks

184

Phone:
Fax:
Toll-Free:

480-854-3400
480-832-6390
877-718-7446

ROCKART
SIGNS AND MARKERS

Online: www.RockartSigns.com
Email: Sales@RockartSigns.com

v20j007

PEDESTAL SIGN DISPLAYS

BUILT TO LAST! ENGAGING GOOD LOOKS (... IT'S OKAY TO STARE!)

ITEM#: 03-530-[DIMS]-[OPTIONS]
03-532-[DIMS]-[OPTIONS]



ROCKART's handsome **PEDESTAL SIGN DISPLAYS** (also known as *Interpretive Signs*) are the right choice if you want your message to be accessible and presented in an engaging way. When paired with well-designed content, it will be hard for visitors to ignore.

Two different mounting methods for displayed content:

- **Framed Mount** models (#03-532 series) have a detachable, fully-enclosed aluminum frame that protects content on all sides*. This frame is then secured to the pedestal base using several pop rivets.
- **Reverse Mount** models (#03-530 series) have a welded steel back plate with 2 or 3 through-holes along top & bottom edges. Signs printed onto a rigid substrate (aluminum, polycarbonate, High Pressure Laminate HPL or similar) can be attached to the plate using strips of **3M®** VHB (Very High Bond) double-sided tape; or bolted directly to the back plate.

Framed Mount Models (03-532 series)




Reverse Mount Models (03-530 series)



- ✓ Professionally-Welded, 5x5 Steel-tube Pedestal Base with 1 or 2 Vertical Supports (*depends on the size of mounted sign*)
- ✓ In-Ground models should be installed at the recommended depth of 24", encased in concrete
- 🔒 Rebar Anchors help to secure it in place (when installed, encased in cement)
- + Available sizes: 16x10, 18x12, 22x16, 24x18, 36x24 & 48x24 (*for 03-532 series, the viewable area is less, Custom sizes also available*)
- + Surface Mount option for above-ground installations is available
- + Select a mounting method compatible with your signs:
 - **Framed Mount** (*Fully-Enclosed, Detachable Aluminum frame*)
 - **Reverse Mount**
- ✓ Powder Coat finish (Rust Texture) for lasting good looks
- ✓ Installation Guide included
- ✓ **ROCKART®** quality means it is **Built to Last!**
- ✓ Signage is NOT INCLUDED, and is sold separately.



A Surface Mount Option available for Above-Ground installations



Rebar Anchors help secure In-Ground installations (when encased in cement)



(03-530-, 03 532-) Sign Pedestal Displays

Online: www.RockartSigns.com
Email: Sales@RockartSigns.com

ROCKART
SIGNS AND MARKERS

Phone: 480-854-3400
Fax: 480-832-6390
Toll-Free: 877-718-7446

REGISTRATION BOX ADD-ON

ITEM#: 03-710-[SIZE]

ADD-ON ACCESSORY TO ALLOW VISITOR REGISTRATION



Track visitors to trails, campsites or other attractions!

The **REGISTRATION BOX ADD-ON** Features:

- ✓ Professionally-Welded .125" thick All-Steel Construction
- 🔒 Tamper-Resistant hardware included
- ✓ Hinged, slanted lid helps protect contents from the elements
- ✓ Spacious 14" w x 12" d x 4.5" h enclosure easily holds a standard 3-ring binder and tethered pen* with room to spare!
- ✓ Powder coat finish (Rust texture) for lasting durability
- ✓ Well-written fully-illustrated Install Guide included
- ➕ Available mounting bracket size options:
4, 5, 6, 8-inch wide (for Steel-Tube posts) and
3.5 (for 4x4 wood posts)
- ➕ An optional "Call-to-Action" message may be added to the top and/or underside of the lid (extra charge applies)

Looking for a stand-alone (ground-installed) version of this product, see #03-547.

ORDERING INFO

BEFORE ordering, please MEASURE the WIDTH of the target post.

For installation to existing steel tube posts (Kiosks) order the matching width bracket (4, 5, 6 or 8-inch) which includes (4) Tamper-Resistant drive-rivets.

For installation to a "4x4" wood post, order the -3.5 size option which has a 3.5" wide bracket and (4) Tamper-Resistant one-way lag screws

**3-ring binder and tethered pen are not included.*



92-1375



90-851



90-1160



92-2616



#03-710-5 installed on a Single-Post Kiosk



#03-710-6 installed on the right-side post of a Kiosk



#03-710-3.5 installed on a 4x4 Wooden Post



#03-710-6 installed on #03-579-60 Stand-Alone Brochure Box



Registration Box Add-On

186

Phone: 480-854-3400
 Fax: 480-832-6390
 Toll-Free: 877-718-7446

ROCKART
 SIGNS AND MARKERS

Online: www.RockartSigns.com
 Email: Sales@RockartSigns.com

v20j007

STAND-ALONE REGISTRATION BOX

ITEM#: 03-547

GROUND-INSTALLED UNIT TO ALLOW VISITOR REGISTRATION



Track visitors to trails, campsites or other attractions!

The **STAND-ALONE REGISTRATION BOX** Features:

- ✓ Professionally-Welded, .125" thick All-Steel Construction
- ✓ 4x4 Steel-tube Post
- ✓ When installed at suggested depth of 24" deep, the top edge of the registration box is 41" high.
- 🔒 Tamper-Resistant hardware included
- 🔒 4" Rebar Anchor welded to the bottom help discourage unauthorized removal (when encased in concrete)
- ✓ Hinged, slanted lid helps protect contents from the elements
- ✓ Spacious 14"w x 12"d x 4.5"h enclosure easily holds a standard 3-ring binder and tethered pen* with room to spare!
- ✓ Powder coat finish (Rust texture) for lasting durability
- ✓ Well-written fully-illustrated Install Guide included
- ➕ An optional "Call-to-Action" message may be added to the top and/or underside of the lid (extra charge applies)

If you are looking for a version of this product that can be mounted onto an existing **MESSAGE CENTER KIOSK**, see #03-710.

*3-Ring Binder and tethered pen are not included.



92-2616




92-1825



92-1375



90-1087



90-1088



92-2309



92-2591



90-1160



90-851



Stand-Alone Registration Box

Online: www.RockartSigns.com
 Email: Sales@RockartSigns.com

ROCKART
 SIGNS AND MARKERS

Phone: 480-854-3400
 Fax: 480-832-6390
 Toll-Free: 877-718-7446

BROCHURE BOX ADD-ONS

ADD-ONS FOR STORING PRINTED LITERATURE, MAPS, ETC.

ITEM#: 03-550-[SIZE], 03-559-[SIZE]
03-676-[SIZE], 03-671-[SIZE]



All **ROCKART® BROCHURE BOX ADD-ONS** feature:

- ✓ Slightly-oversized, hinged lid helps protect contents inside; helps channel rainwater away
- ✓ Lid designed to shut 'auto-magically' once released
- ✚ Compatible mounting bracket sizes:
 - -4, -5, -6, -8 for Steel-tube posts
 - -3.5 for 4x4 Wood posts
- 🔒 Tamper-Resistant fasteners included
- ✓ Professionally-welded, Steel-tube body
- ✓ "Weep holes" allow rainwater to escape
- ✓ Powder Coat finish (Rust Texture) for durability
- ✓ Installation guide included
- ✓ **ROCKART®** quality means it is Built to Last!

ORDERING INFO

BEFORE ordering, please MEASURE the WIDTH of the target post.

For Steel-tube posts (Kiosks): Order the same width of the target post (-4, -5, -6 or -8") which will include (4) Tamper-Resistant drive-rivets.

For "4x4" wood post: Order the -3.5 size option which has a 3.5" wide bracket and includes (4) Tamper-Resistant One-way lag screws.



Examples of compatible brochure sizes



03-550-[SIZE]

Standard Brochure Box
5w x 5d x 12h

- ✓ Holds about 100 US Letter-sized Brochures



03-559-[SIZE]

Deluxe Brochure Box
8w x 4d x 12h

- ✓ Holds about 100 US Letter-sized Brochures
- ✓ Wider design minimizes brochure curling



03-676-[SIZE]

Large Brochure Box
6w x 6d x 12h

- ✓ Holds over 150+ US Letter-sized Brochures



03-671-[SIZE]

High-Capacity Brochure Box
7w x 7d x 12h

- ✓ Holds over 200+ US Letter-sized Brochures
- ✓ Larger design reduces brochure curling



All Brochure Box Add-Ons

188
Phone:
Fax:
Toll-Free:

480-854-3400
480-832-6390
877-718-7446

ROCKART®
SIGNS AND MARKERS

Online: www.RockartSigns.com
Email: Sales@RockartSigns.com

STAND-ALONE BROCHURE BOX

GROUND-INSTALLED UNIT FOR STORING PRINTED LITERATURE, MAPS, BROCHURES, ETC.

ITEM#: 03-579-[SIZE]-[OPTION]



#03-579-60 shown here with optional Registration Box Add-On #03-710-6 (Not included, sold separately)


Our **STAND-ALONE BROCHURE BOX** is available in two overall sizes: 48 and 60"; with *above-ground* heights of 40" and 48" respectively. *The 60" model was created for compatibility with our Registration Box Add-On (#03-710-6). The 60" model is installed at a depth of 20".*

Opening the sloping, hinged lid reveals two separate compartments (front & back). Each bin stands 11.5" tall, capable of holding around 75 U.S. Letter-sized (8.5" w x 11" h) printed brochures (not included).

If you have brochures of two different sizes (such as an 8.5" tall Tri-fold layout), this unit may be ordered with the option to have split-level compartments (front is 11.5" tall, back is 9.5" tall).

All **STAND-ALONE BROCHURE BOXES** feature:

- 🔒 4" Rebar Anchor welded to the bottom help discourage unauthorized removal (when encased in concrete)
- ✓ Slightly-oversize, hinged lid covers both compartments and helps divert rainwater away
- ✓ Lid closes *automagically* when released
- ✓ Professionally-welded, 6x6 Steel-tube body
- ✓ "Weep holes" allow rainwater to escape
- ✓ Powder Coat finish (Rust Texture) for durability
- ✓ Well-written, fully-illustrated Installation guide included
- ✓ Compatible with other Add-On Accessories (*with 6" bracket size*)
- ✓ **ROCKART**® quality means it is ***Built to Last!***



View showing the '-S' option for Split-level compartments (right) and same-level (left)



Compatible brochure sizes



(03-579) Stand-Alone Brochure Boxes

Online: www.RockartSigns.com
 Email: Sales@RockartSigns.com

ROCKART
 SIGNS AND MARKERS

Phone: 480-854-3400
 Fax: 480-832-6390
 Toll-Free: 877-718-7446

ENVELOPE & COMMENT BOX ADD-ONS

ITEM#: 03-571-[SIZE]
03-567-[SIZE]

ADD-ONS TO STORE PAYMENT ENVELOPES • TO ACCEPT COMMENTS/SUGGESTIONS



03-571-[SIZE]

Lockable Suggestion/Comment Box
5w x 5d x 12h

- ✓ 3.875" wide slot in lid allows insertion of about 145 items.
- ✓ Lockable with #03-316 (not included, sold separately)



#03-316
Padlock to secure
Suggestion Box

These **ROCKART® Add-ONS** Feature:

- ✓ Slightly-oversize, hinged lid helps protect contents inside; helps channel rainwater away
- ✓ Lid designed to shut 'auto-magically' once released
- ✚ Compatible mounting bracket sizes:
 - -4, -5, -6, -8 for Steel-tube posts
 - -3.5 for 4x4 Wood posts
- 🔒 Tamper-Resistant fasteners included
- ✓ Professionally-welded, Steel-tube body
- ✓ "Weep holes" allow rainwater to escape
- ✓ Powder Coat finish (Rust Texture) for durability
- ✓ Installation guide included
- ✓ **ROCKART®** quality means it is Built to Last!

ORDERING INFO

BEFORE ordering, please MEASURE the WIDTH of the target post.

For Steel-tube posts (Kiosks): Order the same width of the target post (-4, -5, -6 or -8") which will include (4) Tamper-Resistant drive-rivets.

For "4x4" wood post: Order the -3.5 size option which has a 3.5" wide bracket and includes (4) Tamper-Resistant One-way lag screws.

Securing deposited items within the #03-571 Suggestion Box requires a compatible lock and is *not included*. We recommend using #03-316 (below) or other compatible lock.

Not recommended for Fee collection.

Looking for a secure way to collect visitor fees? Ask about our **Rock Ranger #03-560** or **HARD Rock Ranger #03-561** Fee Collection Stations



03-567-[SIZE]

Payment Envelope Storage Box
5w x 5d x 8h

- ✓ Holds about 110 empty #6 (6.5 x 3.625) Envelopes



Tamper-Resistant Features



Proudly made in the USA



100% Recyclable



Envelope & Suggestion Boxes

190

Phone: 480-854-3400
Fax: 480-832-6390
Toll-Free: 877-718-7446

ROCKART®
SIGNS AND MARKERS

Online: www.RockartSigns.com
Email: Sales@RockartSigns.com


ROCKART NOTIFIER™

FULLY-ENCLOSED OUTDOOR DISPLAYS

ITEM#: 03-664-[DIMS]



#03-664-1015
(Single 8.5 x 11 page)
Actual size: 10w x 15h x 1.5d



#08-619
Access Hex Key Tool
(included)

The **ROCKART® NOTIFIER** series of outdoor displays are designed to protect and display a single sheet of information. Because it is fully-enclosed, it discourages vandalism attempts, resists color fading due to UV exposure, and will help keep contents relatively dry.

It is **BUILT TO LAST™** using high-quality materials and packs features you have come to expect from **ROCKART®** displays.

Features

- 🔒 Tamper-Resistant hardware (special access tool included)
- ✓ Removable, clear .18" thick Polycarbonate cover (w/ UV inhibitors)
- ✓ Constructed from .75" thick High-Density PolyEthylene (HDPE)
- ✓ Channeled, interlocking frame allows Quick & Easy content swaps
- ✓ 2 fully-recessed mounting holes .375" dia. along vertical center
- ✓ Installation Guide included
- ✓ Discounted pricing available (based on quantity)
- ✓ Mounts easily to any vertical surface or support post.
- ✓ Maintenance-Free for 20 Years!

Display important public information like:

- ✦ Bus route schedules
- ✦ Operating Hours
- ✦ Emergency contact info
- ✦ Daily menu specials
- ✦ Payment information
- ✦ Admission Fees
- ... and more!

Actual printed sign content & mounting hardware are not included, and are sold separately.

ORDERING INFO

03-664-1015 10 x 15 **ROCKART® Notifier™** displays a Single-Sided US Letter-sized Page (8.5 x 11")



(03-664-) Rockart Notifier

Online: www.RockartSigns.com
Email: Sales@RockartSigns.com

ROCKART®
SIGNS AND MARKERS

Phone: 480-854-3400
Fax: 480-832-6390
Toll-Free: 877-718-7446

4-SIDED KIOSKS

DISPLAY CONTENT ON EVERY SIDE!

ITEM#: **03-740** (Green shingles)
03-740-BS (Brown shingles)
03-740-WOS (No shingles)
03-742 (Non-Roof)



#03-740
(with Green shingles)

ROCKART® MESSAGE CENTER KIOSKS are BUILT TO LAST!

- ✓ All-Steel construction
- ✓ Slotted sign panel mounting tabs allow expansion / contraction of Sign Panels as seasonal temperatures change
- ✓ 5x5 Steel-tube vertical supports
- ✓ Well-written, fully-illustrated Installation Guide included
- 🔒 Tamper-Resistant fasteners to discourage thieves
- + Accepts up to four Full-Sized 48 x 48 Single-sided **ROCKART®** Sign Panels (Not Included, Sold separately)
- ✓ Professionally-welded formed steel roof panels*
- ✓ Powder coat (Rust Texture) finish
- ✓ Replacement parts always available
- + Available with optional Brown or Green simulated shingles*
- + Compatible with Add-on Accessories (5" wide bracket)

To ensure your installation is successful, we **strongly recommend** using **Aluminum Assembly Fixtures** (#03-524). They are used as "temporary stand-ins" for the actual sign panels during installation because they are easier to handle and maintain proper spacing between posts while the concrete hardens.

After installation is done, return the undamaged Assembly Fixtures to to ROCKART for a full refund of the security deposit (less shipping).

NOTE: Sign Panels and printed content are not included and are sold separately.

* Not applicable to Non-Roof models



#03-740-BS
(with Brown shingles)



#03-740-WOS
(no shingles)



#03-742
Non-Roof



(03-740, 03-742) 4-sided Kiosk

192
 Phone:
 Fax:
 Toll-Free:

480-854-3400
 480-832-6390
 877-718-7446

ROCKART®
 SIGNS AND MARKERS

Online: www.RockartSigns.com
 Email: Sales@RockartSigns.com

STEEL ARCH SIGN DISPLAY

FRAMED DISPLAY MOUNT FOR OUTDOOR SIGNAGE

ITEM#: 03-702



#03-702

(Frame only, signage is sold separately)

STEEL ARCH SIGNS are a great choice when you need an ultra-durable, long-lasting display solution for mounting outdoor signage!

ROCKART® can assist with designing & producing signage that will best communicate your message to your audience.

- ✓ 3" diameter Formed Steel Pipe
- ✓ 32" w x 74" h when installed at 30" deep
- ✚ .75" thick HDPE Routed Plastic Signs recommended (other substrates available)
- ✓ Accepts signs up to 60" tall
- ✓ Slotted Mounting Tabs allow installed signage to expand/contract as seasonal temperatures change
- ✓ Highly Resistant to Firearm abuse
- 🔒 Tamper-Resistant Fasteners included
- ✓ Powder Coat Finish (Rust Texture)

A Perfect Solution for:

- ✚ Way-Finding / Directional Signs
- ✚ Business Directory (in courtyard)
- ✚ Map / Directory for Apartment Complexes
- ✚ Rules & Regulations Reminders

Actual signage not included, and sold separately.



Tamper-Resistant Features



Proudly made in the USA



100% Recyclable



(03-702) Steel-Arch Sign Display

Online: www.RockartSigns.com
Email: Sales@RockartSigns.com

ROCKART®
SIGNS AND MARKERS

Phone: 480-854-3400
Fax: 480-832-6390
Toll-Free: 877-718-7446

193

KIOSK SIGN PANEL INSERTS

PRINTED CONTENT FOR FULLY-ENCLOSED KIOSK SIGN PANEL DISPLAYS



A **ROCKART® KIOSK SIGN PANEL INSERT** will communicate your message to your audience with **maximum impact!**

ROCKART® can assist with designing & producing signage that will best communicate your message to your audience.

- ✓ Full-Color
- ✓ Full-Size Insert (content visible from edge-to-edge)
- ✚ UV Protective Overlaminate to resist color fading
- ✓ Printed on 3 mil PVC Fome-Core for rigidity (other substrates are available)
- ✓ No tape, velcro, staples or other fasteners required, graphic is rigid, so it stays put!

Ideal for communicating things like:

- ✚ Seasonal Closures
- ✚ Permitted / Restricted Activities
- ✚ Rules & Regulations Reminders
- ✚ Aerial Maps / Layout for Navigation
- ✚ Emergency Contact Information
- ✚ Warning of Possible Dangers
- ✚ Historical Timelines or Scientific Details
- ✚ Myths or Little Known Facts

	SIGN PANEL SIZE (W x H)	INSERT SIZE (W x H)	PRICE
Single-Post Kiosks	24 x 24 (square)	19.75 x 17.75	\$130
	24 x 36 (tall)	19.75 x 29.75	\$140
	36 x 24 (wide)	31.75 x 17.75	\$140
	36 x 36 (square)	31.75 x 29.75	\$160
Narrow Kiosk	36 x 48 (tall)	29.75 x 39.75	\$170
Standard Kiosk	48 x 48 (square)	41.75 x 39.75	\$180
Wide Kiosk	72 x 48 (wide)	65.75 x 39.75	
	Custom Sizes		Call Us



Kiosk Sign Panel Inserts

194

Phone: 480-854-3400
 Fax: 480-832-6390
 Toll-Free: 877-718-7446

ROCKART®
 SIGNS AND MARKERS

Online: www.RockartSigns.com
 Email: Sales@RockartSigns.com

v201007

SIGNICADE DELUXE "A-FRAME"

PORTABLE SIGN DISPLAY - DISPLAYS TWO 24 X 36 SIGNS



Signage not included


SIGNICADE DELUXE "A-FRAME" outdoor signs are manufactured exclusively from polyethylene, a durable plastic, making them ideal for outdoor use. As a result of their durable construction, the frames won't rust or splinter over time, unlike wooden a-frames. These outdoor signs feature a sleek, white coloring. This hue allows the posters and colorful messages to pop off the board.

- ✓ Quick Change feature lets you swap out displayed sign content in seconds
- ✓ No maintenance necessary
- ✓ Displays two 24 x 36 Signs up to 3/16 inch thick... one on front, one on back
- ✓ No need for fasteners such as: adhesives, tape, hook & loop, tacks, push-pins, or screws!
- ✓ Once extended (opened) fully, an auto-locking hinge prevents over-extending
- ✓ "Stay Tabs" on left/right sides keep signage from bowing outward.
- ✓ Display has built-in weights, totaling 20 lbs that help keep it in place on windy days
- ✓ Up to 10 lbs of additional weight may be added by removing the plugs along the sides and pouring up to 5lbs of sand into each side.
- ✓ Built-in molded handle (top) makes it easy to carry and handle.
- ✓ Small bumps & dimples (located on front and back faces) allow stacking several closed displays vertically

Ordering Details


03-829

Signicade Deluxe "A-Frame" Portable Sign Stand - Displays two 24 x 36 signs up to 3/16 inch thick (signage not included)



Collapsed (closed) measurements: 27w x 45h x 3d
 Extended (opened) measurements: 27w x 45h x 24d
 Weight (empty): 20 lbs

Sign Insertion Instructions:



(03-829) Signicade Deluxe A-Frame

Online: www.RockartSigns.com
 Email: Sales@RockartSigns.com

ROCKART
 SIGNS AND MARKERS

Phone: 480-854-3400
 Fax: 480-832-6390
 Toll-Free: 877-718-7446

JACKJAW 300 POST EXTRACTOR

FAST, EASY, SAFE, ONE-PERSON POST REMOVAL!

ITEM#: 08-101



U-Channel Post

Save time & fuel while preventing injuries with the **JACKJAW 300 POST EXTRACTOR!** JACKJAW is the new force in post pulling. The powerful, patented jaw and mechanism allows pulling posts straight out of the ground or asphalt without bending the post or breaking your back. You no longer need two people, a Bobcat or a heavy, cumbersome hydraulic system to remove installed posts.

Crooked post or uneven ground? ...No Problem! Just tilt the JackJaw to align with the post.

JACKJAW is produced from heavy gauge steel plate and tubing to withstand everyday job site use. The easily replaceable jaws are case hardened AR400 steel for long wear. No paint to chip. **JACKJAW** units have a zinc and clear chromate plating for long lasting durability and corrosion resistance.

- ✓ Fast, easy, safe removal of installed marker posts
- ✓ **JACKJAW 300** removes U-Channel, T-posts, Grounding rods, and Dual-Flex markers
- ✓ Lightweight (24 lbs), powerful, All-steel construction
- ✓ Grips tightly on post, no slipping, no back strain
- ✓ **16 to 1 Mechanical Advantage**
(100 lb push down on handle = 1600 lb pull up on sign post)
- ✓ **3200 lb** gripping force against the post
- ✓ Portable, No set-up or assembly required to use!

ORDERING INFO

08-101 JACKJAW 300 Post Extractor



08-101



Dual-Flex Marker



Fence T Post



Grounding or Concrete Form Rod



(PCT PATENT APPLICATION NUMBER PCT/AU2007/001467)



(08-101) JackJaw 300 Post Extractor

196 Phone: 480-854-3400
 Fax: 480-832-6390
 Toll-Free: 877-718-7446

ROCKART
 SIGNS AND MARKERS


Online: www.RockartSigns.com
 Email: Sales@RockartSigns.com

V20101007

ARC-TEC

GROUND-DRIVEN FIBERGLASS MARKER POST

ITEM#: AT[SIZE]-[COLOR]



ARC-TEC marker posts can display decals or reflective sheeting up to 4" wide on either side. At only .21 lbs / foot, it is the lightest post if packing into remote locations. Its thin profile provides more flexibility that helps minimize potential damage to the post or vehicle when impacted from the convex side (front).

The **ARC-TEC** post comes with one end pre-cut into a "V-shaped" tip and can be installed using compatible drivers and soil preparation techniques.

If additional theft protection is desired or the installation site has relatively soft soil, consider using an **ARC-TEC ANCHOR** with this post (not included, and are sold separately #08-114). It can be installed on the concave side (back) of the marker post (sorry, we do not offer anchor pre-installation service for this post).

Economically priced, the **ARC-TEC** profile is an excellent trail marking product. In White: White (-00), Brown (-01).

Weight: .21 lbs/ft

Any quantity of posts may be ordered. However, greater pricing discounts are applied when ordering multiples of 25. If you are preparing a government bid or wish to order more than 524 posts, please contact us for special pricing.

A single anchor may be installed on the BACK (concave) side
08-114 Arc-Tec Anchor (1 side)

Decals & Reflective Sheeting

This post can display decals or reflective sheeting up to 4" wide on either side.



Snow Poles

Attaching snow poles to this post is not recommended.

Installation Tools

Standard post-drivers can be used to install this post.

- 62"
(5'-2")
- 66"
(5'-6")
- 72"
(6')
- 78"
(6'-6")
- 82"
(6'-10")



(AT) Arc-Tec Marker Posts

Online: www.RockartSigns.com
 Email: Sales@RockartSigns.com

ROCKART
 SIGNS AND MARKERS

Phone: 480-854-3400
 Fax: 480-832-6390
 Toll-Free: 877-718-7446

DUAL-FLEX

GROUND-DRIVEN FIBERGLASS MARKER POST

ITEM#: DF[SIZE]-[COLOR]



DUAL-FLEX is one of our most popular and versatile fiberglass marker posts. It is a cost effective solution for marking secondary routes, campsites or trails.

It can be used to display standard decals or reflective sheeting up to 3" wide on either side to increase visibility of the post or to show messages to users traveling in either direction.

With its *medium* flexibility rating, it can support the use of snow poles or attaching a small 4x4 or 6x6 sign (using a compatible bracket).

When unauthorized removal / theft is a concern, this post is compatible with two different anchors, which may be installed on one or both sides (see below).

Each post comes with the bottom end pre-cut into a "V-shape" to allow easier installation and is available in: White (-00), Brown (-01), Yellow (-02), Orange (-03), Red (-04), Blue (-05) and Green (-06).

Weight: .47 lb/ft

Any quantity of posts may be ordered. However, greater pricing discounts are applied when ordering multiples of 20. If you are preparing a government bid or wish to order more than 519 posts, please contact us for special pricing.

Anchors may be installed on one or both sides

- 08-111-1 Flex-Flange Anchor (Single-sided)
- 08-111-2 Flex-Flange Anchors (Double-sided)
- 08-112-1 Rock-Flex Anchor (Single-sided)
- 08-112-2 Rock-Flex Anchors (Double-sided)

Decals & Reflective Sheeting


This post accepts decals and reflective sheeting up to 3" wide on either side.

Snow Poles


This post is compatible with snow poles mounted on either side. Ask about our Snow Pole Brackets.

Installation Tools

Standard post-drivers can be used to install this post.



See note regarding 24, 36, & 48 lengths.



NOTE: Lengths of 24", 36" and 48" are **NOT** kept in stock because they are not as popular, and are considered to be **custom-order** items. To fill an order that includes these lengths, we must cut them from a full-sized piece of material. For this reason, these sizes are **Non-Returnable & Non-Refundable!**



(DF) Dual Flex Marker Posts

198
Phone:
Fax:
Toll-Free:

480-854-3400
480-832-6390
877-718-7446


ROCKART
SIGNS AND MARKERS

Online: www.RockartSigns.com
Email: Sales@RockartSigns.com

FLEX-TOUGH


GROUND-DRIVEN FIBERGLASS MARKER POST








ITEM#: FT[SIZE]-[COLOR]



The **FLEX-TOUGH** marker post was originally designed for Utility marking. Decals up to 3" wide may be applied to one or both sides.

This symmetrical profile features a thicker center spine which helps strengthen the post throughout. It is available in 8 standard pre-cut lengths, with the bottom-end pre-cut into a "V-shaped" point for easier ground installation.

Currently, we only stock the color  Brown (-01).

If ordering a **very large quantity**, 7 additional colors may be available:  White (-00),  Yellow (-02),  Orange (-03),  Red (-04),  Blue (-05),  Green (-06) and  Purple (-11). Call us for details.

Use of anchors is not recommend for since it lacks a flat side.

Snow Poles may be mounted to either side (using a compatible bracket) to extend visibility in deep snow.

Weight: .57 lbs/ft

Any quantity of posts may be ordered. However, greater pricing discounts are applied when ordering multiples of 20. If you are preparing a government bid or wish to order more than 519 posts, please contact us for special pricing.

Use of anchors not recommended with this post.

Decals & Reflective Sheeting


This post can display decals or reflective sheeting up to 3" wide on either side, however decals may appear slightly distorted and may need protection from (edge lift)

Snow Poles


This post is compatible with snow poles mounted on either side. Ask about our Snow Pole Brackets.

Installation Tools

Standard post-drivers can be used to install this post.



See note regarding 24, 36, & 48 lengths.



NOTE: Lengths of 24", 36" and 48" are **NOT** kept in stock because they are not as popular, and are considered to be **custom-order** items. To fill an order that includes these lengths, we must cut them from a full-sized piece of material. For this reason, these sizes are **Non-Returnable & Non-Refundable!**

We currently stock only the 01-BROWN color. Colors other than 01-BROWN are only available in very large quantities. This is the only fiberglass post available in 11-PURPLE.



(FT) Flex-Tough Marker Posts

Online: www.RockartSigns.com
Email: Sales@RockartSigns.com

ROCKART
SIGNS AND MARKERS

Phone: 480-854-3400
Fax: 480-832-6390
Toll-Free: 877-718-7446

GLAS-FLEX

GROUND-DRIVEN FIBERGLASS MARKER POST

ITEM#: GFX[SIZE]-[COLOR]



GLAS-FLEX posts are more resistant to vehicular impact than our **DUAL-FLEX** or **TRI-FLEX** designs, and are the more flexible of the three. The thicker spine (running up the center of the back) was designed to strengthen the post. It will support attaching a small 4x4 or 6x6 aluminum sign without requiring spacers.

Decals or reflective sheeting up to 3" wide may be applied to the front (flat) side.

Standard post driving tools can be used for installation.

When unauthorized removal / theft is a concern, this post is compatible with anchor installation on the front side (see below).

Each post comes with the bottom end pre-cut into a "V-shape" to ease installation and is available in: White (-00), Brown (-01), Yellow (-02), Orange (-03), Red (-04), Blue (-05) and Green (-06).

Weight: .45 lb/ft

Any quantity of posts may be ordered. However, greater pricing discounts are applied when ordering multiples of 20. If you are preparing a government bid or wish to order more than 519 posts, please contact us for special pricing.

A single anchor may be installed on the front (flat) side

08-111-1 Flex-Flange Anchor (Single-sided)

08-112-1 Rock-Flex Anchor (Single-sided)

Decals & Reflective Sheeting

This post accepts decals or reflective sheeting up to 3" wide on either side, however decals applied to the backside may appear distorted and may start to fall off over time (due to edge lift)

Snow Poles


This post is compatible with snow poles mounted on either side. Ask about our Snow Pole Brackets.

Installation Tools

Standard post-drivers can be used to install this post.

24" (2')	36" (3')	48" (4')	62" (5'-2")
66" (5'-6")	72" (6')	78" (6'-6")	82" (6'-10")

See note regarding 24, 36, & 48 lengths.



NOTE: Lengths of 24", 36" and 48" are **NOT** kept in stock because they are not as popular, and are considered to be **custom-order** items. To fill an order that includes these lengths, we must cut them from a full-sized piece of material. For this reason, these sizes are **Non-Returnable & Non-Refundable!**



(GFX) Glas-Flex Marker Posts

200
Phone:
Fax:
Toll-Free:

480-854-3400
480-832-6390
877-718-7446

ROCKART
SIGNS AND MARKERS

Online: www.RockartSigns.com
Email: Sales@RockartSigns.com

SIGN POST MARKER

GROUND-DRIVEN FIBERGLASS MARKER POST

ITEM#: SPM[SIZE]-[COLOR]



The **SIGN POST MARKER** is our most rigid fiberglass marker post. It was designed to handle the added stress & strain resulting from the use of small signs and/or Snow Poles.

The super-rigid profile of this post should easily support the use of Snow Poles for areas that receive heavy snowfall. At 3.75" wide, it will accommodate standard 3" decals/reflectors on one or both sides. Available in 5 popular sizes and in 2 colors: White (-00), Brown (-01).

Compatible with our **ROCK-FLEX ANCHORS (08-112)** or **FLEX-FLANGE ANCHORS (08-111)**, on one or both sides (see below).


Each post comes with one end cut into a "V" shape to ease installation.

Installs with standard post drivers (not included, and sold separately).

Weight: .58 lbs/ft

Any quantity of posts may be ordered. However, greater pricing discounts are applied when ordering multiples of 15. If you are preparing a government bid or wish to order more than 510 posts, please contact us for special pricing.

- 62"
(5'-2")
- 66"
(5'-6")
- 72"
(6')
- 78"
(6'-6")
- 82"
(6'-10")



An anchor may be installed on one or both sides

- 08-111-1** Flex-Flange Anchor (1 side)
- 08-111-2** Flex-Flange Anchors (both sides)
- 08-112-1** Rock-Flex Anchor (1 side)
- 08-112-2** Rock-Flex Anchors (both sides)

Decals & Reflective Sheeting


This post can display decals or reflective sheeting up to 3" wide on either side

Snow Poles

This post is compatible with snow poles mounted on either side. Ask about our Snow Pole Brackets.

Installation Tools

Standard post-drivers can be used to install this post.



(SPM) Sign Post Markers

Online: www.RockartSigns.com
 Email: Sales@RockartSigns.com




Phone: 480-854-3400
 Fax: 480-832-6390
 Toll-Free: 877-718-7446

SINGLE-RIB BOUNDARY MARKER

FIBERGLASS POST FOR MARKING BOUNDARIES & SURVEYING

ITEM#: SRBM[SIZE]-[COLOR]



Our new **SINGLE-RIB BOUNDARY/SURVEY MARKER** is replacing our **BOUNDARY MARKER** product (# BM).

The front side is perfectly flat and will accept decals up to 2.5" wide - we carry many strip decals that are specifically designed for use with these slightly narrower posts.

Each post comes with one end pre-cut to a point making it a little easier to drive into the ground using a compatible post drivers.

Available in 5 popular sizes: 48, 62, 66, 72 and 78-inch, and in the colors: ■ Brown (-01) and ■ Orange (-03).

Any quantity of posts may be ordered. However, greater pricing discounts are applied when ordering multiples of 20. If you are preparing a government bid or wish to order more than 519 posts, please contact us for special pricing.

A single anchor may be installed on the front side

03-381 Polycarbonate Anchor

Decals & Reflective Sheeting

This post can display strip decals and/or reflective sheeting up to 2.5" wide on the front side only (decals/ reflective sheeting are not included and are sold separately)

Installation Tools

Standard post-drivers can be used to install this post.


48"
(4')

62"
(5'-2")

66"
(5'-6")

72"
(6')

78"
(6'-6")



(SRBM) Single Rib Boundary/Survey Markers

202
Phone:
Fax:
Toll-Free:

480-854-3400
480-832-6390
877-718-7446

ROCKART
SIGNS AND MARKERS

Online: www.RockartSigns.com
Email: Sales@RockartSigns.com

TRI-FLEX

GROUND-DRIVEN FIBERGLASS MARKER POST

ITEM#: TF[SIZE]-[COLOR]



The **TRI-FLEX** post has radii on the stiffening rib to minimize the chances of splitting when placed under stress. It now exhibits increased durability for high traffic areas.

Standard 3 inch wide decals may be applied to one side and are protected by the edge rib design. Stiffer than our **DUAL-FLEX** and **GLAS-FLEX** marker posts, the **TRI-FLEX** can be driven into most soil types with standard post drivers.

Available in: White (-00), Brown (-01), Yellow (-02), Orange (-03), Red (-04), Blue (-05) and Green (-06).

It can be used with optional snow pole brackets with any style snow pole, as well as our Rock-Flex (**08-112**) or Flex-Flange (**08-111**) Anchors.

Each post has the bottom end cut in a "V-shape" to ease installation.

Weight: .43 lb/ft

Any quantity of posts may be ordered. However, greater pricing discounts are applied when ordering multiples of 20. If you are preparing a government bid or wish to order more than 519 posts, please contact us for special pricing.

An anchor may be installed on the front (flat) side

08-111-1 Flex-Flange Anchor (1 side)

08-112-1 Rock-Flex Anchor (1 side)

Decals & Reflective Sheeting


This post can display decals or reflective sheeting up to 3" wide on either side, however decals applied to the backside may appear distorted and may start to fall off over time (edge lift)

Snow Poles


This post is compatible with snow poles mounted on either side. Ask about our Snow Pole Brackets.

Installation Tools

Standard post-drivers can be used to install this post.



See note regarding 24, 36, & 48 lengths.



NOTE: Lengths of 24", 36" and 48" are **NOT** kept in stock because they are not as popular, and are considered to be **custom-order** items. To fill an order that includes these lengths, we must cut them from a full-sized piece of material. For this reason, these sizes are **Non-Returnable & Non-Refundable!**



(TF) Tri-Flex Marker Posts

Online: www.RockartSigns.com
Email: Sales@RockartSigns.com



Phone: 480-854-3400
Fax: 480-832-6390
Toll-Free: 877-718-7446

SNOW POLE SP18

3/16" FIBERGLASS SNOW POLE

ITEM#: SP18[SIZE]-03



The **SP18** or $\frac{3}{16}$ " snow pole design offers more flexibility and is relatively lightweight at only .18 lb/ft.

The front & back sides provide additional area to enhance the visibility of the pole using strips of reflective sheeting. Economically priced as an affordable solution to make travelways more visible when weather conditions are poor.

The **SP18** may be mounted "piggy-back" onto compatible marker posts using a compatible Snow Pole Bracket.

Available in 5 popular sizes: 48, 60, 72, 84 or 96-inches and only in Orange (-03).

Consider using a **SNOW POLE RECEIVER** (not included, and sold separately) if installing this product seasonally. This allows quick & easy installation & removal of snow poles each season! (see below).

Any quantity of posts may be ordered. However, greater pricing discounts are applied when ordering multiples of 40. If you are preparing a government bid or wish to order more than 519 posts, please contact us for special pricing. Sold and priced as individual posts. Packaged & shipped in containers of 40 poles.

Recommended Products

03-590,1 In-Ground Snow Pole Receiver

03-592,3 Surface-Mount Snow Pole Receiver

An anchor may be installed on either side

03-382-1 Snow Pole Anchor for use with SP18 (hardware incl.)

Decals & Reflective Sheeting

Visibility of this post may be enhanced with the application of EG or HIP reflective sheeting up to 1" wide on one or both sides

Installation Tools

Standard post-drivers can be used to install this post.



(SP18) Snow Poles



Phone:
Fax:
Toll-Free:

480-854-3400
480-832-6390
877-718-7446

ROCKART
SIGNS AND MARKERS

Online: www.RockartSigns.com
Email: Sales@RockartSigns.com

v201007

SNOW POLE SP25

1/4" FIBERGLASS SNOW POLE

ITEM#: SP25[SIZE]



Measuring 1.25" wide x .25" thick the **SP25** Snow Pole is a bit more flexible than our **SP38** product, but more rigid than our **SP18** product. Available in 5 popular sizes: 48, 60, 72, 84 or 96-inches and only in ■ Orange.

Anchors may be used with this snow pole (to discourage theft), see item# **03-382-2**

If you are attaching this snow pole to an existing fiberglass post, see our selection of **SNOW POLE BRACKETS**.

Consider using a **SNOW POLE RECEIVER** (not included, and sold separately) if installing this product seasonally. This allows quick & easy installation & removal of snow poles each season! (see below).

Any quantity of posts may be ordered. However, greater pricing discounts are applied when ordering multiples of 30. If you are preparing a government bid or wish to order more than 389 posts, please contact us for special pricing. Packaged and shipped in containers of 30 poles.

Recommended Products

03-590,1 In-Ground Snow Pole Receiver

03-592,3 Surface-Mount Snow Pole Receiver

An anchor may be installed on either side


03-382-2 Snow Pole Anchor for SP25 & SP38 (hardware incl.)

Decals & Reflective Sheeting

Visibility of this post may be enhanced with the application of EG or HIP reflective sheeting up to 1" wide on one or both sides

Installation Tools

Standard post-drivers can be used to install this post.



(SP25) Snow Poles

Online: www.RockartSigns.com
 Email: Sales@RockartSigns.com

ROCKART
 SIGNS AND MARKERS

Phone: 480-854-3400
 Fax: 480-832-6390
 Toll-Free: 877-718-7446

205

SNOW POLE SP31

QUASI-ELLIPTICAL SNOW POLE

ITEM#: SP31[SIZE]-03



The **quasi-elliptical** profile of our **SP31** snow pole makes it a more rigid alternative to the **SP18** family of snow poles... and is priced the same!

The curved face (front) of the **SP31** will accept of EG or HIP reflective sheeting or decals up to .75" wide.

Available in 5 popular sizes of 48, 60, 72, 84 or 96 inches; and only in Orange (03).

Consider using a **SNOW POLE RECEIVER** (not included, and sold separately) if installing this product seasonally. This allows quick & easy installation & removal of snow poles each season (see below)!

Any quantity of posts may be ordered. However, greater pricing discounts are applied when ordering multiples of 40. If you are preparing a government bid or wish to order more than 519 posts, please contact us for special pricing. Packaged and shipped in containers of 40 poles.

Recommended Products

03-590,1 In-Ground Snow Pole Receiver

03-592,3 Surface-Mount Snow Pole Receiver


Use of anchors with this product is not recommended

Decals & Reflective Sheeting

This snow pole can accept decals or reflective sheeting up to .75" wide on the front side only

Mounting to Marker Posts

Ask about our Snow Pole Brackets.



(SP31) Snow Poles

206

Phone:

Fax:

Toll-Free:

480-854-3400

480-832-6390

877-718-7446

ROCKART
SIGNS AND MARKERS

Online: www.RockartSigns.com

Email: Sales@RockartSigns.com

v.2010J07

SNOW POLE SP38

3/8" FIBERGLASS SNOW POLE

ITEM#: SP38[SIZE]-[COLOR]



Our 3/8" or **SP38** Snow Pole is our most rigid snow pole product. For this reason, it is the obvious choice when a taller snow pole is needed. It is also ideal for marking roadways carrying higher-speed traffic. They are economically priced to allow adequate marking in needed areas.

These snow poles may be mounted "piggy-back" on compatible fiberglass marker posts using a compatible **SNOW POLE BRACKET**. They can be driven directly into the ground using a compatible driver.

Front & back sides allow reflective sheeting up to 1" wide to be applied for increased visibility.

Available in 5 popular sizes: 48, 72, 96, 120 and 144 inches and in these colors : White (-00), Brown (-01), Yellow (-02), Orange (-03) and Black (-09).

Consider using a **SNOW POLE RECEIVER** (not included, and sold separately) if installing this product seasonally. This allows fast & easy installation & removal of snow poles each season (see below)!

Any quantity of posts may be ordered. However, greater pricing discounts are applied when ordering multiples of 20. If you are preparing a government bid or wish to order more than 389 posts, please contact us for special pricing.

Recommended Products

- 03-590,1** In-Ground Snow Pole Receiver
- 03-592,3** Surface-Mount Snow Pole Receiver
- 08-126** Mounting Bracket to attach small 4x4 or 6x6 signs to SP38

An anchor may be installed on either front/back side

- 03-382-2** Snow Pole Anchor

Decals & Reflective Sheeting



This snow pole can accept decals or reflective sheeting up to 1" wide on either side.

Installation Tools

- 08-186** Snow Pole Driver

Mounting to Marker Posts

Ask about our Snow Pole Brackets.



(SP38) Snow Poles

Online: www.RockartSigns.com
 Email: Sales@RockartSigns.com



Phone: 480-854-3400
 Fax: 480-832-6390
 Toll-Free: 877-718-7446



TREE HUGGERS

DISPLAY DECALS ON TREES OR CURVED SURFACES

ITEM#: 01-160-[SIZE]-[COLOR]



Above: 17-inch, Brown Tree Hugger #01-160-17-01 with 4 different 3x3 decals (sold separately)

A **TREE HUGGER** may be the perfect solution if you wish to display one or more decals (up to 4" wide) on a tree, round post or other curved surface. Use of existing trees for mounting decals saves money possibly spent on posts and may also serve as a natural deterrent in areas where firearm vandalism to signs is prevalent. They are made from the same highly durable Fiberglass Reinforced Polyester (FRP) used in manufacturing our marker post products.

Each **TREE HUGGER** has 2 pre-drilled mounting holes (one at top and bottom, centered) and includes hardware for mounting to a tree: two #8 x 2.5" long phillips head deck screws, zinc plated.

There are 44 sizes available (ranging from 6" to 49", in 1" increments) so they can easily accommodate most reflective sheeting, strip decals or groupings of individual decals. They are available in 2 colors: White (-00), and Brown (-01).

ORDERING INFORMATION

To leave ample room for the pre-drilled holes and mounting hardware at the top and bottom, we recommend ordering 3" OVER the total height of the decal(s) to be displayed.

Pricing discounts are quantity-based, and start at 100 units.

When installing this product on a tree, be sure to leave the screws slightly loose, to allow for tree growth.

Decals are not included and sold separately.

Related Products & Services

- 00-0021** Service to have a decal pre-applied (Decal not included)
- 08-710** Additional Mounting Hardware (#8 x 2.5" Deck Screw)



#08-710
Included Mounting Hardware
(#8 x 2.5" long Deck screws)



(01-160-) Tree Huggers

208

Phone: 480-854-3400
Fax: 480-832-6390
Toll-Free: 877-718-7446

ROCKART
SIGNS AND MARKERS

Online: www.RockartSigns.com
Email: Sales@RockartSigns.com

v201007

WOOD POST MARKERS

DISPLAY DECALS ON WOODEN POSTS

ITEM#: 01-170-[SIZE]-[COLOR]



Above: A 12-inch, Brown Wood Post Marker 01-170-12-01 and strip decal #10-317 (not included)



WOOD POST MARKERS are for displaying decals (up to 3" wide) on 4 x 4" (or larger) wooden posts. They are manufactured from Fiberglass Reinforced Polyester (FRP) – the same material used to manufacture our marker posts.

Available in 44 sizes (from 6 to 49", in 1" increments) so they can easily accommodate most strip decals or groupings of individual decals. Available in 7 colors: White (-00), Brown (-01), Yellow (-02), Orange (-03), Red (-04), Blue (-05) and Green (-06).

Each has 2 pre-drilled mounting holes (one at top and bottom, centered) and includes tamper-resistant hardware for mounting to a wooden post: two #10 x 1" Long Washer Head, Square Drive Screws.

ORDERING INFORMATION

To leave enough room for the pre-drilled holes and mounting hardware at the top and bottom, we recommend ordering 3" OVER the combined total height of the decal(s) to be displayed.

Pricing discounts are available for quantities over 100.

Decals are not included and are sold separately. Wood post is not included.

Related Products & Services

- 00-0021** Service to have a decal pre-applied (decal not included)
- 08-750** Extra Mounting Hardware (#10 x 1" Square Drive Screw)

Recommended Installation Tools

- 08-623** #10 Square Drive Screw Driver
- 08-624** #10 Square Drive Power Drill Bit



#08-750
Included Mounting Hardware
(#10 x 1" Square-Drive Screws)



#08-623
#10 Square-Drive
Screwdriver



#08-624
#10 Square-Drive
Power Drill Bit



(01-170-) Wood Post Markers

Online: www.RockartSigns.com
Email: Sales@RockartSigns.com

ROCKART
SIGNS AND MARKERS

Phone: 480-854-3400
Fax: 480-832-6390
Toll-Free: 877-718-7446

U-CHANNEL POST MARKERS

DISPLAY DECALS ON U-CHANNEL POSTS

ITEM#: 01-180-[SIZE]-[COLOR]



Above: 19-inch, Orange U-Channel Post Marker #01-180-19-03 pictured with strip decal #10-953 (sold separately) on a 2-lb U-Channel Post (sold separately)

Our **U-CHANNEL POST MARKER** allows displaying decals (up to 3" wide) vertically-aligned on steel 1 or 2-lb/foot, U-Channel posts. Available in 44 sizes (6 to 49"; in 1" increments) so they will easily accommodate most strip decals or a group of individual decals.

Available in 7 colors: White (-00), Brown (-01), Yellow (-02), Orange (-03), Red (-04), Blue (-05) and Green (-06). They are made from the same highly durable Fiberglass Reinforced Polyester (FRP) used in manufacturing our marker post products.

Each marker has 2 pre-drilled holes (one at top & bottom end, on 1" centers). Mounting hardware is not included and we recommend one of our tamper-resistant fasteners that will discourage theft (see below).

ORDERING INFORMATION

To leave ample room for the pre-drilled holes and any mounting hardware used, we recommend adding 3" to the total height of the decal(s) to be displayed.

Pricing discounts are available, and start at 100 units.

U-Channel Post, Mounting hardware & Decals are not included and sold separately.

Related Products & Services

- 00-0021** Service to have a decal pre-applied (Decals sold separately)
- 01-302** Bundle of 50 U-Channel posts
- 01-322** Singular U-Channel post

Recommended Mounting Hardware & Installation Tools

- 08-800** Threaded T-Nut Fastener
- 08-619** Hex Key for installing 08-800
- 08-808** Double-headed Aluminum Pop Rivet
- 08-600** POP PS15 Rivet Tool for installing 08-808



#08-800
Threaded T-Nut Fastener



#08-808
Double-Headed Aluminum Pop Rivet



#08-619
Hex Key for Installing #08-800



#08-600
POP PS15 Rivet Tool



(01-180-) U-Channel Post Markers

210
Phone:
Fax:
Toll-Free:

480-854-3400
480-832-6390
877-718-7446


ROCKART
SIGNS AND MARKERS

Online: www.RockartSigns.com
Email: Sales@RockartSigns.com

v20j007

MULTI-FACET DECAL DISPLAYS

DISPLAY DECALS ON MANY SIDES (FOR U-CHANNEL AND WOOD POSTS)



Our **MULTI-FACET DECAL DISPLAYS** are made from 3/16" thick clear polycarbonate and allow a decal-friendly surface to display decals on 1, 2 or 3 sides. Allows customized messaging for users approaching from different directions. Two decal-widths are available: 3" or 4" wide decals. Designed for use with U-Channel or 4 x 4 Wood Posts. Available sizes range from 6-48"; in 1" increments, so they will accommodate most strip decals or group of individual decals.

Each unit has 2 pre-drilled holes (.375" dia.; one at top & bottom end, on 1" centers). Mounting hardware is not included and is sold separately (see below).

ORDERING INFO

To leave enough room for the pre-drilled holes and mounting hardware at the top and bottom, we recommend adding 3" to the total height of the decal(s) to be displayed.

Choose number of sides (1-Way, 2-Way or 3-Way), the width of decals being displayed (3" wide or 4" wide), and the length of the Sign Blank (6" to 48"; 1" increments)

U-Channel Post, 4 x 4 Wood Post, Mounting hardware & Decals are not included and sold separately.

Related Products & Services

- 00-0021** Service to have a decal pre-applied (Decals sold separately)
- 01-302** 2-lb. U-Channel posts (Bundle of 50 posts)
- 01-322** 2-lb. U-Channel post (Single post)

Recommended Mounting Hardware & Installation Tools

U-Channel Installation


- 08-800** Threaded T-Nut Fastener
- 08-619** Hex Key for installing 08-800
- 08-808** Double-headed Aluminum Pop Rivet
- 08-600** PS15 POP Rivet Tool for installing 08-808

4 x 4 Wood Post Installation

- 08-1048** 1/4 x 1 Hex Head Lag Screw, Steel, Zinc
- 08-759** 5/16 ID x .75 OD Flat Washer (for 1/4" Bolt)



Above: An 18" tall, 3-Way Multi-Facet Display for 3" wide Decals #01-374-18 (shown with various 3 x 3 decals, sold separately). One on left is mounted to a U-Channel Post (sold separately). Right one is mounted to a 4 x 4 Wood Post.



Multi-Facet Decal Display

Online: www.RockartSigns.com
 Email: Sales@RockartSigns.com



Phone: 480-854-3400
 Fax: 480-832-6390
 Toll-Free: 877-718-7446



STEEL MARKER POSTS

ITEM#: 03-827 / 03-507 / 03-508

GROUND-INSTALLED STEEL POSTS FOR IDENTIFYING TRAILS, CAMPSITES & MORE!



03-507 shown with #03-580 Contour-Cut Steel Numbers (not included, sold separately)

Use these handsome & extremely-durable **STEEL MARKER POSTS** to identify camp sites, trails and more!

When paired with our **CONTOUR-CUT STEEL NUMBERS** (#03-580 or #03-582), these marker posts will perform nicely for many, many years!

All **ROCKART® STEEL MARKER POSTS** feature:


- 🔒 4" Rebar Anchor welded to the bottom help discourage unauthorized removal (when encased in concrete)
- ✓ Professionally-welded, Steel-tube
- ✓ Above-ground height of 56" when installed at recommended depth of 20".
- ✓ Dome cap/Angled top gives a stylish accent to overall appearance
- ✓ Powder Coat finish (Rust Texture) for durability
- ✓ Installation guide included
- ✓ Compatible with many Add-On Accessories
- ✓ **ROCKART®** Quality means it is Built to Last!

ORDERING INFO

- 03-827** 72" tall 3x3 Steel Marker Post (for ground installation) w/ Dome cap, rebar extension & Powder Coat finish
- 03-507** 72" tall 4x4 Steel Marker Post (for ground installation) w/ Dome cap, rebar extension & Powder Coat finish
- 03-508** 72" tall 5x5 Steel Marker Post (for ground installation) w/ Dome cap, rebar extension & Powder Coat finish



03-580 Contour-Cut 2.5w x 4h Steel Numbers (not included, sold separately)



03-582 Contour-Cut 3w x 5h Steel Numbers (not included, sold separately)



Steel Marker Posts

212 Phone:
Fax:
Toll-Free:

480-854-3400
480-832-6390
877-718-7446

ROCKART®
SIGNS AND MARKERS


Online: www.RockartSigns.com
Email: Sales@RockartSigns.com

v20j007

U-CHANNEL POSTS


THE ALL-PURPOSE STEEL POST USED EVERYWHERE

ITEM#: 01-302-[SIZE]-01
01-322-[SIZE]-01



Our ubiquitous, Multi-Purpose U-Channel Post features:

- ⊕ Available in 3 popular sizes: 72" (6'), 84" (7'), and 96" (8') and only in Brown.
- ♻️ Made from recycled, high carbon U.S. new-billet steel, Grade SP-80 making the Rib-Bak® the strongest U-channel post available.
- ✓ 2 pound-per-foot standard weight
- ✓ The patented Rib-Bak® design supports signs mounted on the back of the post - without wobble.
- ✓ Bottom of post is cut to a "V-shape", making installation easier.
- ✓ 3/8" diameter holes along back spaced at every 1" centers.
- ✓ Shipped by freight truck, or on a flatbed, if required.
- ⚙️ Yield strength is 80,000 -100,000 PSI, exceeding **ASTM** requirements.
- ⚙️ **NCHRP 350** approved (National Cooperative Highway Research Program)
- ⚙️ **FHWA** crash-tested and approved.



#08-833

ORDERING INFO

- 01-302-Size-01 2# Steel U-Channel Posts, Bundle Of 50 Posts
- 01-322-Size-01 2# Steel U-Channel Post, Single post

Related/Recommended Products


- 01-180- U-Channel Post Markers (Display decals on U-Channel Posts)
- 08-236 U-Channel Anchor (Mounting hardware included)

Drivers/Extraction Tools


- 08-180 U-Channel Post Driver w/ Coiled Grip Handles
- 08-101 **JACKJAW™ 300** Post Extraction Tool

Sign Mounting Hardware


- 08-847 5/16-18 x 2.25" Pin-in Hex Bolt, Washer & T-Nut Fastener System
- 08-833 5/16-18 x 2.5" Carriage Bolt, Nylon Adapter, Nylon Washer & VandlGard Nut Fastener System
- 08-808 1/4" Double Headed Alum. Rivet, w/ 1.375" - 1.625" grip range (2-pcs)
- 08-829 1.25" Tall, 0-Nub Nylon Sign Spacer/Support
- 08-828 3x3 Aluminum Sign Saver Plate



#08-808



#08-847



#08-829



#08-828



Tamper-Resistant Features



Proudly made in the USA



100% Recyclable



(01-302,01-322) U-Channel Posts

Online: www.RockartSigns.com
Email: Sales@RockartSigns.com


ROCKART
SIGNS AND MARKERS

Phone: 480-854-3400
Fax: 480-832-6390
Toll-Free: 877-718-7446

SNOW POLE RECEIVER

for Ground-Driven Installations

ITEM#: 03-590 / 03-591



ROCKART's Ground-Driven Snow Pole Receivers offer many features to save time and money!

Crafted from heavy-gauge rectangular steel tubing 16" tall x 1.5" wide x .75" deep, with the bottom pinched together to form a wedge. A small gap remains, so rainwater can drain out.

Each *Ground-Driven Snow Pole Receiver* includes a high-impact polycarbonate anchor that will discourage theft / unauthorized removal. This means it may remain installed year round in some locations.

For added protection against unauthorized removal of the installed Snow Pole, model #03-591 features a Tamper-Resistant Security Set Screw. Located on the back, this screw provides an added deterrent to would-be thieves.

We recommend leaving the top 2 inches of the receiver exposed above ground, so that it may be located more easily.

During the off-season, place the included black Vinyl cap over the opening (after snow pole removal) to help keep debris and moisture out.

A "safety orange" powder coat finish adds durability, longevity and makes the exposed part of the receiver easy to locate.

For easier installation in areas with dense top soils, consider using one of our Snow Pole Receiver Drivers (see below).



ORDERING INFORMATION

- 03-590 Snow Pole Receiver (No Set Screw)
- 03-591 Snow Pole Receiver (with Security Set Screw)

Snow Pole Compatibility

Compatible with **ROCKART® SP18, SP25, SP31 and SP38** Snow Poles and other manufacturers.

Installation Tools

- 08-196 Snow Pole Receiver Driver
- 08-197 Snow Pole Receiver Pilot Hole Driver



(03-590,1) Ground-Driven Snow Pole Receiver

214
Phone:
Fax:
Toll-Free:

480-854-3400
480-832-6390
877-718-7446

ROCKART
SIGNS AND MARKERS

Online: www.RockartSigns.com
Email: Sales@RockartSigns.com

v201007

SNOW POLE RECEIVER

for Post-Mounted Installations

ITEM#: 03-592 / 03-593



Above: Post-Mounted Snow Pole Receiver with a 1 x 10" HIP Reflective Strip applied. Mounted to a U-Channel Post (not included)



ROCKART's Post-Mounted Snow Pole Receivers offer many features to save time and money!

Crafted from heavy-gauge rectangular steel tubing 16" tall x 1.5" wide x .75" deep, with the bottom pinched together to form a wedge. A small gap remains, so rainwater may escape.

Mounting tabs are spaced at 1" centers, making the *Post-Mounted Snow Pole Receiver* perfect for mounting to vertical surfaces, such as U-Channel posts or Guard Rails found along roads and highways.

For added protection against unauthorized removal of the installed Snow Pole, model #03-593 features a Tamper-Resistant Security Set Screw. Located on the back, this screw provides an added deterrent to would-be thieves.

A "safety orange" powder coat finish adds durability, longevity and visibility.

For added visibility, consider applying a 1" wide strip of HIP (High-Intensity Prismatic) reflective sheeting (not included, sold separately) to one or both sides of the receiver body.

Because this product may be used with many types of posts, hardware is not included. Suggested hardware is listed below.

ORDERING INFORMATION

- 03-592** Snow Pole Receiver (No Set Screw)
- 03-593** Snow Pole Receiver (with Security Set Screw)

Recommended Mounting Hardware

Wood Post Installation

- 08-1049** 5/16 x 1" Hex Head Lag Screw

U-Channel Post Installation

- 08-1001** 3/8-16 x 3/4" Hex Head Bolt
- 08-776** 3/8-16 Hex Nut, Zinc-Plated Steel
- 08-904** 3/8-16 Locking Hex Nut (w/Nylon Insert)
- 08-826** 3/8-16 VandIGard Tamper-Resistant Nut

Reflective Sheeting (Sold Separately)

For increased visibility, consider applying a 1" wide strip of HIP (High-Intensity Prismatic) reflective sheeting reflective sheeting to one or both sides of the receiver's body.

Snow Pole Compatibility

Compatible with **ROCKART® SP18, SP25, SP31 and SP38** Snow Poles and other manufacturers.



(03-592,3) Post-Mounted Snow Pole Receiver

Online: www.RockartSigns.com
 Email: Sales@RockartSigns.com



Phone: 480-854-3400
 Fax: 480-832-6390
 Toll-Free: 877-718-7446

FOLIA MARKERS

ANGLED DECAL DISPLAY EXTENSIONS

ITEM#: 08-230 - 08-233



FOLIA MARKERS are an affordable, easy way to communicate additional information at specific points of interest along a trail or other popular attraction. Display additional information such as...

- ✓ Details about plants or animals that live in the area (specie / family name, etc.)
- ✓ Awareness to possible dangers that may be present (i.e., poisonous plants, predatory animals, etc.)
- ✓ Messages that remind visitors about permitted / prohibited activities.

These clear polycarbonate enhancements are 3/16" thick and angled at 20° making the experience more viewer-friendly. They feature smooth (rounded) corners and are available in 4 sizes: 3-, 6-, 9- and 12-inch tall (depending on the total height of your decal content).

They mount easily onto any flat side of a ground-driven Marker post using the included Pop Rivets. (Note: 2 holes are required near the top of the marker post for proper installation)

ORDERING INFORMATION


Item #	Description
08-230	3x3 display area
08-231	3x6 display area
08-232	3x9 display area
08-233	3x12 display area

Each **FOLIA MARKER** includes mounting hardware (2 Pop Rivets).

MARKER POST & DECALS are NOT included and are sold separately.

Note: Installing this product properly requires 2 holes to be drilled near the top of the target marker post.

If you need a drilling guide, see item 08-113



08-230

08-231

08-232

08-233

(08-230-3) Folia Markers

216 Phone:
Fax:
Toll-Free:

480-854-3400
480-832-6390
877-718-7446

ROCKART
SIGNS AND MARKERS

Online: www.RockartSigns.com
Email: Sales@RockartSigns.com



Roc-Pot

PORTABLE OUTDOOR TOILET

ITEM#: 03-745-1
03-745-2



Assembled
Size Specification:
15" x 17" x 15" High



Disassembled
Size Specification:
12" x 15" x 1-1/2"

The **Roc-Pot** is a compact, portable outdoor loo complete with a toilet seat, handheld shovel, tissue and a convenient & inconspicuous carrying case. When not in use, the 4 detachable legs can be stowed away easily on the underside of the seat. Deluxe Kit weighs only 6 lbs!

Features:


- ✓ Compact
- ✓ Light Weight
- ✓ Easy To Clean
- ✓ No Flushing
- ✓ No Emptying
- ✓ No Chemicals
- ✓ Assembles Quickly
- ✓ All Steel Frame Construction
- ✓ Powder Coated For Durability
- ✓ Supports Up To 250 lbs

ORDERING INFO

03-745-2 Basic Roc-Pot
03-745-1 Deluxe Roc-Pot

Basic Roc-Pot

Basic Painted Assembly With Cover Seat
4.8 Pounds



Top View

Deluxe Roc-Pot

- ✓ Roc-Pot
- ✓ Carry Case
- ✓ Shovel
- ✓ Facial Tissue
- ✓ Hand Sanitizer



(US PATENT #D730,502)



(03-745 Series) Roc-Pot Portable Toilet

Online: www.RockartSigns.com
Email: Sales@RockartSigns.com

ROCKART
SIGNS AND MARKERS

Phone: 480-854-3400
Fax: 480-832-6390
Toll-Free: 877-718-7446

FENCE WIRE TIGHTENER

THE QUICK & EASY WAY TO TIGHTEN WIRE FENCES

ITEM#: 08-652

03-370, 03-371



Repairing loose fence wires doesn't have to be time-consuming nor expensive!

The **Fence Wire Tightener** allows you to "take up the slack" in drooping wire fences – *without cutting or splicing!*

In about a minute, you can tighten a strand of loose fence wire with this amazing product. Use the **Wire Tightener Tool** to install a **Tightener Clip** on most types of wire fence. It will change the way you repair your Wire Fences! Compatible with wire fence strands up to 12.5 gauge.

- ✓ Effective, Inexpensive solution to fix loose wire fences
- ✓ Simple to Use
- ✓ No cutting / splicing necessary
- ✓ Doesn't crimp wires
- ✓ Clip may be removed and reused again
- ✓ May be re-adjusted at any time
- ✓ Compatible with wire strands up to 12.5 gauge

ORDERING INFO

- 03-370** Wire Tightener Clips (Pkg. of 20)
- 03-371** Wire Tightener Clip (Singular clip)
- 08-652** Fence Wire Tightener Tool



#03-370



#03-371




#08-652

Insert Clip onto Tool

Turn Tool Handle

Hook on Wire

Remove Tool ... Done!



(03-370) Fence Wire Tightener

218 Phone:
Fax:
Toll-Free:

480-854-3400
480-832-6390
877-718-7446

ROCKART
SIGNS AND MARKERS

Online: www.RockartSigns.com
Email: Sales@RockartSigns.com

WESTERN GATE CLOSER

A LEVERAGE-POWERED ASSISTIVE DEVICE FOR CLOSING WESTERN-STYLE GATES

ITEM#: 03-818-18



The **Western Gate Closer** is a leverage device that makes closing wire gates easier (also known as "Western" or "Texas" Gate).

A person passing through a gate equipped with this device can use the added leverage it provides to bring the two posts together so that the top retaining loop may be secured properly.

The 36" long chain serves as an "adjustable loop" and installs easily in minutes. This product includes Tamper-Resistant hardware for "anchoring it" to the stationary side of the gate and 2 "S-hooks" to cradle the lever when not in use.

The idea behind this product is to enable users to close these gates more easily. Hopefully, it will lower the chance of a stubborn gate being left open by a user who was unable to close it properly.

ORDERING INFO

03-818-18 18" Gate Closer (Installation hardware included)

03-818-18
18" Gate Closer



(03-818-) Western Gate Closer

Online: www.RockartSigns.com
Email: Sales@RockartSigns.com

ROCKART
SIGNS AND MARKERS

Phone: 480-854-3400
Fax: 480-832-6390
Toll-Free: 877-718-7446

T-Post Sign Mounts

SOLUTION FOR MOUNTING SIGNS ON T-POSTS

ITEM#: 03-323





Make your **T-Posts** more useful with these **Sign Mounts**.
This cleverly-designed sign mount installs easily in seconds by simply clipping it onto an existing T-Post.

Install anywhere along the post, "in-between" the evenly spaced bumps running down the center of the T-Post. Sign height is limited only by the post height. The mounts may be removed or re-positioned later, if needed. Once the sign mount is secure, attach the sign to the mounts using the included self-drilling screws.

- ✓ Quickly and easily attach signs to T-posts
- ✓ May be removed easily
- ✓ Accommodates most sign heights

ORDERING INFO

03-323 T-Post Sign Mount (Hardware provided)



(03-323) T-Post Sign Mounts

220 Phone:
Fax:
Toll-Free:

480-854-3400
480-832-6390
877-718-7446

ROCKART
SIGNS AND MARKERS

Online: www.RockartSigns.com
Email: Sales@RockartSigns.com

v20j007

DECALS TO REDUCE VANDALISM

REDUCE VANDALISM IN PUBLIC AREAS



#30-144



#30-145



#60-235



#60-236

These 3 x 3 decals are screen-printed on 3M Engineering Grade Sheeting using UV-Resistant inks.



Also Available In These Sizes

Item #	Description
60-1069	2 x 1.5 USA flag decal
60-920	6 x 4 USA flag decal
60-921	12 x 8 USA flag decal
60-922	15 x 10 USA flag decal
60-923	18 x 12 USA flag decal

Vandalism to public lands continues to be a huge problem that cost tax payers several millions every year. Types of vandalism/abuse frequently committed range from simple graffiti up to the complete destruction of kiosks, marker posts and signs (usually by shooting at them repeatedly with a firearm... for target practice).

Several federal agencies have conducted research into this on-going problem have discovered that some acts of vandalism may be averted through the use of strategically-placed decals showing a US Flag and patriotic verbiage.

Once applied prominently to kiosks and public signs, these decals may help reduce the number of vandalism incidents. Subconsciously, the perpetrator may begin drawing conclusions that they are targeting the country they love.

This subtle (but powerful) proactive step is one cost-effective way to help address this widespread problem, and it reminds visitors that maintaining our *shared* land is everyone's duty! It's a small investment ...when compared to the cost of *replacing* damaged signs!

With Flag Decals



TESTIMONIAL

"As I was working as a Division Group Supervisor for the Hayman Burned Area Restoration Team (BAER) in Colorado, we used your 3 x 3 American Flag Decals on several Dual-Flex composite marker posts. I personally monitored the condition of several posts having flag decals and not having flag decals for several months, specifically for vandalism purposes.

I am pleased to report to you that I had a 100% success rate of non-vandalism on the posts with the American Flag decal. I will be using these decals at my new duty station for the US Forest Service.

Thanks Again!"

Mike Thibodeaux, Snow Ranger,
USFS Kamas, UT

Without Flag Decals



Decals to Reduce Vandalism

Online: www.RockartSigns.com
Email: Sales@RockartSigns.com

ROCKART
SIGNS AND MARKERS

Phone: 480-854-3400
Fax: 480-832-6390
Toll-Free: 877-718-7446



4x4 RECREATION DECALS

STAND OUT FROM THE PACK WITH OUR BIG & BOLD 4 X 4 DECALS!



Get noticed with these highly-visible recreation decals!

ROCKART has a growing selection of recreation symbols available in 4" x 4" size. This group of decals are printed on *Engineering Grade (EG)* reflective material, and with sixteen (16) square inches of material exposed, they are **43% MORE VISIBLE** than standard 3 x 3 decals!

For trails with users travelling at high speeds, use of larger format symbols may be considered a safety requirement in some areas. It has been shown that larger symbols are more likely to be seen by fast-moving users.

Interested in using 4x4 decals, but are unsure how they can be adapted for use within existing structures?

Please ask us about these **ROCKART** products that are 100% compatible with these big & bold 4x4 decals:

- 01-160 Tree Huggers
- AT Arc-Tec Ground-Driven Marker Posts
- 01-375 1-Way Multi-Facet Decal Display (for 4" Decals)
- 01-376 2-Way Multi-Facet Decal Display (for 4" Decals)
- 01-377 3-Way Multi-Facet Decal Display (for 4" Decals)

Photo showing visible difference between 3x3 and 4x4 decals applied to a Tree Hugger

ORDERING INFO

Most of our larger 4x4 decals have the same part number as their 3x3 counterparts, with the addition of '-4' at the end. *Example:* the Item # for the 4x4 version of the 3x3 decal: 10-121 Hikers/Hiking would be: **10-121-4**.

Related Products & Services

00-0021 ROCKART Service to have a single decal pre-applied to a surface (i.e. Marker post, Sign, Tree Hugger, etc).



Display 4x4 decals stacked vertically on a U-Channel post, using a 18" tall 3-way Multi-Facet Decal Display #01-377-18



#01-375-



#01-376-



#01-377-

Display 4x4 decals virtually anywhere, with our 4" wide 1-Way, 2-Way or 3-Way Multi-Facet Decal Display



4x4 Decals

222 Phone:
Fax:
Toll-Free:

480-854-3400
480-832-6390
877-718-7446

ROCKART
SIGNS AND MARKERS

Online: www.RockartSigns.com
Email: Sales@RockartSigns.com

NEED A CUSTOM SIGN OR DECAL?


ROCKART Can Help!

ROCKART® Signs and Markers can help you create and deliver ANY message in a professional manner.

In addition to our giant selection of popular signs & decals, we can also produce custom signs in any quantity. Our knowledgeable staff is friendly and will gladly answer any questions you may have about materials, manufacturing options, associated costs. You'll get high-quality signs you need ... at a price that fits your budget!

Next time you need to design a Sign or Decal, ROCKART is here to help! (design charges may apply)

We also Design & Produce Custom Screen- or Digitally-Printed!



On-Demand In-House Printing

This production method is best-suited for rush-orders or lower-quantity runs. We can manufacture signs using this method for these substrates: Aluminum, Magnetic Material, Corrugated Plastic, Sintra.



Screen Printed Signs

A cost-effective choice when ordering larger quantities (25+) of signs with only 1-4 colors and turn-around time is not critical.


These signs may be produced on a variety of substrates: Aluminum, PolyFlex, Magnetic Material and Corrugated Plastic.



Routed Plastic (HDPE) Signs

For long-lasting, aesthetically-pleasing signs that are used in high-visibility areas and requiring NO maintenance, High-Density PolyEthylene routed plastic may be the best choice.

Made from extremely durable, recycled PolyEthylene these signs feature text and simple graphics are literally "carved into" the top layer of the plastic, exposing the contrasting layer below. (Learn more about Routed Plastic Signs on our website!)



◀ 3D view of bicolored HDPE before routing.

Digitally-Printed Signs

Similar to the full-color printing process used by magazines, this method is ideal for complex graphics such as maps when multiple halftone screens are being used, and when your calls for three or more colors of ink to be used.

A large selection of substrates is available: Aluminum, Magnetic Material and Corrugated Plastic, and all have a UV over-laminate to protect against color-fade.



Embedded Image Signs

These digitally-printed signs have ink applied into the top substrate using a pressurized lamination process, wherein the ink is actually embedded within the substrate.

This process is ideal when you have complex multi-color graphics and/or photographs you want incorporated in your signs.



QR CODE Integration

Extend your communication to the internet through the use of "Quick Response" or QR CODES.

This technology (similar to a bar code) enables mobile device users to access additional/up-to-date information via a website link. Call Us to learn more about using this exciting technology!





224 Phone: 480-854-3400
 Fax: 480-832-6390
 Toll-Free: 877-718-7446

ROCKART
 SIGNS AND MARKERS

Online: www.RockartSigns.com
 Email: Sales@RockartSigns.com



v20Jul07

Online: www.RockartSigns.com
 Email: Sales@RockartSigns.com

ROCKART
 SIGNS AND MARKERS

Phone: 480-854-3400
 Fax: 480-832-6390
 Toll-Free: 877-718-7446

BONUS SECTION



BEST PRACTICES

Guides to What Works

**HOW TO
- PROPERLY -
APPLY
DECALS**



Before doing anything else, check your strip decal and see approximately where you would like it placed on your fiberglass post.



Clean the area of the fiberglass post where the decal is to be applied to make sure there is no dust or debris on the surface. For best results, we recommend using acetone or alcohol.



Peel back about 1/2" of the decal backing from the TOP of the decal, and trim the backing with scissors, so that about 1/2" of the decal's adhesive is exposed.



Be careful not to touch anything to the exposed adhesive area of the strip decal.



Without touching the decal adhesive to the fiberglass post, position the decal on the fiberglass post, making sure it's centered and at the correct height.



When you are happy with the placement of the decal, firmly press the 1/2" of exposed adhesive at the top of the decal to the fiberglass post to adhere it to the post.



Carefully lift the bottom of the decal, so that you will be able to grab the decal backing. Don't tug on the small section of decal that is now attached to the post.



Grab a corner of the decal backing, and peel it back ever so slightly.



The fingers of one of your hands will stay on top of the decal, smoothing it down, while you slowly pull the decal backing off with your other hand.



To ensure applying the decal straight, use the decal backing as a guide and pull it straight down the post. It's important to keep your eyes on the hand pulling the backing down the post.



The hand that is smoothing the decal should be right at the juncture of where the decal backing is leaving the decal.



Be careful not to stretch the decal, as that could cause it to go on crooked.



Almost done...




When the decal is in place, use a clean cloth to smooth all of the edges of the strip decal, and make sure the decal is securely attached to the fiberglass post.

**TIPS FOR
SURVIVING
VEHICULAR
ABUSE**

INSTALLING MARKER POSTS TO SURVIVE VEHICULAR ABUSE


The Problem

Typical marker post installation may increase stress at ground level when impacted




Solution #1

New installation methods, using sand and/or gravel lowers the stress by increasing the post's bend radius



Solution #2


Placing a large rock in front or behind the Marker Post creates a natural barrier to deter on-coming traffic from abuse and vandalism.



All Diagrams Are Displayed In Side View


Solution #3

Building a berm on both sides (front & back) of a Marker Post raises the stress point above ground level to reduce the likelihood of fracturing or permanent damage.




HOW TO SELECT A FIBERGLASS MARKER POST DRIVER

For installations up to 18-inches deep



INSTALLATION DEPTH COMPARISON

Shows above & below ground measurements when installed at 14, 16 & 18-inches





PROTECTING DECALS with EDGE TAPE

Extend the usable life of Decals by applying a strip of protective Edge Tape. It helps protect against the deteriorating effects resulting from repeated exposure to extreme temperatures, strong winds, rain and snow.

ITEMS NEEDED


- ▶ 3" wide Transparent Protective Edge Tape #07-180 or 4" wide Transparent Protective Edge Tape #07-178 (depending on decal width / type of marker post used)
- ▶ Scissors
- ▶ Measuring Tape (if the strip lengths are unknown)
- ▶ Lint-Free Cleaning Cloth and isopropyl alcohol
- ▶ Squeegee, hand roller or semi-rigid plastic card the size of a credit card (an expired membership card works well) for removing air bubbles

TIPS

- ▶ If possible, pre-cut all strips of Edge Tape to be applied.
- ▶ Strips should be 1-2 inches taller than the decal area.
- ▶ If the topmost decal is .5" or less from the top of the marker post, you may want to add another inch, so that the edge tape can be wrapped over the top edge of the post.
- ▶ See our related tutorial, *How to Apply Decals*.
- ▶ **A clean surface is crucial!** Contaminates like dust & dirt can increase the chance of premature adhesive failure.

STEPS

1. If the front of the post is not already clean, be sure to clean it using a lint-free cloth (and alcohol if needed).
2. From the roll of Edge Tape, cut a strip that is long enough to completely cover all decals (see Tips for strip length recommendations).
3. At the top end of the strip, peel back about .75" of the liner from the edge tape and cut it off (so you have about .75" of exposed adhesive, see Fig 1).
4. Position the strip on the post vertically while keeping the exposed adhesive from touching the post, just yet. Once the strip is aligned, firmly press the exposed adhesive against the post (area highlighted in yellow, Fig 2).



5. Lift up the bottom of the strip, flipping it over and grab a bottom corner of the liner (at the point where you previously cut off a .75" section).
6. Working downward, continue to simultaneously remove the liner by pulling it downward (with one hand), while also using your other hand to press the exposed adhesive against the post (see Fig 3).
7. Ensure the Edge Tape is applied to the surface completely. Use a hand roller, squeegee, or plastic card to remove bubbles by "pushing" them to the nearest edge.



← Decals applied **without** Protective Edge Tape may begin deteriorating once exposed to harsh conditions year after year.



How To DISPLAY CAMPSITE AVAILABILITY with a CLEAR PROTECTIVE VINYL POUCH

Use a ROCKART Clear Protective Vinyl Pouch to display availability status of each Campsite.
Our PolyFlex® inserts are environment-friendly (re-usable) and work great with 'Dry-Erase' pens (#08-608).

COMPATIBLE INSERTS

OCCUPIED	VACANT	RESERVED	AVAILABLE
FRONT	BACK	FRONT	BACK
92-2560 PolyFlex		92-2561 PolyFlex	


RES		RES	RES
FRONT	BACK	FRONT	BACK
90-737 Paper (card stock)		92-2566 Paper (card stock)	

RELATED PRODUCTS

RV OF TENT RESERVABLE	RESERVED	RV ONLY
92-2803 PolyFlex	90-100-1 PolyFlex	92-2904 PolyFlex

Use a ROCKART Clear, Protective Vinyl Pouch (#03-386) to display availability status of each campsite. Installing the pouch "flipped over" (i.e., with the short flap against the front of the marker post) will also help keep moisture out. Our PolyFlex inserts may be used with Dry-Erase markers.

How To SWAP OUT A GRAPHIC INSERT for a ROCKART® MESSAGE CENTER KIOSK SIGN PANEL



- Using the special access hex key that came with your sign panel, remove the bolts along the right (circled in Yellow above) side that secure the right rail. Keep the bolts and removed side rail in a safe place for later.
- Grasp the end of the flexible security rod (see 1 above) and pull it out of the channel located just above the polycarbonate.
- Grab the right center edge of the clear cover (2), and pull it to the right about 3 inches.
- Grasp both sides of the clear cover and lift it straight up, until it stops (see 1 above).
- Turn your wrists to pivot the bottom edge towards your body, until the cover can be removed completely (see 2 above).
- Replace the graphic insert and perform the previous steps in reverse to secure the sign panel. (Don't forget to re-insert the flexible security rod!)

U-CHANNEL IDEAL SOLUTION FOR MOUNTING TRADITIONAL SIGNAGE!




The Rib-Bak® design adds strength while allowing you to mount signs on both front and

One end is tapered making grounddriven installation much easier with our U-Channel Post Driver!

Our fiberglass U-Channel Post Markers allow you to display decals on this post! See item: 01-180

Use our U-Channel Sign Spacers to securely support signs without bowing or bending! See item: 08-829

SIGN MOUNTING OPTIONS FOR U-CHANNEL



INSTALLING MARKER POSTS

FOR BEST RESULTS

1. Install a Marker Post by first inserting the non-pointed end of the post into the open end of the Marker Post Driver.
2. Insert the pointed end of the post into a prepared hole made by our Pilot Hole Driver, item 08-104, (when driven into rocky or very dense soil).
3. Hold your foot against the Marker Post to help start the post straight. This also keeps it from flexing during insertion. Drive the post into the ground to the desired depth, usually 16 to 18 inches, depending on soil type and density.



NOTE: ALWAYS wear proper safety clothing and eye protection when installing marker posts. Face oncoming traffic when installing posts alongside busy roads or highways.

WHAT EXACTLY IS POLYFLEX?

ROCKART POLYFLEX® substrate is polyethylene plastic with the text or image screen printed on a corona-treated surface. No sheeting is used, so the image will never "peel off".

POLYFLEX® signs cost about one-third the price; are not typically stolen for their recycle value; are made from recycled material and will not sustain much damage from a bullet. Polyflex signs should last ten years with very little difference in appearance. If one of these signs starts looking a little dull, just wipe them off with **ArmorAll®** and they will look like new again. Polyflex will not survive a fire like aluminum will but neither will the vinyl sheeting on the aluminum. Polyflex is made from the same material that we use for our kiosk sign panels and can last 20+ years.

When aluminum signs are deployed in high elevations and are then exposed to extreme temperature changes may start to shear. The sheeting and aluminum have different rates of expansion and contraction as temperatures change and may cause the adhesive layer to shear. Over time, this leaves microscopic holes in the sheeting that if exposed to moisture will freeze & thaw, slowly causing the sheeting to eventually separate or "peel away" from the aluminum.



Many customers located in higher-elevation areas (like the Sierras) are applying our 2- or 3-inch wide clear Edge Tape (**Page 91**) to the top edge of larger signs to keep this from happening. They also apply the 3-inch tape over the decals then over the top of fiberglass posts to keep decals from peeling off. It also protects the decals from UV, which effectively doubles the lifetime. We also offer an 8oz can (with dauber) of liquid edge sealant that prevents peeling on fiberglass marker posts.

ROCKART POLICIES, TERMS & CONDITIONS

NEW CUSTOMER ACCOUNTS

A 50% deposit may be required from first-time customers that are non-government agencies.

Open accounts must be approved first; a signed credit application must be submitted with at least 3 current references.

QUOTES & ESTIMATES

To receive a free quote: Call or Fax us (see bottom of page). Most types of quotes may be submitted using our website (under 'Services' on the Main Menu).

Estimates are typically valid for thirty (30) days from date issued unless stated otherwise. We reserve the right to correct errors on our quotes. When a discrepancy occurs the revised price prevails.

ORDERING

Use Item #'s (SKU's) when ordering. Orders may be placed by Phone, by Fax, sent via U.S. mail (using a copy of the order form included in this catalog); or (preferably) online at www.rockartsigns.com.

CUSTOM DECALS & SIGNS

We can create artwork from any previously printed materials that are printed in solid (not screened) colors. Any artwork files may be submitted from our website (under Services). Art files should be in EPS, AI, PDF or PSD format. Artwork may also be generated from a sketch. For complete art guidelines please call or email us.

One time artwork and film charges for custom decals will be quoted based on quantity ordered, number of colors, and artwork complexity.

It will be necessary to include a 50% deposit for site-specific items (graphic includes references to a specific location, office, or a phone #).

NEW OR CUSTOM DECALS & SIGNS

For generic* single-color decals or signs that contain colors outside of the standard Rockart colors (see below):

Order 50-99 decals	\$125.00 art charge
100-199 decals	\$100.00 art charge
200-299 decals	\$75.00 art charge
300+ decals	\$50.00 art charge

*Generic Decals are decals that can be used in other areas and are not specific to a particular agency, organization or specific location (noted by logo usage, names, or similar wording).

For site-specific or special logo decals with one or more colors, with minimum order requirements:

\$130.00 art charge for one color
+ \$25.00 art charge for each additional color

"LAST MINUTE" ARTWORK REVISIONS

Changes made to artwork after final approval must be phoned in and must be made by the person who signed the final proof (authorized party). Additional charges may apply that may be as much as the quoted order. Notification of applicable charges will be explained at the time changes are submitted.

DIE CUT CHARGES

There are no additional die charges for decals with square cut corners. All other shapes and corners will require additional die charges. Charges are based upon size and complexity of the die.

SCREEN PRINTED COLORS

All printed products contain at least one (1) color. The substrate or base material does not normally count as a color. All other colors are printed onto the substrate. Each additional decal color requires a separate piece of artwork and film. Example: A three color decal requires three separate pieces of film and artwork.

COLOR MATCHING

While we make every effort to match your custom color, we cannot guarantee an exact match. A charge of \$45.00 per color will be added for custom colors or PMS colors not listed as a "Standard Rockart Color". Nonstandard colors and color matches may also require additional production time.

STANDARD ROCKART COLORS

Color samples available

White (Wht)	-00 White	Grey (Gry)	-08 PMS 430C
Brown (Brn)	-01 PMS 161C	Black (Blk)	-09 Black
Yellow (Yel)	-02 PMS 109C	Gold (Gld)	-10 PMS 123C
Orange (Org)	-03 PMS 165C	Purple (Pur)	-11 PMS 2607C
Red (Red)	-04 PMS 485C	Tan (Tan)	-12 PMS 155C
Blue (Blu)	-05 PMS 293C	FS Cream (Crn)	-13 PMS 134C
Green (Grn)	-06 PMS 348C	Cream -	FED STD 23695
Violet (Vio)	-07 PMS 521C		

POSITIVE/NEGATIVE TERMINOLOGY

With regard to graphic elements, a "positive" image typically has a light background and a dark symbol. A "negative" image is the opposite: a dark background with light symbol.

CUSTOM ORDERS

Any large custom decal order may have up to 5% over/under run during production. These variances will be charged on a pro-rated basis. Slight over runs are normal, under runs are rare. If an exact quantity is required, a small additional fee may be required.

METHODS FOR PAYMENT

We accept Visa, MasterCard, American Express, Electronic Transfers, Checks and Money Orders. For credit card orders, address verification from your credit card statement is necessary for your safety. Call Rockart with your credit card number, please do not fax it in.

TERMS

Net 30 days, 1.5% Interest per month on all accounts past 30 days.

Merchandise is invoiced on the shipping date.

DELIVERY

Unless stated otherwise, all orders are shipped using United Parcel Service (UPS). A phone number & physical street address (no PO Boxes) **must be provided** for UPS shipments.

All shipments from Rockart Industries are F.O.B. Mesa, Arizona, 85215.

Check for damage upon arrival and make any claims to UPS within 10 days of arrival.

RUSH DELIVERY

We will make every effort to meet your needs at no extra charge. However you may incur additional shipping charges to expedite shipment.

RUSH ORDERS

We work hard to fill all orders in a timely fashion. If you need to have a rush placed on an order, you will be charged an additional \$50.00 Expedite Fee.

RETURNS

There is no restocking fee if products are returned in sellable condition, within 30 days. Always include a copy of the Packing List or Invoice with a return and always CALL before you make the return to obtain return merchandise authorization (RMA).

Exceptions to this policy are:

- Items considered to be Special- or Custom-Order **cannot** be returned or refunded.
- Ground-Driven Marker Posts sizes of 24", 36" or 48" are considered to be Custom-Order and **cannot** be returned or refunded.

We reserve the right to refuse return claims after 60 days. Return authorization must be obtained from Rockart before returning any product.

PRICES

Prices are subject to change without notice. Orders canceled after production has begun will be charged for any work completed up to that point.

Merchandise is billed at prices valid at time of delivery.

ROCKART, Inc. reserves the right to refuse to fill any order, at any time, for any reason.

SALES TAX

We are required to charge city and state sales tax at the applicable rate to our customers located in the State of Arizona. Only Federal Agencies will be charged on half the tax rate. If applicable to your purchase, and we have received a Form 5000A from you, taxes may be avoided.

LOGOS

Logos appearing in this catalog are for ordering purposes only. Their inclusion does not imply endorsement by ROCKART, Inc.

Some decals/signs that include organization / municipality logos are available for sale only to parties expressly authorized by the owners of the design.

COMPLIANCE WITH REGULATORY LAWS

Products installed in public areas and along streets may be required by law to comply with published governmental guidance & specifications outlined in publications such as MUTCD (Manual on Uniform Traffic Control Devices) among others (review all local & state laws).

Special consideration may be necessary for attributes such as (but not limited to): retroreflectivity, sign size, placement / location, readability, sign substrate, graphic content, phrasing, etc.

It is the **sole responsibility** of the BUYER/INSTALLER/END USER to understand and comply with any and all laws or other legal requirements.

UNDER NO CIRCUMSTANCE will ROCKART, Inc. be held liable or "at fault" for any damages (personal or consequential) resulting from any product deployed or used improperly, incorrectly or without regard to applicable laws & regulations.

Letters from the Front Lines



United States Department of the Interior

BUREAU OF LAND MANAGEMENT
Billings Field Office
5001 Southgate Drive
Billings, Montana 59101-4669
www.blm.gov/mt



In Reply Refer To:

File code 1232

Rockart, Inc.
3006 N. Maple Street
Mesa, AZ 85215

Dear Sirs:

I am writing to you to congratulate you on the toughness of your "Rock Ranger" fee tube design and construction. We acquired one of these a number of years ago for a high-use fee site which we manage. It has performed excellently, not only weathering the extreme climate conditions of Montana but also withstanding a series of recently escalating attacks of thieves attempting to steal the receipts.

And when I say "escalating" and "attempts" I do mean exactly those words, since although the thieves have repeatedly tried everything from smashing the top off with sledge hammers, prying open the face with crow bars, cutting off the lock box, drilling the lock, and even dragging it away behind a vehicle, they have struck out completely and are 0/3 in the last month alone. There are some very determined but also very frustrated thieves out there somewhere and it's been almost an entertainment factor for us as well, heading out to the field in the morning, anticipating what might have happened. (Finding this Rock Ranger, with a couple of tons of cement on it, after its been dragged down a dirt road and left pretty much buried in a field is a great conversation topic and then finding the receipts still in it can really make your day).

Affectionately, this Rock Ranger has acquired the nickname of "Rocky". Sadly, "Rocky" has suffered enough damage the last time that repairing it requires more effort than replacing it. Right now our staff is out in the warehouse figuring out how to cut the fee tube out to retrieve the receipts. Perhaps we're more resourceful than the thieves because we intend to spend the receipts these losers have failed to get from "Rocky" to purchase "Rocky II" from you. And then we'll recycle as much of "Rocky" as we can; including using some of the steel as part of the increased protection features we're going to be building around "Rocky II". We'll win in the end.

Thank you

Tim Finger
Outdoor Recreation Planner
Billings Field Office
Bureau of Land Management
Billings, Montana 59101

ROCKART®

SIGNS AND MARKERS

3006 N. Maple
Mesa, AZ 85215

PRSR STD
U.S. POSTAGE
PAID
PERMIT NO.
777
MESA, AZ

Mail Room: If addressee is
not at this address, please
route to:

- Sign Coordinator
- Engineering/Roads
- Recreation/Trails
- Procurement
- New Address

Change Service Requested

PRODUCT INDEX (SORTED BY PART#)

A list of all products in this catalog sorted by Item#, followed by the page #'s they appear.

00-0020-AN-1..... 9	03-461..... 161	03-740..... 160	08-208..... 18	08-1033..... 220
00-0020-AN-2..... 9	03-465..... 162	03-740-..... 192	08-209..... 18	08-1049..... 215
00-0021..... 9,208,209,210	03-466..... 162	03-740-BS..... 192	08-212..... 18	08-1055..... 5
00-0034..... 9	03-468..... 162	03-740-WOS..... 192	08-213..... 18	09-106..... 53
01-160-..... 10,208	03-470..... 161	03-742..... 162,192	08-214..... 18	10-100..... 21
01-170-..... 10,209	03-472..... 182	03-745-1..... 217	08-215..... 18	10-100-..... 95
01-180-..... 11,210,213	03-473..... 182	03-745-2..... 217	08-217..... 18	10-100-4..... 21
01-302-..... 19,210,213	03-491..... 162	03-751..... 167	08-218..... 18	10-100-6-D..... 21
01-322-..... 19,210,213	03-492-L..... 162	03-752..... 167	08-220..... 18	10-100-8-D..... 21
01-372-..... 211	03-493..... 162	03-753..... 167	08-230..... 11,216	10-100-8-M..... 95
01-373-..... 211	03-495..... 162	03-754..... 167	08-231..... 11,216	10-100-12-D..... 21
01-374-..... 211	03-507..... 212	03-758..... 167	08-232..... 11,216	10-100-12-M..... 95
01-375-..... 211	03-508..... 212	03-759..... 167	08-233..... 11,216	10-101..... 22
	03-522..... 169	03-760..... 167	08-234..... 5	10-102..... 22
01-376-..... 211	03-524..... 169	03-761..... 167	08-236..... 213	10-103..... 22
	03-525-36..... 169	03-780..... 167,184	08-600..... 9,19,177,210	10-104..... 42
01-377-..... 211	03-525-48..... 169	03-781..... 166,167,184	08-604..... 18,177	10-104-..... 128
02-101-..... 15	03-530-..... 171,185	03-782..... 167,184	08-606..... 18,177	10-105..... 42
02-106..... 15	03-532-..... 171,185	03-783..... 167,184	08-607..... 177	10-105-..... 128
02-107..... 15, 14	03-547..... 169,187	03-784..... 167,184	08-608..... 5,176	10-105-4..... 42
03-316..... 180,181,190	03-550-..... 168,188	03-792..... 183	08-609..... 9	10-106..... 42
03-317..... 180,182	03-550-6..... 158	03-818-18..... 172,219	08-618..... 178	10-107..... 35
03-320..... 181	03-559-..... 168,188	03-818-24..... 219	08-619..... 19,177,210	10-107-..... 118
03-323..... 172,220	03-560..... 170,180	03-827..... 212	08-621..... 178	10-107-4..... 35
03-327..... 173	03-561..... 170,181	03-829..... 172,195	08-622..... 177	10-108..... 35
03-328..... 174	03-562..... 160	07-151-..... 92	08-623..... 177,209	10-108-..... 118
03-329..... 174	03-563..... 161	07-153-..... 92	08-624..... 177,178,209	10-108-4..... 35
03-330..... 174	03-564..... 170,181	07-155-..... 92	08-625..... 176	10-109..... 35
03-331..... 173	03-565..... 170,180,182	07-158-..... 92	08-626..... 178	10-109-..... 118
03-332..... 174	03-567-..... 168,190	07-159-00..... 92	08-629..... 178	10-109-4..... 35
03-333..... 174	03-571-..... 168,190	07-161-00..... 92	08-633..... 9,178	10-110..... 35
03-334..... 173	03-579-..... 189	07-164-0206..... 92	08-637..... 177	10-110-..... 118
03-335..... 173	03-580-..... 109,212	07-178..... 91	08-638..... 178	10-110-4..... 35
03-336..... 173	03-582-..... 109,212	07-180..... 91	08-639..... 178	10-111..... 36
03-337..... 175	03-590 17,204,205,206,207,214	07-201-..... 92	08-640..... 177	10-111-..... 116
03-338..... 175	03-591 17,204,205,206,207,214	07-202-..... 92	08-641..... 177	10-111-4..... 36
03-339..... 173	03-592 17,204,205,206,207,215	07-203-..... 92	08-642..... 177	10-112..... 36
03-340..... 173	03-593 17,204,205,206,207,215	07-205-..... 92	08-643..... 177	10-112-..... 116
03-341..... 173	03-596..... 162	07-207-..... 92	08-644..... 177	10-112-4..... 36
03-342..... 174	03-597..... 162	07-213-..... 92	08-645..... 177	10-113..... 40
03-343..... 174	03-599..... 162	07-214-..... 92	08-646..... 178	10-113-..... 121
03-344..... 173	03-600-..... 164,165	07-215-..... 92	08-648..... 177	10-113-4..... 40
03-345..... 175	03-601-..... 164,165	08-101..... 20,196,213	08-651..... 178	10-114..... 40
03-346..... 175	03-602-..... 164,165	08-103..... 20	08-652..... 172,218	10-114-..... 121
03-347..... 175	03-603-..... 164,165	08-104..... 20	08-700..... 177	10-114-4..... 40
03-351..... 175	03-603-2424..... 163	08-106..... 20	08-701..... 15	10-115..... 36
03-352..... 175	03-603-2436..... 163,166	08-107..... 20	08-706..... 177	10-115-..... 117
03-353..... 175	03-603-3624..... 163	08-108..... 20	08-706-BOX..... 177	10-115-4..... 36
03-354..... 175	03-603-3636..... 163	08-111-1..... 7,200,201,203	08-707..... 91	10-116..... 36
03-355..... 175	03-603-4848..... 158	08-111-2..... 7,201	08-710..... 208	10-116-..... 117
03-370..... 172,218	03-604-..... 164,165	08-112-1..... 7,200,201,203	08-710..... 177	10-116-4..... 36
03-371..... 172,218	03-605-..... 164,165	08-112-2..... 7,201	08-750..... 177,209	10-117..... 36
03-377..... 179	03-606-..... 164,165	08-113..... 9	08-772..... 178	10-117-..... 117
03-381..... 202	03-607-..... 164,165	08-114..... 8,197	08-776..... 215	10-117-4..... 36
03-382-1..... 16,204	03-608-..... 164,165	08-126..... 18,177,207	08-778..... 177	10-118..... 36
03-382-2..... 16,205,207	03-638-4848..... 179	08-136..... 20	08-779..... 177	10-118-..... 117
03-386..... 5,176	03-638-7248..... 179	08-146..... 20	08-780..... 177	10-118-4..... 36
03-420..... 160	03-664..... 191	08-151..... 20	08-781..... 177	10-119..... 40
03-422-WOS..... 160	03-671-..... 168,188	08-153..... 20	08-800..... 11,19,179,210	10-119-..... 120
03-431..... 162	03-676-..... 168,188	08-160..... 20	08-808..... 11,19,177,179,210	10-119-4..... 40
03-432-L..... 162	03-702..... 193	08-175..... 20	08-826..... 177,215	10-120..... 40
03-433..... 162	03-710-..... 169,186	08-180..... 20,213	08-828..... 179,213	10-120-..... 120
03-435..... 162	03-720..... 167	08-186..... 20,207	08-829..... 19,179,213	10-120-4..... 40
03-440..... 161	03-721..... 167	08-196..... 20,214	08-830..... 19,179	10-121..... 36
03-441..... 160	03-722..... 167	08-197..... 20,214	08-832..... 19,179	10-121-..... 117
03-442..... 160	03-723..... 167	08-200..... 18	08-833..... 213	10-121-4..... 36
03-444..... 160	03-730..... 163,184	08-201..... 18	08-838..... 177	10-122..... 36
03-450-L..... 158,161	03-731..... 163,184	08-202..... 18	08-847..... 213	10-122-..... 117
03-457..... 161	03-732..... 163,184	08-203..... 18	08-904..... 215	10-122-4..... 36
03-459..... 161	03-733..... 163,184	08-206..... 18	08-1001..... 215	10-123-..... 22,99
03-460..... 161	03-734..... 163,184	08-207..... 18	08-1026..... 20	10-123-01-4..... 23

PRODUCT INDEX (SORTED BY PART#)

10-124-.....	22,99	10-175.....	36	10-233.....	33,50	10-282-.....	128	10-409.....	72
10-124-01-4.....	23	10-176.....	36	10-233-.....	115	10-283.....	42	10-410.....	55
10-125-.....	22,99	10-177.....	36	10-234.....	33	10-283-.....	128	10-411.....	55
10-125-01-4.....	23	10-179.....	31	10-235.....	33	10-284.....	43	10-412.....	55
10-126.....	25	10-180.....	22	10-236.....	24	10-284-.....	130	10-413.....	72
10-126-.....	103	10-182.....	45	10-237-01.....	24	10-285.....	24	10-414.....	72
10-127.....	33	10-183.....	45	10-237-06.....	24	10-287.....	25	10-415.....	55
10-128.....	33	10-184.....	31	10-238.....	25	10-287-.....	148	10-416.....	55
10-128-.....	114	10-185.....	41	10-238-.....	148	10-288.....	31	10-417.....	72
10-129.....	42	10-186.....	41	10-239.....	30	10-289.....	31	10-422.....	72
10-129-.....	128	10-187.....	36	10-244.....	43	10-290.....	31	10-423.....	72
10-130.....	42	10-187-.....	116	10-244-.....	130	10-291.....	31	10-428.....	72
10-130-.....	128	10-188.....	36	10-245.....	37	10-292.....	31	10-429.....	72
10-131.....	42	10-188-.....	116	10-245-.....	118	10-293.....	41	10-430.....	65
10-131-.....	128	10-188-4.....	36,42	10-246.....	40	10-294.....	35	10-431.....	72
10-132.....	43	10-195.....	39	10-247.....	38	10-294-.....	114	10-432.....	72
10-132-.....	130	10-195-.....	118	10-247-.....	120	10-295.....	23	10-435.....	72
10-134.....	42	10-196.....	46	10-248.....	38	10-296.....	23	10-436.....	65
10-135.....	33	10-197.....	25	10-249.....	34	10-297.....	31	10-441.....	24
10-135-.....	114	10-197-.....	103	10-249-.....	115	10-298.....	35	10-442.....	55
10-136.....	33	10-198.....	25	10-250.....	43	10-299.....	36	10-443.....	80
10-136-.....	114	10-198-.....	103	10-250-.....	129	10-304.....	53	10-444.....	80
10-137.....	36	10-198-4.....	46	10-251.....	21	10-305.....	52	10-445.....	55
10-137-.....	117	10-199.....	25	10-251-.....	95	10-306.....	51	10-446.....	55
10-137-4.....	36	10-200.....	45	10-251-4.....	21	10-308.....	53	10-447.....	27
10-138.....	36	10-201.....	36	10-252.....	31	10-309.....	52	10-448.....	89
10-138-.....	117	10-201-.....	118	10-252-8.....	111	10-312.....	22	10-449.....	65
10-139.....	40	10-202.....	36	10-253.....	43	10-313.....	22	10-451.....	82
10-140.....	35	10-203.....	36	10-254.....	23	10-314.....	22	10-452.....	82
10-141.....	42	10-203-.....	117	10-255.....	23	10-315.....	89	10-453.....	78
10-142.....	33	10-204.....	30	10-258.....	41	10-316.....	78	10-454.....	78
10-142-.....	114	10-204-.....	105	10-258-.....	123	10-317.....	78	10-455.....	81
10-144.....	33	10-205.....	35	10-259.....	33	10-318.....	23	10-456.....	55
10-144-.....	115	10-206.....	36	10-259-.....	114	10-323.....	32	10-457.....	72
10-145.....	33	10-207.....	38	10-260.....	31	10-324.....	32	10-458.....	65
10-145-.....	114	10-208.....	37	10-261.....	31	10-325.....	32	10-459.....	55
10-146.....	43	10-208-.....	118	10-262.....	43	10-326.....	32	10-460.....	55
10-146-.....	128	10-209.....	38	10-263.....	33,42	10-335.....	72	10-461.....	65
10-147.....	43	10-209-.....	119	10-263-.....	114	10-336.....	89	10-462.....	80
10-147-.....	128	10-210.....	25	10-264.....	33,42	10-336-09.....	89	10-463.....	82
10-148.....	43	10-210-.....	103	10-264-.....	114	10-337.....	55	10-464.....	72
10-149.....	43	10-211.....	22	10-265.....	34	10-338.....	89	10-465.....	72
10-149-.....	128	10-212.....	22	10-265-.....	114	10-349.....	51	10-466.....	80
10-151.....	30	10-213.....	22	10-266.....	40	10-350.....	51	10-467.....	56
10-152.....	30	10-214.....	36	10-267.....	38	10-367.....	52	10-468.....	56
10-153.....	30	10-215.....	38	10-267-.....	120	10-368.....	51	10-469.....	56
10-154.....	24	10-215-.....	119	10-268.....	38	10-371.....	52	10-470.....	62
10-155.....	43	10-216.....	36	10-268-.....	119	10-372.....	51	10-471.....	56
10-155-.....	129	10-217.....	36	10-269.....	25	10-376.....	51	10-472.....	53
10-156.....	43	10-218.....	40	10-270.....	43	10-377.....	51	10-474.....	52
10-156-.....	129	10-218-.....	121	10-270-.....	129	10-378.....	52	10-485.....	52
10-157.....	43	10-219.....	23	10-271.....	37	10-379.....	52	10-488.....	72
10-157-.....	129	10-220.....	23	10-271-.....	117	10-380.....	72	10-489.....	46
10-158.....	40	10-221.....	23	10-272.....	37	10-381.....	72	10-490.....	62
10-158-.....	121	10-222.....	23	10-272-.....	117	10-382.....	89	10-491.....	89
10-160.....	22,107	10-223.....	33	10-273.....	30	10-383.....	80	10-492.....	73
10-161.....	22,99	10-223-.....	115,149	10-273-.....	105	10-384.....	80	10-493.....	89
10-162.....	22,99	10-224.....	46	10-274.....	99	10-385.....	65	10-494.....	89
10-163.....	22,99	10-224-.....	103	10-274-01.....	23	10-386.....	65	10-495.....	73
10-164.....	23	10-225.....	38	10-274-06.....	23,29	10-387.....	55	10-496.....	65
10-165.....	23	10-225-.....	119	10-275.....	43	10-388.....	55	10-497.....	64
10-166.....	23	10-226.....	33	10-276.....	43	10-389.....	55	10-500.....	56
10-167.....	23	10-227.....	33	10-276-.....	129	10-390.....	72	10-501.....	73
10-168.....	23	10-227-.....	115	10-277.....	37	10-391.....	81	10-502.....	73
10-170.....	43	10-228.....	33	10-277-.....	117	10-392.....	81	10-503.....	73
10-170-.....	129	10-229.....	33	10-278.....	37	10-393.....	72	10-505.....	21
10-171.....	43	10-229-.....	115	10-278-.....	117	10-394.....	65	10-506.....	89
10-171-.....	129	10-230.....	33	10-279.....	43	10-395.....	55	10-507.....	39
10-172.....	43	10-230-.....	115	10-280.....	41	10-396.....	55	10-507-.....	119
10-172-.....	129	10-231.....	33	10-280-.....	145	10-401.....	81	10-508.....	39
10-173.....	43	10-231-.....	115	10-281.....	43	10-402.....	81	10-508-.....	119
10-173-.....	129	10-231-4.....	33	10-281-.....	128	10-403.....	81	10-510.....	43
10-174.....	36	10-232.....	35	10-282.....	43	10-406.....	89	10-511.....	43

PRODUCT INDEX (SORTED BY PART#)

10-511-.....	129	10-598-06	23	10-694.....	65	10-820.....	28	10-928.....	57
10-512.....	43	10-600.....	21	10-695.....	69	10-821.....	28	10-929.....	80
10-512-.....	129	10-600-.....	95	10-696.....	62	10-823-A	30	10-932.....	66
10-513.....	44	10-601.....	53	10-697.....	34	10-824.....	25,50	10-933-.....	129
10-514.....	44	10-602.....	53	10-697-.....	115	10-827.....	66	10-935.....	67
10-515.....	44	10-603.....	53	10-698.....	62	10-837.....	57	10-936.....	80
10-516.....	44	10-604.....	53	10-699.....	62	10-838.....	57	10-937.....	80
10-517.....	38	10-605.....	53	10-700.....	65	10-840.....	53	10-940-.....	21
10-517-.....	118	10-611.....	53	10-702.....	65	10-841.....	53	10-941-.....	21
10-518.....	39	10-612.....	53	10-703.....	37	10-850.....	62	10-948.....	67
10-518-.....	119	10-613.....	53	10-703-.....	116	10-851.....	62	10-949.....	120
10-519.....	34	10-614.....	53	10-704.....	37	10-853.....	37	10-953.....	74
10-521.....	80	10-615.....	53	10-704-.....	116	10-853-.....	116	10-954.....	129
10-522.....	80	10-634.....	91	10-706.....	78	10-854.....	37	10-956.....	116
10-525.....	56	10-635.....	91	10-707.....	37	10-855.....	74	10-960.....	67
10-526.....	22	10-636.....	91	10-707-.....	117	10-857.....	80	10-961.....	57
10-531.....	62	10-637.....	91	10-707-4	37	10-858.....	66	10-963.....	80
10-534.....	65	10-638.....	91	10-708.....	117	10-859.....	66	10-964.....	81
10-535.....	56	10-639.....	91	10-710.....	91	10-860.....	66	10-965.....	44
10-536.....	56	10-640.....	91	10-715.....	91	10-861.....	74	10-965-.....	129
10-537.....	73	10-641.....	91	10-723.....	55	10-862.....	57	10-968.....	38
10-538.....	62	10-642.....	91	10-725.....	89	10-863.....	23	10-968-.....	118
10-539.....	48	10-643.....	91	10-726.....	65	10-864.....	74	10-968-4	38
10-540.....	118	10-644.....	91	10-727.....	65	10-865.....	37	10-969.....	38,42
10-543.....	46	10-645.....	91	10-728.....	56	10-866.....	66	10-969-.....	118,150
10-544.....	46	10-646.....	91	10-729.....	66	10-867.....	49	10-969-4	38,42
10-545.....	80	10-649.....	73	10-731.....	34	10-868.....	49	10-971.....	36
10-546.....	56	10-650.....	73	10-731-.....	115	10-869.....	49	10-972.....	80
10-548.....	82	10-655.....	82	10-732.....	34	10-870.....	49	10-973.....	80
10-553.....	52	10-656.....	56	10-732-.....	115	10-871.....	49	10-975.....	37
10-554.....	65	10-657.....	25,46	10-733.....	25,46	10-872.....	57	10-976.....	74
10-555.....	56	10-657-.....	103	10-733-.....	103	10-874.....	74	10-977.....	81
10-556.....	73	10-658.....	89	10-735.....	56	10-875.....	40	10-978.....	80
10-557.....	73	10-659.....	39	10-736.....	73	10-876.....	40	10-979.....	82
10-558.....	81	10-659-.....	119	10-737.....	73	10-877.....	81	10-980.....	67
10-559.....	89	10-660.....	39	10-738.....	73	10-888.....	66	10-982.....	37
10-560.....	81	10-660-.....	119	10-739.....	62	10-889.....	89	10-983.....	78
10-562.....	80	10-661.....	65	10-740.....	50	10-890.....	22	10-984.....	33
10-563.....	31,47	10-662.....	46	10-742.....	66	10-891.....	89	10-985.....	121
10-564.....	31,47	10-663.....	81	10-743-00.....	23	10-892.....	57	10-989.....	50
10-565.....	73	10-664.....	56	10-744.....	62	10-893.....	28,50	10-994.....	67
10-566.....	34	10-665.....	36	10-745.....	52	10-894.....	57	10-995.....	57
10-567.....	30	10-665-.....	116	10-748.....	37	10-896.....	62	10-996.....	67
10-568.....	37	10-667.....	25,46	10-749.....	37	10-897.....	57	10-1003.....	40
10-569.....	38	10-667-.....	103	10-750.....	73	10-898.....	78	10-1003-.....	121
10-570.....	33	10-668.....	65	10-751.....	66	10-899.....	62	10-1004.....	40
10-571.....	33	10-669.....	24	10-752.....	37	10-900.....	81	10-1004-.....	121,150
10-572.....	33,50	10-670.....	24	10-753.....	66	10-901.....	66	10-1005.....	30
10-573.....	34	10-671.....	24	10-755.....	60	10-902.....	37	10-1006.....	50
10-574.....	35	10-672.....	56	10-757.....	73	10-904.....	121	10-1007.....	50
10-575.....	48	10-673.....	34	10-758.....	73	10-905.....	66	10-1007-4	50
10-576.....	48	10-674.....	34	10-763.....	33	10-906.....	66	10-1008.....	42
10-577.....	65	10-674-.....	114	10-763-.....	115,145	10-907.....	89	10-1009.....	38
10-579.....	34	10-676.....	73	10-764.....	66	10-908.....	37	10-1009-.....	117,150
10-580.....	30	10-677.....	56	10-766.....	81	10-909.....	34	10-1009-4	38
10-581.....	27	10-678.....	73	10-767.....	66	10-910.....	34	10-1012.....	50
10-582.....	46	10-679.....	82	10-768.....	23	10-911.....	40	10-1017.....	21
10-583.....	48	10-680.....	82	10-771.....	34	10-912.....	80	10-1018.....	57
10-584.....	48	10-681.....	82	10-772.....	78	10-913.....	66	10-1019.....	81
10-585.....	46	10-682.....	82	10-773.....	78	10-914.....	66	10-1020.....	21
10-587.....	48	10-683.....	82	10-775-.....	115,150	10-916.....	66	10-1022.....	57
10-588.....	79	10-684.....	82	10-776-01	73	10-918.....	27,28	10-1024.....	50
10-589.....	79	10-685.....	39	10-776-04	73	10-919.....	27	10-1024-.....	145
10-590.....	64,79	10-685-.....	119	10-780.....	51	10-921.....	37	10-1025.....	50
10-592.....	71	10-686.....	89	10-806.....	56	10-921-.....	116	10-1026.....	50
10-593.....	71	10-687.....	38	10-807.....	56	10-921-4	37	10-1039.....	67
10-595-01.....	23	10-687-.....	119	10-808.....	56	10-922.....	37	10-1041.....	74
10-595-06.....	23	10-689.....	89	10-809.....	56	10-922-.....	116	10-1042.....	80
10-596-01.....	23	10-690.....	65	10-814.....	78	10-922-4	37	10-1043.....	81
10-596-06.....	23	10-691.....	27	10-815.....	89	10-923.....	41	10-1044.....	38,42
10-597-01.....	23	10-691-.....	104	10-817.....	66	10-924.....	57	10-1044-.....	118,150
10-597-06.....	23	10-692.....	37	10-818.....	74	10-925.....	57	10-1044-4	38,42
10-598-01.....	23	10-693.....	37	10-819.....	74	10-927.....	74	10-1045.....	25

PRODUCT INDEX (SORTED BY PART#)

10-1050.....	37	11-132.....	43	11-208.....	118	11-262-4.....	43	11-674.....	34
10-1052.....	35	11-132-.....	130	11-208-4.....	37	11-265.....	34	11-674-.....	114
10-1052-4.....	114,150	11-132-4.....	43	11-209.....	38	11-265-.....	114	11-674-4.....	34
10-1052-4.....	35	11-134.....	42	11-209-.....	119	11-265-4.....	34	11-685.....	39
10-1053.....	35	11-134-.....	130	11-209-4.....	38	11-267.....	38	11-685-.....	119
10-1053-.....	114,150	11-134-4.....	42	11-214.....	36	11-267-.....	120	11-685-4.....	39
10-1053-4.....	35	11-135.....	33	11-214-.....	118	11-267-4.....	38	11-697.....	34
11-104.....	42	11-135-.....	114	11-214-4.....	36	11-268.....	38	11-697-.....	115
11-104-.....	128	11-135-4.....	33	11-215.....	38	11-268-.....	119	11-697-4.....	34
11-104-4.....	42	11-136.....	33	11-215-.....	119	11-268-4.....	39	11-875.....	40
11-105.....	42	11-136-.....	114	11-215-4.....	38	11-271.....	37	11-875-.....	120
11-105-.....	128	11-136-4.....	33	11-216.....	36	11-271-.....	117	11-875-4.....	40
11-105-4.....	42	11-137.....	36	11-216-.....	117	11-271-4.....	37	11-876.....	40
11-106.....	42	11-137-.....	117	11-216-4.....	36	11-275.....	43	11-876-.....	121
11-106-.....	128	11-137-4.....	36	11-217.....	37	11-275-.....	129	11-876-4.....	40
11-106-4.....	42	11-138.....	36	11-217-.....	117	11-275-4.....	43	11-904.....	40
11-107.....	35	11-138-.....	117	11-217-4.....	37	11-276.....	43	11-904-.....	121
11-107-.....	118	11-138-4.....	36	11-218.....	40	11-276-.....	129	11-904-4.....	40
11-107-4.....	35	11-141.....	42	11-218-.....	121	11-276-4.....	43	11-911.....	40
11-108.....	35	11-141-.....	129	11-218-4.....	40	11-277.....	37	11-911-.....	121
11-108-.....	118	11-141-4.....	42	11-225.....	38	11-277-.....	117	11-911-4.....	40
11-108-4.....	35	11-145.....	33	11-225-.....	119	11-277-4.....	37	11-933.....	44
11-109.....	35	11-145-.....	114	11-225-4.....	38	11-279.....	43	11-933-.....	129
11-109-.....	118	11-145-4.....	33	11-226.....	115	11-279-.....	129	11-933-4.....	44
11-109-4.....	35	11-146.....	43	11-226-.....	115	11-279-4.....	43	11-949.....	39
11-110.....	35	11-146-.....	128	11-226-4.....	33	11-281.....	43	11-949-.....	120
11-110-.....	118	11-146-4.....	43	11-227.....	33	11-281-.....	128	11-949-4.....	39
11-110-4.....	35	11-147.....	43	11-227-.....	115	11-281-4.....	43	11-965.....	44
11-111.....	36	11-147-.....	128	11-227-4.....	33	11-283.....	42	11-965-.....	129
11-111-.....	116	11-147-4.....	43	11-228.....	33	11-283-.....	128	11-965-4.....	44
11-111-4.....	36	11-149.....	43	11-228-.....	115	11-283-4.....	42	11-1000.....	44
11-112.....	36	11-149-.....	128	11-228-4.....	33	11-284.....	43	11-1000-.....	130
11-112-.....	116	11-149-4.....	43	11-229.....	115	11-284-.....	130	11-1000-4.....	44
11-112-4.....	36	11-155.....	43	11-229-.....	115	11-284-4.....	43	11-1001.....	38
11-113.....	40	11-155-.....	129	11-229-4.....	33	11-507.....	39	11-1001-.....	117
11-113-.....	121	11-155-4.....	43	11-230.....	33	11-507-.....	119	11-1001-4.....	38
11-113-4.....	40	11-156.....	43	11-230-.....	115	11-507-4.....	39	11-1002.....	38
11-114.....	40	11-156-.....	129	11-230-4.....	33	11-508.....	39	11-1002-.....	117
11-114-.....	121	11-156-4.....	43	11-231.....	33	11-508-.....	119	11-1002-4.....	38
11-114-4.....	40	11-157.....	43	11-231-.....	115	11-508-4.....	39	11-1003.....	44
11-117.....	36	11-157-.....	129	11-231-4.....	33	11-510.....	43	11-1003-.....	128
11-117-.....	117	11-157-4.....	43	11-232.....	35	11-510-.....	129	11-1003-4.....	44
11-117-4.....	36	11-158.....	40	11-232-.....	115	11-510-4.....	43	11-1004.....	44
11-118.....	36	11-158-.....	121	11-232-4.....	35	11-511.....	43	11-1004-.....	128
11-118-.....	117	11-158-4.....	40	11-233.....	33,50	11-511-.....	129	11-1004-4.....	44
11-118-4.....	36	11-170.....	43	11-233-.....	115	11-511-4.....	43	11-1005.....	38
11-119.....	40	11-170-.....	129	11-233-4.....	33	11-512.....	44	11-1005-.....	117
11-119-.....	120	11-170-4.....	43	11-234.....	33	11-512-.....	129	11-1005-4.....	38
11-119-4.....	40	11-171.....	43	11-234-.....	115	11-512-4.....	44	11-1006.....	38
11-120.....	40	11-171-.....	129	11-234-4.....	33	11-517.....	38	11-1006-.....	117
11-120-.....	120	11-171-4.....	43	11-235.....	33	11-517-.....	118	11-1006-4.....	38
11-120-4.....	40	11-172.....	43	11-235-.....	115	11-517-4.....	38	11-1007.....	34
11-121.....	36	11-172-.....	129	11-235-4.....	33	11-518.....	39	11-1007-.....	115
11-121-.....	117	11-172-4.....	43	11-244.....	43	11-518-.....	119	11-1007-4.....	34
11-121-4.....	36	11-174.....	36	11-244-.....	130	11-518-4.....	39	11-1008.....	39
11-122.....	36	11-174-.....	118	11-244-4.....	43	11-519.....	34	11-1008-.....	120
11-122-.....	117	11-174-4.....	36	11-245.....	37	11-519-.....	114	11-1008-4.....	39
11-122-4.....	36	11-175.....	36	11-245-.....	118	11-519-4.....	34	11-1009.....	34
11-127.....	33	11-175-.....	118	11-245-4.....	37	11-540.....	39	11-1009-.....	114
11-127-.....	115	11-175-4.....	36	11-247.....	38	11-540-.....	118	11-1009-4.....	34
11-127-4.....	33	11-195.....	39	11-247-.....	120	11-540-4.....	39	11-1010.....	34
11-128.....	33	11-195-.....	118	11-247-4.....	38	11-566.....	34	11-1010-.....	115
11-128-.....	114	11-195-4.....	39	11-248.....	38	11-566-.....	114	11-1010-4.....	34
11-128-4.....	33	11-201.....	36	11-248-.....	119	11-566-4.....	34	11-1011.....	44
11-129.....	42	11-201-.....	118	11-248-4.....	38	11-659.....	39	11-1011-.....	129
11-129-.....	128	11-201-4.....	36	11-250.....	43	11-659-.....	119	11-1011-4.....	44
11-129-4.....	42	11-202.....	36	11-250-.....	129	11-659-4.....	39	11-1012.....	37
11-130.....	42	11-202-.....	117	11-250-4.....	43	11-660.....	39	11-1012-.....	117
11-130-.....	128	11-202-4.....	36	11-253.....	43	11-660-.....	119	11-1012-4.....	37
11-130-4.....	42	11-203.....	36	11-253-.....	129	11-660-4.....	39	11-1013.....	34
11-131.....	42	11-203-.....	117	11-253-4.....	43	11-673.....	34	11-1013-.....	115
11-131-.....	128	11-203-4.....	36	11-262.....	43	11-673-.....	114	11-1013-4.....	34
11-131-4.....	42	11-208.....	37	11-262-.....	129	11-673-4.....	34	11-1014.....	34



Phone:
Fax:
Toll-Free:

480-854-3400
480-832-6390
877-718-7446

ROCKART
SIGNS AND MARKERS

Online: www.RockartSigns.com
Email: Sales@RockartSigns.com

PRODUCT INDEX (SORTED BY PART#)

11-1014-	115	11-1038-4	40	11-1063	39	11-1087-	120	20-152	58
11-1014-4	34	11-1039	40	11-1063-	119	11-1087-4	39	20-155	75
11-1015	39	11-1039-	120	11-1063-4	39	11-1088	39	20-156	75
11-1015-	119	11-1039-4	40	11-1064	34	11-1088-	120	20-157	68
11-1015-4	39	11-1040	40	11-1064-	116	11-1088-4	39	20-158	68
11-1016	35	11-1040-	120	11-1064-4	34	11-1089	39	20-159	68
11-1016-	116	11-1040-4	40	11-1065	40	11-1089-	120	20-162	68
11-1016-4	35	11-1041	40	11-1065-	121	11-1089-4	39	20-163	68
11-1017	34	11-1041-	120	11-1065-4	40	11-1090	35	20-164	63
11-1017-	116	11-1041-4	40	11-1066	40	11-1090-	116	20-167	63
11-1017-4	34	11-1042	36	11-1066-	121	11-1090-4	35	20-169	75
11-1018	35	11-1042-	118	11-1066-4	40	11-1091	39	20-172	68
11-1018-	116	11-1042-4	36	11-1067	40	11-1091-	120	20-178	83
11-1018-4	35	11-1043	36	11-1067-	121	11-1091-4	39	20-179	90
11-1019	34	11-1043-	118	11-1067-4	40	11-1092	39	20-180	90
11-1019-	116	11-1043-4	36	11-1068	34	11-1092-	120	20-181	90
11-1019-4	34	11-1044	38	11-1068-	115	11-1092-4	39	20-182	83
11-1020	34	11-1044-	119	11-1068-4	34	11-1093	39	20-185	68
11-1020-	116	11-1044-4	38	11-1069	34	11-1093-	120	20-188	75
11-1020-4	34	11-1045	44	11-1069-	115	11-1093-4	39	20-189	58
11-1021	34	11-1045-	130	11-1069-4	34	11-1094	40	20-208	84
11-1021-	116	11-1045-4	44	11-1070	40	11-1094-	120	20-209	63
11-1021-4	34	11-1046	44	11-1070-	121	11-1094-4	40	20-215	68
11-1022	40	11-1046-	130	11-1070-4	40	11-1095	35	20-216	90
11-1022-	120	11-1046-4	44	11-1071	39	11-1095-	116	20-218	63
11-1022-4	40	11-1047	39	11-1071-	119	11-1095-4	35	20-219	58
11-1023	37	11-1047-	118	11-1071-4	39	11-1096	35	20-220	90
11-1023-	117	11-1047-4	39	11-1072	39	11-1096-	116	20-223	45
11-1023-4	37	11-1048	34	11-1072-	119	11-1096-4	35	20-226	58
11-1024	33	11-1048-	115	11-1072-4	39	20-102	58	20-231	84
11-1024-	114	11-1048-4	34	11-1073	44	20-103	58	20-241	68,84
11-1024-4	33	11-1049	44	11-1073-	130	20-104	58	20-244	58
11-1025	44	11-1049-	130	11-1073-4	44	20-105	83	20-245	58
11-1025-	128	11-1049-4	44	11-1074	38	20-106	58	20-246	84
11-1025-4	44	11-1050	44	11-1074-	117	20-107	58	20-248	45
11-1026	38	11-1050-	130	11-1074-4	38	20-108	58	20-249	85
11-1026-	119	11-1050-4	44	11-1075	44	20-109	58	20-260	85
11-1026-4	38	11-1051	34	11-1075-	130	20-110	68	20-261	85
11-1027	38	11-1051-	115	11-1075-4	44	20-111	68	20-262	85
11-1027-	119	11-1051-4	34	11-1076	37	20-112	58	20-263	85
11-1027-4	38	11-1052	44	11-1076-	118	20-113	68,84	20-264	85
11-1028	38	11-1052-	129	11-1076-4	37	20-114	68,84	20-275	68
11-1028-	119	11-1052-4	44	11-1077	44	20-115	75	20-276-01	75
11-1028-4	38	11-1053	44	11-1077-	129	20-116	75	20-276-04	75
11-1029	38	11-1053-	129	11-1077-4	44	20-117	68	20-277	79
11-1029-	119	11-1053-4	44	11-1078	44	20-118	75	20-278	68
11-1029-4	38	11-1054	37	11-1078-	129	20-119	68	20-280	63
11-1030	38	11-1054-	117	11-1078-4	44	20-120	83	20-281	30,31
11-1030-	119	11-1054-4	37	11-1079	44	20-121	63	20-282	75
11-1030-4	38	11-1055	44	11-1079-	130	20-122	75	20-285	58
11-1031	44	11-1055-	130	11-1079-4	44	20-123	75	20-286	63
11-1031-	130	11-1055-4	44	11-1080	35	20-124	75	20-287	83
11-1031-4	44	11-1056	44	11-1080-	115	20-125	75	20-288	71
11-1032	37	11-1056-	130	11-1080-4	35	20-126	75	20-289	58
11-1032-	117	11-1056-4	44	11-1081	35	20-128	75	20-291	75
11-1032-4	37	11-1057	34	11-1081-	115	20-129	75	20-292	68
11-1033	37	11-1057-	115	11-1081-4	35	20-130	83	20-293	75
11-1033-	117	11-1057-4	34	11-1082	34	20-131	58	20-298	69
11-1033-4	37	11-1058	34	11-1082-	115	20-132	58	20-299	84
11-1034	37	11-1058-	115	11-1082-4	34	20-133	83	20-300	63
11-1034-	117	11-1058-4	34	11-1083	44	20-134	83	20-301	90
11-1034-4	37	11-1059	34	11-1083-	130	20-137	58	20-304	58
11-1035	37	11-1059-	115	11-1083-4	44	20-138	63	20-306	59
11-1035-	117	11-1059-4	34	11-1084	35	20-139	75	20-307	59
11-1035-4	37	11-1060	38	11-1084-	116	20-140	83	20-308	59
11-1036	44	11-1060-	119	11-1084-4	35	20-143	83	20-309	76
11-1036-	128	11-1060-4	38	11-1085	35	20-144	31	20-310	76
11-1036-4	44	11-1061	39	11-1085-	115	20-145	83	20-313	59
11-1037	44	11-1061-	119	11-1085-4	35	20-146	68	20-314	84
11-1037-	129	11-1061-4	39	11-1086	35	20-147	68	20-317	69
11-1037-4	44	11-1062	39	11-1086-	116	20-148	27	20-320	63
11-1038	40	11-1062-	119	11-1086-4	35	20-149	75	20-321	21
11-1038-	120	11-1062-4	39	11-1087	39	20-150	83	20-322	21

PRODUCT INDEX (SORTED BY PART#)

20-325	59	20-490	69	30-197	21	60-117	78	60-221	28,50
20-326	63	20-491	59	30-198	77	60-119	88	60-222	25
20-334	84	20-492	69	30-204	70	60-120	78	60-223	41
20-339	63	20-501	90	30-205	21	60-123	54,88	60-224	41
20-340	59	20-502	85	30-206	21	60-125	64	60-224-	149
20-342	84	20-503	85	30-207	60	60-133	50	60-226	48
20-343	83	20-504	90	30-212	60	60-134	27	60-229	50
20-346	83	20-514	59	30-213	60	60-135	27	60-229-	154
20-347	69	20-515	28	30-217	59	60-136	50	60-230	41
20-348	76	20-516	76	30-220	23	60-136-	109	60-231	78
20-355	59	20-517	59	30-221	23	60-137	60	60-232	54
20-361	85	20-518	76	30-222	23	60-138	71	60-233	88
20-362	69	20-519	77	30-250	86	60-139	54	60-234	60
20-363	84	20-520	76	30-251	77	60-140	88	60-235	26,221
20-365	59	20-522	76	30-320	27	60-141	60	60-236	26,221
20-366	55	20-523	77	30-321	45	60-142	21	60-237	27
20-369	83	20-525	69,84	30-327	86	60-143	42,78	60-238	27
20-374	59	20-526	69,84	40-100	45	60-144	42,78	60-239	27
20-375	59	20-539	76	40-101	45	60-145	78	60-240	71
20-377	84	20-543	69	40-102	45	60-146	78	60-241	37
20-379	59	20-547	23	40-102-01	45	60-147	48	60-242	41
20-388	90	20-548	23	40-103	45	60-148	48	60-243	46
20-390	76	20-553	28,50	40-103-01	45	60-149	48	60-245	30
20-391	50	20-556	59	40-104	45	60-150	48	60-246	45
20-396	69	30-101	21	40-105	45	60-151	79	60-247	35
20-397	69	30-101-	95	40-116	45	60-152	79	60-248	35
20-398	30	30-102	21	40-122	26	60-153	64	60-249-01	29
20-399	63	30-105	21	40-126	45	60-154	88	60-249-01	29
20-400	76	30-106	21	40-129	45	60-155	54	60-250-01	29
20-401	76	30-107	70	40-132	26	60-156	24	60-250-06	29
20-402	76	30-108	70	40-133	26	60-157-01	24	60-270	45
20-403	59	30-109	86	40-134	45	60-157-09	24	60-271	27,78
20-404	69,90	30-110	70,90	40-147	25	60-161-01	64	60-272	27,78
20-408-A	30	30-111	70,90	40-171	25	60-161-04	64,88	60-273	25
20-413	76	30-112	77	40-179	28	60-168	88	60-274	25,50
20-414	83	30-113	86	40-181	26	60-169	87	60-275	25
20-415	78	30-114	60	40-182	26	60-170	87	60-278	25,50
20-417	21	30-115	30	40-183	26	60-170-09	87	60-280	78
20-418	21	30-116	86	40-184	26	60-171	87	60-282	50
20-419	21	30-117	86	40-185	26	60-172	87	60-283	71
20-420	21	30-118	70	40-186	26	60-173	87	60-285	79
20-420-	95	30-122	60	40-187	26	60-174	87	60-286	79
20-420-4	21	30-124	70	40-190	45	60-175	60	60-287	79
20-421	21	30-127	54	40-192	45	60-176	60	60-288	79
20-421-	95	30-128	60	40-199	61	60-178	21	60-291	28
20-422	21	30-130	21	40-234	25	60-179	27	60-296	60
20-422-4	21	30-131	78	40-238	45	60-180	27	60-297	64
20-423	21	30-132	21	40-239	45	60-181	27	60-298	61
20-424	21	30-132-	95	40-250	45	60-182	25	60-300	48
20-425	21	30-133	21	40-256	45	60-183	64,88	60-301	48
20-441	54	30-137	70	40-257	45	60-184	64,88	60-302	48
20-442	54	30-139	26	40-258	45	60-185	71	60-303	48
20-444	83	30-141	45	40-263	21	60-186	71	60-304	31,50
20-445	90	30-142	45	40-265	45	60-190	60	60-305	48
20-446	83	30-143	60	40-266	45	60-191	30	60-306	48
20-452	83	30-144	26,221	40-285	25	60-192	30	60-307	41,47
20-455	55	30-145	26,221	40-286	61	60-193	41	60-308	48,50
20-457	84	30-153	60	40-292	26	60-194	50	60-309	31,48
20-464	76	30-154	86	40-293	26	60-195	41	60-310	31,48
20-466	69	30-155	21	60-101	54	60-196	25	60-311	31,48
20-468	59	30-156	31,48	60-102	54	60-197	25	60-312	30
20-469	76	30-157	48	60-103	54	60-198	41	60-313	30
20-470	76	30-158	46	60-104	54	60-199	88	60-314	30
20-472	76	30-159	25,31	60-105	88	60-200	34,50	60-315	30
20-475	76	30-162	86	60-106	88	60-200-	115,154	60-316	41,48
20-476	59	30-163	77	60-109	71	60-202	30	60-317	30
20-477	59	30-168	86	60-110	32	60-211	71	60-318	31
20-478	59	30-170	60	60-111	32	60-212	21	60-319	31
20-479	30	30-173	70	60-112	32	60-215	41,47	60-320	31,46
20-483	90	30-178	21	60-113	32	60-216	60	60-321	31,46
20-487	84	30-191	45	60-114	71	60-217	41	60-322	41,47
20-488	84	30-192	45	60-115	60	60-218	41	60-323	31,48
20-489	84	30-196	21	60-116	71	60-219	41	60-324	31,48



Phone:
Fax:
Toll-Free:

480-854-3400
480-832-6390
877-718-7446

ROCKART
SIGNS AND MARKERS

Online: www.RockartSigns.com
Email: Sales@RockartSigns.com

PRODUCT INDEX (SORTED BY PART#)

60-325	31,48	60-415	47	60-520	31,60	60-695	48	60-855	46
60-326	31,48	60-416	47	60-522	87	60-698	46	60-856	31
60-327	31,48	60-417	47	60-525	45	60-699	46	60-857	61
60-328	31,48	60-418	47	60-526	41	60-700	46	60-859	21
60-329	31,48	60-425	48	60-526	127	60-701	28	60-860	31
60-330	31,48	60-426	48	60-527	46	60-702	28	60-867	27
60-331	31,48	60-427	48	60-528	31	60-705-9	30	60-868	27
60-332	41	60-428	47	60-528	31	60-705-10	24	60-879	79
60-333	31,48	60-429	48	60-576	41	60-705-14	46	60-881	41
60-334	41	60-430	48	60-577	41	60-707	78	60-883	42
60-334	148	60-431	49	60-577	123	60-720	25	60-884	61
60-335	41	60-432	48	60-578	87	60-722	41,50	60-897	61
60-335	123	60-433	48	60-581	50	60-724	71	60-898	42,47
60-336	28,48	60-436	49	60-582	30	60-725-16	31	60-902	42
60-337	28,48	60-437	49	60-583	41	60-732	30	60-909	44
60-338	50	60-438	49	60-584	41	60-734	30	60-912	61
60-339	50	60-439	49	60-585	25	60-737	30	60-914	61,79
60-340	31	60-440	49	60-586	31	60-738	31	60-916	62
60-341	41	60-441	49	60-587	50	60-739	21	60-917	54
60-342	30	60-442	49	60-588	28	60-742	28	60-918	54
60-343	41	60-443	49	60-589	30	60-744	41	60-920	26,221
60-344	25	60-444	49	60-594	46	60-745	28,50	60-921	26,221
60-345	46	60-445	49	60-595	71	60-746	41,50	60-922	26,221
60-346	30	60-446	49	60-597	45	60-747	23	60-923	26,221
60-346	111	60-447	49	60-599	30	60-747	99	60-926	47
60-347	41	60-448	49	60-600	30	60-748	23	60-927	47
60-348	41,47	60-449	49	60-601	64	60-748	99	60-928	46
60-349	41,47	60-450	49	60-602	78	60-749	23	60-929	47
60-350	31,48	60-451	49	60-603	78	60-749	99	60-930	47
60-351	31,48	60-452	49	60-604-20	45	60-752	88	60-931	47
60-352	41	60-453	49	60-604-21	45	60-753	88	60-932	47
60-353	28	60-454	49	60-605	30	60-754	42,50	60-933	47
60-354	41,47	60-455	49	60-606	46	60-755	31,47	60-934	47
60-355	31,48	60-456	49	60-607	61	60-756	30	60-935	47
60-356	28,48	60-457	49	60-608	61	60-757	31	60-936	47
60-357	31,48	60-458	49	60-609	78,88	60-760	32	60-940	48
60-358	31	60-459	49	60-610	50	60-761	32	60-942	78
60-359	31,47	60-460	49	60-611	46	60-762	32	60-944	71
60-360	31,48	60-461	49	60-612	24	60-763	32	60-950	71
60-361	31,48	60-462	49	60-621	78	60-766	31	60-954	47
60-362	31	60-463	49	60-622	31,50	60-767	25,31	60-954-8	127
60-363	31	60-464	49	60-625	31	60-770	28	60-955	78
60-364	27	60-465	49	60-626	24	60-771	27,50	60-956	64
60-365	27	60-466	49	60-628	21	60-773	41,50	60-957	42
60-366	41,46	60-467	49	60-629	41	60-774	41,50	60-958	47
60-367	46	60-468	49	60-631	31	60-782	31	60-970	54
60-368	41,48	60-469	49	60-632	41,48	60-786	41	60-971	88
60-369	31,48	60-470	49	60-635	41,48	60-786-18	123	60-972	71
60-370	41	60-471	49	60-640	30	60-787	31,47	60-974	54
60-371	41	60-472	48	60-646	30	60-788	30,31	60-975	54
60-373	41	60-473	49	60-647	41	60-789	47	60-976	54
60-375	28	60-474	48	60-648	46	60-790	47	60-980	27
60-377	30	60-475	49	60-650	76	60-791	47	60-982	29
60-378	31	60-476	49	60-651	41	60-792	47	60-983	29
60-385	22	60-477	49	60-652	31,44	60-793	47	60-984	29
60-386	22	60-478	49	60-654	48	60-795	42,50	60-985	29
60-387	22	60-479	49	60-669	71	60-796	42,50	60-986	29
60-397	47	60-480	49	60-670	41	60-798	29	60-987	29
60-398	28	60-481	49	60-672	27	60-799	31	60-988	29
60-399	48	60-482	49	60-673	27	60-803	47	60-989	29
60-400	46	60-483	49	60-673	104	60-804	47	60-990	29
60-401	46	60-485	49	60-674	25	60-806	79	60-991	29
60-402	46	60-486	49	60-675	25	60-807	79	60-992	29
60-403	46	60-501	49	60-679	50	60-813	61	60-993	29
60-404	46	60-502	49	60-682	30	60-821	24,31,50	60-994	29
60-405	46	60-512	50	60-683	21	60-833	28	60-995	29
60-406	46	60-513	61	60-684	41	60-834	25	60-996	29
60-407	46	60-514	61	60-684	127	60-835	64	60-1023	30
60-408	46	60-515	87	60-685	30	60-839	31	60-1027	29
60-409	47	60-516	71	60-687	50	60-840	25	60-1029	50
60-410	47	60-517	64	60-688	41	60-842	61	60-1036	71
60-411	47	60-518	71	60-690	50	60-846	37	60-1038	47
60-414	47	60-519	64	60-693	50	60-847-12	111	60-1042	27

PRODUCT INDEX (SORTED BY PART#)

60-1053.....	42	60-1417-1.....	45	90-355.....	147	90-499-38.....	107	90-499-562.....	155
60-1066.....	28	60-1433.....	79	90-357.....	147	90-499-40.....	109	90-499-565.....	104
60-1069.....	26,221	60-1435.....	87	90-358.....	155	90-499-49.....	122	90-499-566.....	104
60-1079.....	64	60-1447.....	35	90-359.....	123	90-499-54.....	108	90-499-567.....	109
60-1092.....	27	60-1470-14.....	49	90-360.....	146	90-499-55.....	99	90-499-571.....	124
60-1095.....	79	60-1511.....	29	90-361.....	121	90-499-62.....	124	90-499-572.....	96
60-1096.....	47	60-1512.....	29	90-362.....	152	90-499-63.....	124	90-499-573.....	144
60-1106.....	25	60-1513.....	29	90-364.....	112	90-499-70.....	138	90-499-583.....	108
60-1107.....	28	60-1514.....	29	90-365.....	96	90-499-76.....	105	90-499-583-A.....	108
60-1118.....	61	60-1515.....	29	90-366.....	112	90-499-85.....	104	90-499-584.....	108
60-1119.....	79	60-1516.....	29	90-369.....	122	90-499-86.....	104	90-499-584-A.....	108
60-1120.....	71	60-1626.....	57	90-370.....	152	90-499-87.....	104	90-499-585.....	97
60-1121.....	71	80-102.....	54	90-371.....	152	90-499-88.....	104	90-499-594.....	124
60-1122.....	64	80-103.....	54	90-372.....	108	90-499-94.....	124	90-499-595.....	148
60-1123.....	54	80-112.....	29	90-372-M.....	108	90-499-112.....	152	90-499-596.....	101
60-1125.....	71	90-100.....	97	90-373.....	108	90-499-154.....	148	90-499-597.....	101
60-1140.....	42	90-104-B.....	143	90-374.....	108	90-499-155.....	123	90-499-598.....	101
60-1141.....	78	90-162.....	113	90-375.....	108	90-499-156.....	99	90-499-599.....	101
60-1142.....	28	90-163.....	113	90-376.....	108	90-499-157.....	147	90-499-602.....	104
60-1145.....	24	90-178.....	112	90-377.....	95	90-499-168.....	100	90-499-606.....	138
60-1146.....	23	90-179.....	112	90-378.....	139	90-499-171.....	148	90-499-607.....	124
60-1147.....	23	90-180.....	121	90-379.....	139	90-499-174.....	106	90-499-610.....	99
60-1148.....	23	90-181.....	121	90-382.....	96	90-499-175.....	106	90-499-611.....	99
60-1154.....	42	90-182.....	121	90-384-18.....	139	90-499-176.....	106	90-499-612.....	124
60-1158.....	42	90-185.....	113	90-387-0206.....	98	90-499-180.....	100	90-499-613.....	109
60-1159.....	30	90-186.....	113	90-388.....	98	90-499-182.....	152	90-499-615.....	124
60-1161.....	81	90-191.....	128	90-389.....	98	90-499-185.....	97	90-499-617.....	102
60-1168.....	71	90-192.....	128	90-392.....	139	90-499-186.....	123	90-499-618.....	96
60-1171.....	42,47	90-193.....	128	90-398.....	139	90-499-187.....	107	90-499-619.....	96
60-1175.....	30	90-194.....	128	90-401.....	107	90-499-194.....	97	90-499-620.....	124
60-1177.....	47	90-195.....	128	90-402.....	148	90-499-202.....	148	90-499-623.....	147
60-1200.....	90	90-200.....	128	90-403.....	155	90-499-222.....	124	90-499-624.....	124
60-1208.....	22	90-204.....	143	90-404.....	139	90-499-262.....	144	90-499-635.....	96,152
60-1209.....	42	90-212.....	99	90-405-8.....	103	90-499-266.....	123	90-499-636.....	103
60-1210.....	34	90-213.....	99	90-405-12.....	103	90-499-268.....	105	90-499-637.....	103
60-1211.....	42	90-214.....	99	90-414.....	102	90-499-302.....	152	90-499-638.....	124
60-1213.....	37	90-215.....	99	90-445.....	150	90-499-310.....	154	90-499-642.....	144
60-1214.....	42	90-216.....	99	90-446.....	111	90-499-315.....	125	90-499-643.....	148
60-1215.....	47	90-217.....	99	90-447-HIP.....	97	90-499-347.....	107	90-499-646.....	101
60-1216.....	47	90-240.....	123	90-448.....	152	90-499-350.....	107	90-499-647.....	138
60-1217.....	47	90-250.....	105	90-450.....	155	90-499-353.....	99	90-499-649.....	96
60-1218.....	47	90-251.....	105	90-454.....	139	90-499-354.....	99	90-499-650.....	155
60-1220.....	24	90-252.....	102	90-460.....	141,141	90-499-356.....	147	90-499-651.....	148
60-1221.....	42	90-253.....	109	90-461.....	141,141	90-499-365.....	98	90-499-652.....	123
60-1222.....	50	90-261-8.....	103	90-462.....	141,141	90-499-366.....	155	90-499-658.....	107
60-1229.....	28	90-264.....	112	90-463.....	141,141	90-499-367.....	122	90-499-662.....	152
60-1230.....	49	90-265.....	112	90-464.....	141,141	90-499-390.....	138	90-499-663.....	96
60-1231.....	47	90-266.....	103	90-465.....	141,141	90-499-435.....	127	90-499-664.....	96
60-1232.....	47	90-276.....	100	90-466.....	141,141	90-499-439.....	96	90-499-669.....	96
60-1233.....	48	90-277.....	100	90-467.....	141,141	90-499-451.....	124	90-499-670.....	104
60-1234.....	48	90-279.....	100	90-468.....	141,141	90-499-453.....	101	90-499-671.....	109
60-1235.....	27	90-285.....	112	90-469.....	141,141	90-499-458.....	96	90-499-672.....	122
60-1236.....	27	90-288.....	123	90-472.....	95	90-499-459.....	121	90-499-673.....	96
60-1237.....	27	90-291.....	101	90-473.....	95	90-499-471.....	124	90-499-674.....	103
60-1240.....	64	90-311-12-A.....	147	90-486.....	123	90-499-483.....	96	90-499-675.....	107
60-1241.....	27	90-312.....	144	90-487.....	139	90-499-484.....	111	90-499-676.....	150
60-1242.....	27	90-313-12-A.....	144	90-488.....	139	90-499-485.....	124	90-499-682.....	109
60-1243.....	27	90-314.....	147	90-489.....	113	90-499-486.....	96	90-499-683.....	128
60-1244.....	27	90-317.....	125	90-490.....	113	90-499-487.....	96	90-499-684.....	128
60-1248.....	42,48	90-323-A.....	123	90-491.....	113	90-499-489.....	124	90-499-685.....	107
60-1253.....	25	90-324-A.....	123	90-492.....	113	90-499-490.....	100	90-499-687.....	102
60-1264.....	79	90-325-A.....	123	90-498-6-011301.....	99	90-499-491.....	100	90-499-688.....	111
60-1266.....	71	90-326-A.....	123	90-498-12.....	95	90-499-495.....	124	90-499-689.....	111
60-1320.....	72	90-330.....	138	90-498-15.....	95	90-499-496.....	148	90-499-697.....	99
60-1321.....	48	90-334-12.....	103	90-498-409.....	95	90-499-498.....	145	90-499-698.....	99
60-1347.....	78	90-335.....	125	90-498-410.....	95	90-499-499.....	124	90-499-699.....	122
60-1355.....	46	90-337.....	112	90-499-20.....	150	90-499-519.....	144	90-499-700.....	121
60-1362.....	54	90-338.....	112	90-499-21.....	107	90-499-520.....	144	90-499-705.....	124
60-1364.....	24,28	90-344-12.....	123	90-499-22.....	122	90-499-522.....	124	90-499-706.....	124
60-1395.....	24	90-345.....	112	90-499-23.....	121	90-499-523.....	124	90-499-714.....	124
60-1402.....	50	90-346.....	112	90-499-24.....	123	90-499-538.....	105	90-499-716.....	124
60-1403.....	50	90-348.....	144	90-499-26.....	123	90-499-558.....	96	90-499-719.....	152
60-1416-1.....	45	90-349.....	150	90-499-31.....	123	90-499-561.....	104	90-499-720.....	152



Phone:
Fax:
Toll-Free:

480-854-3400
480-832-6390
877-718-7446

ROCKART
SIGNS AND MARKERS

Online: www.RockartSigns.com
Email: Sales@RockartSigns.com

PRODUCT INDEX (SORTED BY PART#)

90-499-724	147	90-499-979	121	90-862	138	90-1087	169	91-148	133
90-499-730	101	90-499-980	103	90-863	138	90-1088	169	91-149	133
90-499-735	100	90-519	14	90-864	138	90-1089	150	91-150	133
90-499-741	124	90-562-	141,141	90-865	138	90-1093	144	91-151	131
90-499-742	124	90-571	14	90-866	138	90-1104	112	91-152	131
90-499-747	108	90-572	111	90-867	138	90-1105	112	91-153	131
90-499-748	124	90-700	155	90-868	138	90-1106	107	91-154	131
90-499-757	99	90-701	103	90-869	138	90-1110	97	91-155	132
90-499-758	47	90-702	103	90-870	138	90-1114	108	91-156	132
90-499-759	99	90-706	123	90-871	138	90-1116	144	91-157	133
90-499-763	145	90-709	147	90-872	138	90-1117	144	91-158	133
90-499-764	147	90-711	141,141	90-877-	98	90-1118	144	91-159	133
90-499-767	122	90-712	106	90-878-	98	90-1122	102	91-160	133
90-499-769	128	90-716	139	90-879-	98	90-1123	147	91-161	133
90-499-770	96	90-717	122	90-880-	98	90-1125	123	91-162	133
90-499-786	124	90-719-	112	90-882-	112	90-1126	123	91-163	132
90-499-787	124	90-720-	112	90-883-	112	90-1130	140	91-164	132
90-499-792	109	90-724	104	90-884	144	90-1131	140	91-165	132
90-499-796	109	90-727	155	90-885	121	90-1132-	139	91-166	132
90-499-820	147	90-729	109	90-886	125	90-1140	123	91-167	132
90-499-821	147	90-731-	122	90-887	97	90-1141	145	91-168	132
90-499-822	150	90-737	97	90-889	114	90-1151	123	91-169	132
90-499-828	152	90-740	147	90-892	125	90-1160	169	91-170	132
90-499-830	124	90-741	150	90-893	155	90-1161	96	91-171	131
90-499-833	105	90-745-8	105	90-895	125	90-1163-	112	91-172	133
90-499-835	124	90-746	107	90-899	154	90-1164-	112	91-173	131
90-499-838	97	90-747	107	90-929	102	91-100-	131	91-174	131
90-499-840	122	90-748	139	90-946	139	91-101-	131	91-175	133
90-499-841	124	90-749	103	90-947	139	91-103-	131	91-176	133
90-499-845	108	90-751	103	90-948	123	91-104	131	91-177	133
90-499-853	124	90-755	123	90-949	147	91-105-	131	91-178	133
90-499-860	144	90-758	154	90-951	112	91-106-	131	91-179	133
90-499-862	123	90-762	103	90-952	112	91-107-	131	91-180	133
90-499-870	96	90-763-12	152	90-953	152	91-108-	131	91-181	133
90-499-885	124	90-766-18	152	90-960	113	91-109	131	91-182	133
90-499-902	148	90-767	138	90-961	113	91-110-	132	91-183	131
90-499-904	148	90-768	138	90-962	112	91-111-	132	91-184	133
90-499-905	148	90-769	138	90-963	112	91-112-	132	91-185	133
90-499-906	122	90-773	96	90-964	103	91-113-	132	91-186	133
90-499-907	99	90-781	147	90-965	112	91-114-	132	91-187	133
90-499-908	124	90-782	148	90-974	108	91-115-	133	91-188	133
90-499-910	100	90-783	140	90-974-PC	108	91-116-	133	91-189	131
90-499-911	96	90-784	106	90-975	108	91-117-	131	91-190	131
90-499-912	96	90-792	125	90-984	145	91-118-	131	91-191	132
90-499-913	99	90-794	108	90-987	143	91-119-	131	91-192	133
90-499-914	99	90-807	106	90-996	122	91-120-	132	91-193	133
90-499-918	148	90-808	147	90-997	148	91-121-	132	91-194	131
90-499-919	99	90-809	125	90-998	154	91-122-	132	91-195	132
90-499-920	99	90-810	125	90-1000	154	91-123-	132	91-196	133
90-499-924	148	90-827	111	90-1000-A	154	91-124	132	91-197	132
90-499-926	145	90-837-	149	90-1007	112	91-125-	132	91-198	133
90-499-927	154	90-838-	149	90-1008	112	91-126-	131	91-201	133
90-499-928	124	90-839-	148	90-1012	112	91-127-	132	91-202	133
90-499-929	124	90-840-	102	90-1016	101	91-128-	131	91-203	132
90-499-938	124	90-841-	149	90-1020	102	91-129	131	91-204	132
90-499-942	124	90-842-	145	90-1021	102	91-130-	132	91-205	133
90-499-950	103	90-843-	145	90-1022	106	91-131-	132	91-321	134
90-499-951	109	90-844-	145	90-1023	106	91-132-	132	91-500-	135
90-499-952	150	90-845-	149	90-1024	150	91-133-	132	91-501-	135
90-499-954	111	90-846-	149	90-1025	155	91-134	133	91-502-	135
90-499-970-03	110	90-847-	146,154	90-1026	105	91-135-	133	91-503-	135
90-499-970-04	101	90-850	107	90-1029	107	91-136-	133	91-504-	135
90-499-970-05	104	90-851	169	90-1032	105	91-137-	132	91-505-	135
90-499-970-11	101	90-852	105	90-1033	155	91-138-	132	91-506-	135
90-499-970-19	104	90-853	138	90-1034	123	91-139	132	91-507	135
90-499-970-22	104	90-854	138	90-1036	97	91-140-	132	91-508	135
90-499-971	154	90-855	138	90-1038	96	91-141-	131	91-509	135
90-499-972	96	90-856	138	90-1039	96	91-142-	131	91-510	135
90-499-973	96	90-857	138	90-1042	109	91-143-	132	91-511	135
90-499-974	102	90-858	138	90-1044	146	91-144	133	91-512	135
90-499-976	124	90-859	138	90-1045	146	91-145-	132	91-513	135
90-499-977	150	90-860	138	90-1046	147	91-146-	133	91-514	135
90-499-978	121	90-861	138	90-1085	138	91-147-	133	91-515	135

PRODUCT INDEX (SORTED BY PART#)

91-516-.....	136	91-589-.....	136	92-1100.....	126	92-1291.....	102	92-1539.....	155
91-517-.....	136	91-590-.....	137	92-1101.....	149	92-1300.....	126	92-1540.....	155
91-518-.....	136	91-591.....	137	92-1102.....	126	92-1301.....	155	92-1541.....	126
91-519-.....	136	91-702-.....	135	92-1103.....	126	92-1302.....	153	92-1568.....	154
91-520-.....	136	91-703-.....	135	92-1104.....	144	92-1303.....	105	92-1569.....	96
91-521-.....	136	91-704-.....	135	92-1105.....	144	92-1305.....	102,151	92-1570.....	153
91-522-.....	135	91-705-.....	135	92-1106.....	144	92-1309.....	153	92-1578.....	126
91-523-.....	135	91-706-.....	135	92-1107.....	125	92-1313.....	122	92-1579.....	102
91-524-.....	136	91-707.....	135	92-1111.....	125	92-1314.....	97	92-1586.....	153
91-525-.....	136	91-708-.....	135	92-1112.....	125	92-1315.....	47	92-1587-12.....	107
91-526-.....	136	91-709-.....	135	92-1116.....	148	92-1316.....	47	92-1590.....	155
91-527-.....	136	91-710-.....	135	92-1117.....	147	92-1320.....	153	92-1591.....	155
91-528-.....	136	91-900-.....	134	92-1122.....	105	92-1321.....	122	92-1592.....	155
91-529-.....	136	91-901-.....	134	92-1124.....	150	92-1322.....	126	92-1593.....	153
91-530-.....	136	91-902A.....	134	92-1126.....	96	92-1323.....	155	92-1600.....	95
91-531-.....	136	91-902B.....	134	92-1127.....	152	92-1324.....	155	92-1601.....	104
91-532-.....	136	91-903A.....	134	92-1129.....	125	92-1325.....	96	92-1602.....	102
91-533-.....	136	91-903B.....	134	92-1130.....	138	92-1328.....	104	92-1604.....	147
91-534-.....	136	91-904A.....	134	92-1133.....	152	92-1329.....	152	92-1610.....	100
91-535-.....	136	91-904B.....	134	92-1139.....	110,153	92-1336.....	102	92-1611.....	122
91-536-.....	137	91-905A.....	134	92-1144.....	98	92-1341.....	108	92-1612.....	126
91-537-.....	136	91-905B.....	134	92-1145.....	110	92-1342.....	108	92-1613.....	100
91-538-.....	136	91-906A.....	134	92-1149.....	125	92-1343.....	105	92-1615.....	104
91-539-.....	136	91-906B.....	134	92-1150.....	107	92-1347.....	149	92-1638.....	146
91-540-.....	136	91-907A.....	134	92-1151.....	147	92-1348.....	126	92-1639.....	154
91-541-.....	136	91-907B.....	134	92-1154.....	125	92-1349.....	96	92-1648.....	127
91-542-.....	136	91-908A.....	134	92-1155.....	148	92-1351.....	125	92-1649.....	100
91-543-.....	136	91-908B.....	134	92-1157.....	127	92-1352.....	155	92-1650.....	126
91-544-.....	137	91-909A.....	134	92-1158.....	106	92-1353.....	126	92-1652.....	126
91-545-.....	136	91-909B.....	134	92-1161.....	107	92-1356.....	108	92-1667.....	97
91-546-.....	137	91-910A.....	134	92-1164.....	125	92-1357.....	108	92-1671.....	113
91-547-.....	137	91-910B.....	134	92-1165.....	125	92-1358.....	108	92-1672.....	113
91-548-.....	136	91-911A.....	134	92-1169.....	152	92-1361.....	126	92-1674.....	113
91-549-.....	136	91-911B.....	134	92-1177.....	125	92-1363.....	96	92-1675.....	113
91-550-.....	136	92-1000.....	150	92-1183.....	102	92-1370.....	102	92-1679.....	155
91-551-.....	136	92-1001.....	110	92-1189.....	149	92-1375.....	169	92-1680.....	155
91-552-.....	136	92-1002.....	110	92-1190.....	125	92-1376.....	102	92-1681.....	97
91-553-.....	136	92-1006.....	148	92-1191.....	125	92-1377.....	102	92-1682.....	97
91-554-.....	136	92-1010.....	141,141	92-1192.....	105	92-1389-18.....	153	92-1683.....	96
91-555-.....	136	92-1012.....	109	92-1193.....	116	92-1403.....	126	92-1684.....	155
91-556-.....	136	92-1014.....	148	92-1194.....	118	92-1404.....	126	92-1687.....	143
91-557-.....	137	92-1015.....	101	92-1200.....	97	92-1408.....	149	92-1687-EG.....	143
91-558-.....	137	92-1016.....	146	92-1201.....	97	92-1414.....	122	92-1699.....	138
91-559-.....	137	92-1017.....	146	92-1202.....	139	92-1418.....	100	92-1700.....	147
91-560-.....	137	92-1019.....	154	92-1203.....	152	92-1419.....	100	92-1701.....	126
91-561-.....	137	92-1020.....	115	92-1206.....	101	92-1425.....	109	92-1702.....	110
91-562-.....	137	92-1022.....	110	92-1207.....	101	92-1433.....	153	92-1703.....	147
91-563-.....	137	92-1024.....	122	92-1212.....	153	92-1441.....	126	92-1704.....	153
91-564-.....	137	92-1032.....	125	92-1214.....	125	92-1452.....	145	92-1705.....	107
91-565-.....	137	92-1033.....	110	92-1215.....	125	92-1458.....	99	92-1706.....	107
91-566-.....	137	92-1034.....	111	92-1216.....	101	92-1464.....	155	92-1707.....	107
91-567-.....	137	92-1035.....	100	92-1217.....	100	92-1475-2.....	100	92-1708.....	110
91-568-.....	137	92-1039.....	152	92-1222.....	110	92-1475-3.....	100	92-1709.....	107
91-569-.....	137	92-1043.....	152	92-1239.....	125	92-1475-15.....	110	92-1710.....	107
91-570-.....	137	92-1044.....	144	92-1240.....	125	92-1479.....	100	92-1711.....	153
91-571-.....	137	92-1045.....	100	92-1244.....	147	92-1481.....	100	92-1712.....	107
91-572-.....	137	92-1046.....	107	92-1252.....	150	92-1482.....	100	92-1713.....	110
91-573-.....	137	92-1060.....	124	92-1254.....	154	92-1483.....	123	92-1714.....	110
91-574-.....	136	92-1061.....	125	92-1255.....	154	92-1484.....	108	92-1715.....	153
91-575-.....	137	92-1066.....	99	92-1258.....	126	92-1487.....	122	92-1716.....	153
91-576-.....	137	92-1067.....	149	92-1259.....	108	92-1488.....	121	92-1717.....	153
91-577-.....	137	92-1068.....	125	92-1260.....	108	92-1495.....	97	92-1718.....	153
91-578-.....	137	92-1069.....	108	92-1272.....	101	92-1498.....	110	92-1719.....	153
91-579-.....	137	92-1070.....	108	92-1275.....	101	92-1502.....	99	92-1720.....	110
91-580-.....	137	92-1073.....	95	92-1276.....	123	92-1507.....	126	92-1764.....	122
91-581-.....	137	92-1074.....	147	92-1277.....	126	92-1519.....	126	92-1765.....	122
91-582-.....	137	92-1076.....	107	92-1278.....	126	92-1520.....	126	92-1769.....	153
91-583-.....	137	92-1079.....	96	92-1282.....	139	92-1522.....	126	92-1770.....	110
91-584-.....	137	92-1080.....	148	92-1283.....	139	92-1533.....	127	92-1772.....	109
91-585-.....	137	92-1081.....	110	92-1284.....	139	92-1535.....	100	92-1778.....	148
91-586-.....	137	92-1087.....	102	92-1285.....	139	92-1536.....	150	92-1793.....	154
91-587-.....	135	92-1088.....	125	92-1287.....	140	92-1537.....	126	92-1809.....	127
91-588-.....	136	92-1089.....	125	92-1289.....	138	92-1538.....	145	92-1817.....	108



Phone:
Fax:
Toll-Free:

480-854-3400
480-832-6390
877-718-7446

ROCKART
SIGNS AND MARKERS

Online: www.RockartSigns.com
Email: Sales@RockartSigns.com

PRODUCT INDEX (SORTED BY PART#)

92-1818	97	92-2095	97	92-2269	106	92-2702	123	92-3190	100
92-1819	102	92-2097	126	92-2274	150	92-2708	150	92-3191	100
92-1820	102	92-2108	110	92-2275	140	92-2717	149	92-3197	154
92-1822	139	92-2110	97	92-2277	149	92-2720	152	92-3198	154
92-1823	127	92-2113	113	92-2283	96	92-2721	150	92-3199	154
92-1824	121	92-2121	96	92-2287	126	92-2739	107	92-3200	154
92-1825	169	92-2122	148	92-2290	150	92-2745	147	92-3202	139
92-1829	127	92-2124	144	92-2292	111	92-2746	103	92-3211	144,149
92-1831	128	92-2126	103	92-2294	148	92-2747	127	92-3222	104
92-1837	150	92-2131	105	92-2296	122	92-2748	110	92-3225	97
92-1838	99	92-2132	153	92-2301-33	99	92-2749	127	92-3226	97
92-1850	127	92-2135	107	92-2301-34	99	92-2750	127	92-3238	97
92-1851	139	92-2146	111	92-2302	143	92-2751	127	92-3245-16	145
92-1852	139	92-2149	96	92-2309	169	92-2757	155	92-3260	149
92-1853	139	92-2150	127	92-2310	110	92-2771	144	92-3278-14	111
92-1855	140	92-2152	148	92-2316	107	92-2774	127	92-3285	99
92-1856	140	92-2153	98	92-2317	107	92-2775	127	92-3290	128
92-1867	102	92-2154	96	92-2319	143	92-2804	106	92-3291	98
92-1868	121	92-2155	96	92-2320	95	92-2805	106	92-3293	102,111
92-1869	109	92-2156	127	92-2327	148	92-2806	106	92-3294	149
92-1870	109	92-2157	126	92-2335	148	92-2807	106	92-3310	107
92-1875	155	92-2158	110,145	92-2340	107	92-2808	106	92-3317	154
92-1898	149	92-2159	145	92-2341	107	92-2810	106	92-3327	110
92-1903	150	92-2161	153	92-2342	147	92-2812	140	92-3332-1	148
92-1908	100	92-2166	140	92-2343	147	92-2826	127	92-3332-2	122
92-1910	139	92-2169	149	92-2344	153	92-2827	104	92-3332-3	149
92-1911	139	92-2170	154	92-2348	128	92-2828	148	92-3349	149
92-1912	139	92-2171	154	92-2360	140	92-2829	104	92-3355	122
92-1913	139	92-2173	122	92-2361	140	92-2831	109	92-3356	127
92-1914	139	92-2174	121	92-2373	139	92-2833	154	92-3367	144
92-1915	139	92-2175	122	92-2400	153	92-2836	148	92-3371	155
92-1916	139	92-2176	126	92-2402	151	92-2837	149	92-3379	127
92-1917	139	92-2181	122	92-2403	151	92-2845	111	92-3381	155
92-1918	139	92-2182	122	92-2412	108	92-2846	149	92-3382	155
92-1919	139	92-2183	122	92-2413	152	92-2851	111	92-3383	126
92-1920	139	92-2184	122	92-2463	154	92-2879	138	92-3394	108
92-1921	139	92-2185	122	92-2466	126	92-2880	138	92-3407	155
92-1923	148	92-2186	122	92-2470	127	92-2881	149	92-3409	144
92-1940	109	92-2188	145	92-2477	149	92-2883	111	92-3420	144
92-1941	150	92-2192	149	92-2494	148	92-2884	148	92-3421	107
92-1955	153	92-2193	126	92-2497	152	92-2886	154	93-1041	147
92-1956	127	92-2200-1	143	92-2515	147	92-2887	97	93-1042	107
92-1961	150	92-2200-2	143	92-2516	147	92-2889	127	93-1043	107
92-1962	153	92-2200-3	143	92-2516-1	147	92-2892	144	93-1064	154
92-1963	127	92-2200-5	143	92-2520	138	92-2903	97	93-1107	95
92-1968	144	92-2200-6	143	92-2544	149	92-2904	109	93-1108	110
92-1970	108	92-2200-7	143	92-2553-12	138	92-2922	105	93-1112	129
92-1981	104	92-2200-8	143	92-2554-12	138	92-2924	111	93-1126-4	99
92-1983	144	92-2200-10	143	92-2555-8	138	92-2929	108	93-1126-5	99
92-1985	102	92-2200-11	143	92-2556-8	138	92-2930	146	93-1126-6	99
92-1988	139	92-2200-12	143	92-2560	97	92-2931	145	93-1126-7	99
92-1993	97	92-2200-13	143	92-2561	97	92-2958	154	93-1138	107
92-1997	144	92-2200-14	143	92-2565	97	92-2960	126	93-1142	146
92-1999	117	92-2200-16	143	92-2572	148	92-2975	139	AT	8,197
92-2003	148	92-2200-17	143	92-2573	96	92-2976	139	DF	6,198
92-2004	101	92-2200-18	143	92-2591	169	92-2977	139	DF54-01	4
92-2005	103	92-2200-19	143	92-2602	127	92-2978	139	FT	6,199
92-2007	148	92-2200-20	143	92-2614-12	149	92-2979	139	GFX	6,200
92-2022	150	92-2200-21	143	92-2616	169	92-2980	139	SP18	16,204
92-2024	144	92-2200-22	143	92-2628	150	92-2982	152	SP25	16,205
92-2030	110,151	92-2200-23	143	92-2653	147	92-2993	127	SP31	16,206
92-2033	154	92-2200-24	143	92-2654	147	92-3045	127	SP38	16,207
92-2043-59	110	92-2200-25	143	92-2656	146	92-3046	154	SPM	8,201
92-2043-60	110	92-2228	99	92-2658	105	92-3121	144	SRBM	9,202
92-2043-61	127	92-2229	99	92-2660	99	92-3125	107,154	TF	6,203
92-2044	149	92-2240	153	92-2664	109	92-3135	104		
92-2051	110	92-2241	145	92-2685	99	92-3137	144		
92-2052	96	92-2242	150	92-2686	110	92-3147	154		
92-2064	100	92-2244	97	92-2690	150	92-3148	95		
92-2070	100	92-2247	122	92-2691	152	92-3168	96		
92-2071	100	92-2248	150	92-2692	152	92-3170	102,151		
92-2072	100	92-2249	110	92-2693	150	92-3188	148		
92-2075	98	92-2252	154	92-2695	96	92-3189	100		

The End